

Technical Services: 888-437-3244, Engineering Services: 877-832-3206, Sales 800-543-7140



Stucco, Stone Veneer, EIFS 09.22.36 (Metal Lath)

## 2" (Nominal) J-Weep Low-Back (JWLB/JCLB)

## Used as a casing stop bead with stucco, stone & E.I.F.S. systems

J-Weep Low-Back is nail, screw, or staple-attached to the frame or sheathing, then foam insulation, cement board or metal lath can be installed over it. In any case, the protruding ridge of the metal must extend beyond the plane of overlaid materials to serve as a ground for the stucco or E.I.F.S. application. Installed in conjunction with 1" rigid insulation associated with one-coat plaster stucco systems, the 1-3/8" ground provides proper depth for plaster keying. The 2" (Nominal) J-Weep has an attachment flange that measures 1-7/8". Galvanized for corrosion protection, it also is available with weep holes.

2" (Nominal) J-Weep should not be used as a foundation weep screed for three-coat stucco applications. This casing or plaster stop bead should only be used on approved one-coat systems.

The International Building Code (IBC)\* requires that all weep screeds have a 3-1/2" nailing flange, weep holes and a minimum thickness of 26-gauge steel. This product does not conform to code-required work if used as a foundation weep.

## **Product Data & Ordering Information:**

Material:	0.0172" base steel, 26 gauge, G60 galvanized steel		
Dimensions:	2" x ground size x 10' long		
	3/8" weep holes spaced at 3.5" o.c. along the ground		

Grounds	Depth	Length	Lbs./Ft.	Pcs./Ctn.
1/2"	2"	10'	.16 lbs.	10
3/4"	2"	10'	.18 lbs.	10
1-3/8"	2"	10'	.22 lbs.	10

2" (Nominal) J-Weep with an attachment flange that measures 1-7/8". Available with or without weep holes.

## **Code Approvals & Performance Standards**

- ASTM A653 Standard Specification for Steel Sheet, Zinc-Coated (Galvanized) or Zinc-Iron Alloy-Coated (Galvannealed) by the Hot-Dip Process
- ASTM C1063 Standard Specification for Installation of Lathing and Furring to Receive Interior and Exterior Portland Cement-Based Plaster
- ASTM C1780 Standard Practice for Installation Methods for Cement-based Adhered Masonry Veneer
- ASTM C1861 Standard Specification for Lathing and Furring Accessories, and Fasteners, for Interior and Exterior Portland Cement-Based Plaster
- SDS For ASTM A653 Steel Finishing Products For Interior Finishing and Exterior Finishing





