

05.40.00 (Cold-Formed Metal Framing)



# HDS® 362HDS300-54 (50ksi, CP60) - As Header

3-5/8" Heavy duty stud with 3" flange for structural openings - Unpunched


#### **Geometric Properties**

Web depth: 3.625 in Yield strength, Fy: 50ksi Coating: CP60 Flange width (A): 3.000 in Return lip (B): 1.0625 in Stiffening lip (C): 0.750 Thickness: 54mils (16ga) Design Thickness: 0.0566 in Min. steel thickness: 0.0538 in

Gross Section Properties of Full Section, Strong Axis	
Cross sectional area (A)	0.714 in <sup>2</sup>
Member weight per foot of length	2.43 lb/ft
Moment of inertia (Ix)	1.481 in <sup>4</sup>
Section Modulus (Sx)	0.817in <sup>3</sup>
Radius of gyration (Rx)	1.440 in
Moment of inerita (ly)	0.988 in <sup>4</sup>
Section modulus (Sy)	0.659 <sup>3</sup>
Radius of gyration (Ry)	1.177 in
Effective Section Properties	
Cross sectional area (Ae)	0.422 in <sup>2</sup>
Moment of Inertia about x-axis (Ixe)	1.449 in <sup>4</sup>
Moment of Inertia about y-axis (Iye)	0.990 in <sup>4</sup>
Section Modulus about x-axis (Sxe)	0.717 in <sup>3</sup>
Section Modulus about y-axis (Sye)	0.659 in <sup>3</sup>
Allowable local moment capacity about x-axis (Max-local)	21.47 (in-k)
Allowable local moment capacity about y-axis (May-local)	19.73 (in-k)
Allowable distortional moment capacity about x-axis (Max-dist)	24.39 (in-k)
Allowable distortional moment capacity about y-axis (May-dist)	19.73 (in-k)
Shear strength capacity of section about x-axis (Vax)	3372 lbs
Shear strength capacity of section about y-axis (Vay)	5767 lbs
Torsional Properties	
St. Venant torsional constant (J x 1000)	0.764 in <sup>4</sup>
Warping constant (Cw)	6.894 in <sup>6</sup>
Distance from shear center to the centroid along the principal axis (Xo)	-3.479 in
Distance from shear center to web centerline (m)	1.695 in
Radii of gyration (Ro)	3.946 in
Torsional flexural constant (Beta)	0.222


### **Code Approvals & Performance Standards**

- AISI S100-16 (2020) w/S2-20 North American Specification for the Design of Cold-Formed Steel Structural Members
- AISI S240-20 North American Standard for Cold-Formed Steel Structural Framing
  - o (Compliant to ASTM C955, but IBC replaced with AISI S200 in IBC 2015, AISI S240 in IBC 2018)
  - Section A3 Material Chemical & mechanical requirements (Referencing ASTM A1003/A1003M)
  - Section A4 Corrosion Protection (Referencing ASTM A653/A653M)
  - o Section C Installation (Referencing ASTM C1007)
- IBC 2024 International Building Code
- IAPMO ER-0723 Evaluation Report for HDS and RedHeader Pro
- SDS For ASTM A1003 Steel Framing Products For Interior Framing, Exterior Framing and Clips/Accessories



#### Features:

- Replaces lay-in and boxed headers
- Reduces material pieces, weight & screws
- Reduces installation time



### **Ordering Information:**

Header lengths should be ordered 1/2" shorter to fit inside HDSC Header Brackets (Header length = inside of jamb to inside of jamb - 1/2")

Sustainability Credits For more details and LEED letters contact Technical Services at 888-437-3244 or visit clarkdietrich.com/LEED.

- LEED v4.1 MR Credit: Environmental Product Declarations: EPD (1 point) - Sourcing of Raw Materials (up to 2 points) - Material Ingredients (1 point) - Construction and Demolition Waste Management (up to 2 points)
- LEED v4 MR Credit: Building Product Disclosure and Optimization: EPD (1 point) -Sourcing of Raw Materials (1 point) - Material Ingredients (1 point) - Construction and Demolition Waste Management (up to 2 points) -Innovation Credit (up to 2 points).

05.40.00 (Cold-Formed Metal Framing)



Technical Services: 888-437-3244, Engineering Services: 877-832-3206, Sales 800-543-7140


# HDS® 362HDS300-54 (50ksi, CP60) - As Jamb

3-5/8" Heavy duty stud with 3" flange for structural openings - Unpunched

#### **Geometric Properties**

Web depth: 3.625 in Yield strength, Fy: 50ksi Coating: CP60 Flange width (A): 3.000 in Return lip (B): 1.0625 in Stiffening lip (C): 0.750 Thickness: 54mils (16ga) Design Thickness: 0.0566 in Min. steel thickness: 0.0538 in


Gross Section Properties of Full Section, Strong Axis	
Cross sectional area (A)	0.714 in <sup>2</sup>
Member weight per foot of length	2.43 lb/ft
Moment of inertia (lx)	1.481 in <sup>4</sup>
Section Modulus (Sx)	0.817in <sup>3</sup>
Radius of gyration (Rx)	1.440 in
Moment of inertia (ly)	0.988 in <sup>4</sup>
Section modulus (Sy)	0.659 <sup>3</sup>
Gross radius of gyration (Ry)	1.177 in
Effective Section Properties	
Cross sectional area (Ae)	0.422 in <sup>2</sup>
Moment of Inertia about x-axis (Ixe)	1.449 in <sup>4</sup>
Section Modulus about x-axis (Sxe)	0.696 in <sup>3</sup>
Allowable local moment capacity about x-axis (Max-local)	20.83 (in-k)
Allowable distortional moment capacity about x-axis (Max-dist)	23.96 (in-k)
Shear strength capacity of section about x-axis (Vax)	1016 lbs
Shear strength capacity of section about y-axis (Vay)	5767 lbs
Torsional Properties	
St. Venant torsional constant (J x 1000)	0.764 in <sup>4</sup>
Narping constant (Cw)	6.894 in <sup>6</sup>
Distance from shear center to the centroid along the principal axis (Xo)	-3.479 in
Distance from shear center to web centerline (m)	1.695 in
Radii of gyration (Ro)	3.946 in
Forsional flexural constant (Beta)	0.222
Maximum unbraced length (Lu)	82.4 in
Axial Load	
Allowable axial load for section	11.7 kips



Section properties are based on a punched jamb stud.


#### **Code Approvals & Performance Standards**

- AISI S100-16 (2020) w/S2-20 North American Specification for the Design of Cold-Formed Steel Structural Members
- AISI S240-20 North American Standard for Cold-Formed Steel Structural Framing
  - o (Compliant to ASTM C955, but IBC replaced with AISI S200 in IBC 2015, AISI S240 in IBC 2018)
  - Section A3 Material Chemical & mechanical requirements (Referencing ASTM A1003/A1003M)
  - Section A4 Corrosion Protection (Referencing ASTM A653/A653M)
- Section C Installation (Referencing ASTM C1007)
- IBC 2024 International Building Code
- IAPMO ER-0723 Evaluation Report for HDS and RedHeader Pro
- SDS For ASTM A1003 Steel Framing Products For Interior Framing, Exterior Framing and Clips/Accessories



### Features:

- Replaces lay-in and boxed headers.
- · Reduces material pieces, weight & screws.
- · Reduces installation time.



Sustainability Credits For more details and LEED letters contact Technical Services at 888-437-3244 or visit clarkdietrich.com/LEED.

- LEED v4.1 MR Credit: Environmental Product Declarations: EPD (1 point) - Sourcing of Raw Materials (up to 2 points) - Material Ingredients (1 point) - Construction and Demolition Waste Management (up to 2 points)
- LEED v4 MR Credit: Building Product Disclosure and Optimization: EPD (1 point) -Sourcing of Raw Materials (1 point) - Material Ingredients (1 point) - Construction and Demolition Waste Management (up to 2 points) -Innovation Credit (up to 2 points).