

Marino\WARE® Product Submittal Data

PRODUCT NAME: 600S350-118

MARINO\WARE PART # 600SW10

05.40.00 Cold-Formed Metal Framing

PROPERTIES:

| | | | |
|-------------------------|--------|----------------------------------|--------|
| A. Web (in) | 6" | Yield Strength Fy (KSI) | 50 |
| B. Flange (in) | 3-1/2" | Tensile Strength Fu (KSI) | 65 |
| C. Lip (in) | 1" | Design Thickness (in) | 0.1242 |
| Mils | 118 | Minimum Thickness (in) | 0.1180 |
| Available Finish | G90 | Gauge | 10 |

SECTION PROPERTIES

GROSS SECTION PROPERTIES

| | |
|---|------|
| Cross Sectional Area: A (in ²) | 1.75 |
| Weight of Member: (lb/ft) | 5.95 |
| Moment of Inertia: Ix (in ⁴) | 10.3 |
| Section Modulus: Sx (in ³) | 3.44 |
| Radius of Gyration: Rx (in) | 2.43 |
| Gross Moment of Inertia: Iy (in ⁴) | 2.98 |
| Gross Radius of Gyration: Ry (in) | 1.31 |

EFFECTIVE SECTION PROPERTIES

| | |
|--|-------|
| Moment of Inertia-Deflection: Ixe (in ⁴) | 10.3 |
| Section Modulus: Sxe (in ³) | 3.27 |
| Allowable Local Bending Moment: Mal (in-k) | 108* |
| Allowable Distortional Bending Moment: Mad (in-k) | 97.3 |
| Allowable strong axis shear away from punch: Vag (lb) | 12526 |
| Allowable strong axis shear at punch: Vanet (lb) | 3622 |

* Allowable Bending Moment includes cold work of forming

TORSIONAL SECTION PROPERTIES



| | |
|---|-------|
| St. Venant Torsional Constant: Jx1000 (in ⁴) | 8.99 |
| Torsional Warping Constant: Cw (in ⁶) | 25.8 |
| Shear Center to Centroid on Principal X-axis: Xo (in) | -2.95 |
| Shear Center to Mid-Plane of the Web: m (in) | 1.74 |
| Radius of Gyration on the Centroid Principal axis: Ro (in) | 4.04 |
| Torsional Flexural Constant: β 1-(xo/Ro) ² | 0.466 |

CODES & STANDARDS

- AISI S100, S240
- ASTM A 1003, A 653, & C 955
- IBC 2012, 2015, 2018, 2021 & FBC 2020, 2023

GREEN INFO

- LEED credits available
- Contact Technical Services for more information.



For more information, please contact Marino\WARE Technical Services at 866-545-1545.

This technical information reflects the most current information available and supersedes any and all publications, effective 11/5/2023
©Copyright 2023 by Ware Industries, Inc. All rights reserved