

Gardendrain® GR50




A SIKA COMPANY

GENERAL DESCRIPTION

Gardendrain GR50 is made of recycled polyethylene molded into a three-dimensional panel. The unique design provides retention cups on the top side, drainage channels on top and bottom and holes in the tops of the domes for aeration and upward moisture movement.

BASIC USE

Gardendrain GR50 is specifically designed to act as a drainage, aeration and water retention element in Hydrotech’s Intensive Garden Roof® Assembly.



INSTALLATION

- GR50 is installed as indicated in Hydrotech’s Garden Roof Installation Guidelines.
- The retention cups of GR50 are always filled with lightweight expanded aggregate.
- Volume to Fill: 3 CY per 1,000 sq.ft.

TECHNICAL DATA

PANEL DIMENSIONS:	4 ft. X 6 ft. (1.2 m X 1.8 m)	
PANEL HEIGHT:	2 in. (50 mm)	
WEIGHT:	w/cups empty	0.4 lb/ft ² (2.2 kg/m ²) – dry; 2 lb/ft ² (10.8 kg/m ²) - wet
	w/cups filled*	4.3 lb/ft ² (21.7 kg/m ²) – dry; 6.3 lb/ft ² (31.8 kg/m ²) - wet
COMPRESSIVE STRENGTH: (ASTM D1621)	3,154 lb/ft ² w/cups empty; 7,000+ lb/ft ² w/cups filled	
FLOW RATE: (ASTM D4716)	42 gal./min./ft. width (530 l./min./m.); h.g. = 1	
WATER RETENTION:	≈0.184 gal/SF (7.50 l/square meter); cups empty ≈0.221 gal/SF (9.01 l/square meter); cups filled	

* cups filled = Gardendrain element filled with LiteTop® expanded aggregate level with tops of element dimples

LEED® INFORMATION

	Credit 4	Credit 5
Recycled Content (% by weight)	100 (pi)	
Manufacture Location		Goshen, IN
Extraction/Harvesting Location		Goshen, IN
VOC Content (g/L)		0

This information is intended only for general conceptual purposes. It is based on data and knowledge considered to be true and correct. It is offered for the user’s consideration, investigation and verification and is not intended to substitute for the advice provided by appropriate professionals. Hydrotech assumes no liability for the use of this information. The determination of the suitability and applicability of this information is the sole responsibility of the user.