

Hydrotech® LiteTop® Growing Media

formerly known as LiteTop® Growing Media



BUILDING TRUST



GENERAL DESCRIPTION

Hydrotech’s LiteTop engineered growing media is a specially blended lightweight growing media composed of organic and mineral materials. The type of vegetation and the desired assembly determines the percentage of the components of lightweight aggregates, sands and composts. Multiple blends are available; contact Hydrotech for information on specific local blends.

BASIC USE

Hydrotech’s LiteTop growing media is specifically designed to be used on Hydrotech’s Garden Roof® extensive, lawn, intensive, sloped, meadow, and urban agriculture assemblies.



INSTALLATION

LiteTop growing media shall be installed as indicated in Hydrotech’s Garden Roof Installation Guidelines.

LEED® INFORMATION

	Credit 4	Credit 5
Recycled Content (% by weight)	Varies regionally, contact Hydrotech	
Manufacture Location	40+ locations, contact Hydrotech for more information	
Extraction/Harvesting Location	40+ locations, contact Hydrotech for more information	
VOC Content (g/L)	0	

Note to Designers:

The information in this product data sheet is general in nature and is not intended to be a stand-alone document to describe Hydrotech’s LiteTop Growing Media. This product data sheet must be used in combination with test results for the locally available LiteTop Growing Media for the project.

Contact Hydrotech for further information.

Prior to each use of any product of Sika Corporation, its subsidiaries or affiliates (“SIKA”), the user must always read and follow the warnings and instructions on the product’s most current product label, Product Data Sheet and Safety Data Sheet which are available at usa.sika.com or by calling SIKAs Technical Service Department at 1-800-933-7452. Nothing contained in any SIKAs literature or materials relieves the user of the obligation to read and follow the warnings and instructions for each SIKAs product as set forth in the current product label, Product Data Sheet and Safety Data Sheet prior to use of the SIKAs product.

SIKA warrants this product for one year from date of installation to be free from manufacturing defects and to meet the technical properties on the current Product Data Sheet if used as directed within the product’s shelf life. User determines suitability of product for intended use and assumes all risks. User’s and/or buyer’s sole remedy shall be limited to the purchase price or replacement of this product exclusive of any labor costs. **NO OTHER WARRANTIES EXPRESS OR IMPLIED SHALL APPLY INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES. SIKA SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.**

Sale of SIKAs products are subject to the Terms and Conditions of Sale which are available at <https://usa.sika.com/en/group/SikaCorp/termsandconditions.html> or by calling 1-800-933-7452.