



AQUAFIN, Inc.
Triumph Industrial Park
505 Blue Ball Rd., #160
Elkton, MD 21921
☎ (410) 392-2300 FAX (410) 392-2324

E-mail: info@aquafin.net
Web: http://www.aquafin.net

May 01, 2019

AQUAFIN®-1K (Gray & White) LEED Product Information

Submittal information to address credits pertaining to Division 7 or commonly requested by Division 7 customers.

- 1. VOC Content:** 0% (zero percent) or 0 grams per liter (0 g/L)
- 2. Materials & Resources:** Based on LEED Version v4
- | | | | |
|--------|---|--|------------------|
| MR 1.1 | Building Reuse: | N/A (not applicable) | |
| MR 2.1 | Construction Waste Management: | | |
| | | • Packaging paper bags: Remove plastic liner. Paper to paper recycler. | |
| | | • Packaging plastic pails: to plastic recycler. | |
| MR 3.1 | Resource Reuse: | N/A | |
| MR 4.1 | Recycled Content of Const. Materials: | 0% | |
| MR 5.1 | Local/Regional Materials, manufactured: | Mfg Elkton, MD 21921 | |
| MR 5.2 | Local/Regional Materials, harvested: | 90% less than 100 miles from plant | |
| | | | = up to 2 points |
| MR 6 | Rapidly renewable Materials: | 0% | |
| MR 7 | Certified Wood: | N/A | |

- 3. Indoor Environmental Quality:** Based on LEED Version v4
- | | | | |
|--------|--|----------------|-----------|
| IE 4.2 | Low-Emitting Materials, Paints & Coatings: | 0% VOC (0 g/L) | = 1 point |
|--------|--|----------------|-----------|

4. NSF/ANSI Standard 61 for in contact with potable water:

AQUAFIN-1K has NSF/ANSI Standard 61 certification for in contact with potable water for human consumption with Water Quality Association www.wqa.org. This certification with its yearly factory product inspection (audit), we believe is much more stringent than the LEED testing. We enclose with this letter a copy of the present WQA listing.

AQUAFIN, Inc.

Alfred Kessi, Civ. Eng.

“LEED” is a trademark of the U.S. Green Building Council