

### PS108 Sodium Silicate w/ Siliconate Densifier WB Penetrating Sealer

Page 1

#### 1 Identification

##### Product identifier

**Product Name:** PS108 Sodium Silicate w/ Siliconate Densifier WB Penetrating Sealer

##### Other means of identification

**Product Code:** PS108

**Synonyms:** N/A

##### Recommended use of the chemical and restrictions on use

**Recommended Use:** Concrete Floor Densifier and Hardener

**Uses advised against:** No Data

##### Details of the supplier of the Safety Data Sheet

##### Distributor Address

Concrete Sealers USA

P.O. Box 5464

De Pere, WI 54115

##### Emergency telephone number

**Company Phone Number:** 888-583-2991

**24 Hour Emergency Phone Number:** 800-424-9300

#### 2 Hazard(s) Identification

##### Classification

##### OSHA Regulatory Status

This chemical is not considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200).

##### Label elements

##### Emergency Overview

##### WARNING

##### Hazard statements

Causes serious eye irritation

May cause skin irritation

May cause respiratory irritation

**Appearance** Transparent Liquid



**Physical state** Liquid

**Odor** Mild

##### Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Do not eat, drink or smoke when using this product.

Avoid direct contact.

**PS108 Sodium Silicate w/ Siliconate Densifier WB Penetrating Sealer**

**2 Hazard(s) Identification (Continued)**

**Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed.  
Keep from freezing.

**Precautionary Statements - Disposal**

Dispose of contents/container in accordance with local/regional/national regulations.

**Hazards not otherwise classified (HNOC)** N/A

**Other Information** N/A

**3 Composition / Information on Ingredients**

**Substance**

Chemical Name	CAS No.	Weight-%	Trade Secret
Non-hazardous ingredient(s)	-	80-85	*
Sodium silicate	1344-09-8	8-12	*
Potassium methylsiliconate	31795-24-1	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

**4 First-Aid Measures**

**Description of first aid measures**

**General advice:** Get medical attention immediately. Remove contaminated clothing and shoes. Take a copy of the Safety Data Sheet when going for medical treatment.

**Eye contact:** IF IN EYES: If contact with eyes, immediately hold eyelids apart and flush with plenty of water for at least 15 min.

**Skin contact:** IF ON SKIN: Wash off with soap and plenty of water. If skin irritation occurs: Get medical advice or attention.

**Inhalation:** IF INHALED: If inhaled remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult give oxygen. Seek immediate medical attention/advice.

**Ingestion:** IF SWALLOWED: If swallowed, do not induce vomiting. If swallowed, give victim several glasses of water. If vomiting does occur, give additional fluids.

**Most important symptoms and effects, both acute and delayed**

**Symptoms:** Eye, Skin, and Respiratory Irritation.

**Indication of any immediate medical attention and special treatment needed**

**Note to physicians:** Treat symptomatically. For additional information, see Safety Data Sheet.

**5 Fire-Fighting Measures**

**Suitable extinguishing media**

This material does not present any unusual fire or explosion hazards. Material does not burn. Use extinguishing measures appropriate to the source of fire.

**Unsuitable extinguishing media:** Not Applicable.

# PS108 Sodium Silicate w/ Siliconate Densifier WB Penetrating Sealer

Page 3

## 5 Fire-Fighting Measures (Continued)

**Specific hazards arising from the chemical**

Not Applicable.

**Explosion data**

**Sensitivity to Mechanical Impact:** Not available.

**Sensitivity to Static Discharge:** Not sensitive.

**Protective equipment and precautions for firefighters**

Wear self-contained breathing apparatus and protective suit.

## 6 Accidental Release Measures

**Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Wear personal protection equipment (see section 8). Avoid contact with eyes and skin. Avoid inhaling mists and vapors. Keep unprotected persons away.

**Environmental precautions**

**Environmental precautions:** See Section 12 for additional ecological information.

**Methods and material for containment and cleaning up**

**Methods for containment:** Absorb with liquid-binding material (sand, diatomite, acid binders, and universal binders). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

**Methods for cleaning up:** Collect spillage.

## 7 Handling and Storage

**Precautions for safe handling**

**Advice on safe handling:** Ensure good ventilation/exhaustion at the workplace. Avoid contact with aluminum and other metals. Reactions with aluminum, particularly foil, may generate flammable hydrogen gas. Use, store and transfer only with acid resistant plastic containers. DO NOT USE aluminum or any other metal container.

**Conditions for safe storage, including any incompatibilities**

**Storage Conditions:** Keep container tightly closed in a dry and well-ventilated place.

**Incompatible materials:** Strong acids.

## 8 Exposure Controls / Personal Protection

**Control parameters**

**Exposure Guidelines:** Not Available.

**Appropriate engineering controls**

**Engineering Controls:** General/Local Ventilation Recommended.

**Individual protection measures, such as personal protective equipment**

**Eye/face protection:** Wear safety glasses with side shields (or goggles).

**PS108 Sodium Silicate w/ Siliconate Densifier WB Penetrating Sealer**

**8 Exposure Controls / Personal Protection (Continued)**

**Skin and body protection:** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact. Wear chemical resistant gloves at minimum. Wash skin immediately upon contact. Wash hands at mealtime and end of shift.

**Respiratory protection:** Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Where concentrations are above recommended limits or are unknown, appropriate respiratory protection should be worn. Follow OSHA respirator regulations (29 CFR 1910.134) and use NIOSH/MSHA approved respirators.

**General Hygiene Considerations:** Handle in accordance with good industrial hygiene and safety practice. Wash hands before and after breaks and at the end of the work day.

**9 Physical and Chemical Properties**

**Information on basic physical and chemical properties**

<b>Physical state</b>	Liquid		
<b>Appearance</b>	Transparent Liquid	<b>Odor</b>	Mild
<b>Color</b>	Transparent Liquid	<b>Odor threshold</b>	No data available

<b>Property</b>	<b>Values</b>	<b>Remarks • Method</b>
pH	11.5-12	
Melting point / freezing point	Not Applicable/ 32° F	
Boiling point / boiling range	212° F	
Flash point	Not Applicable	CC (closed cup)
Evaporation rate	Not Available	
Flammability (solid, gas)	Not Relevant	
Flammability Limit in Air		
Upper flammability limit:	Not Available	
Lower flammability limit:	Not Available	
Vapor pressure	Not Available	
Vapor density	Not Available	
Relative density	1.206	
Water solubility	Soluble in water	
Solubility in other solvents	Not Available	
Partition coefficient	Not Available	
Autoignition temperature	Not Available	
Decomposition temperature	Not Available	
Kinematic viscosity	Not Available	
Dynamic viscosity	Not Available	
Explosive properties	Not Available	
Oxidizing properties	Not Available	

**PS108 Sodium Silicate w/ Siliconate Densifier WB Penetrating Sealer**

**9 Physical and Chemical Properties (Continued)**

**Other Information**

<b>Softening point</b>	Not Relevant
<b>Molecular weight</b>	Not Available
<b>VOC Content (%)</b>	Not Applicable
<b>Density</b>	Not Available
<b>Bulk density</b>	Not Available

**10 Stability and Reactivity**

**Reactivity**

Not Available.

**Chemical stability**

Stable.

**Possibility of Hazardous Reactions**

No data available.

**Conditions to avoid**

None known.

**Incompatible materials**

Strong acids.

**Hazardous Decomposition Products**

None known.

**11 Toxicological Information**

**Information on likely routes of exposure**

**Product Information**

**Inhalation:** Direct contact and vapor inhalation.

**Eye contact:** Direct contact.

**Skin contact:** Direct contact.

**Ingestion:** Direct contact.

<b>Chemical Name</b>	<b>Oral LD50</b>	<b>Dermal LD50</b>	<b>Inhalation LC50</b>
Sodium silicate (1344-09-8)	= 1153 mg/kg (Rat)	> 4640 mg/kg (Rabbit)	-

**Information on toxicological effects**

**Symptoms:** May cause drowsiness or dizziness if inhaled. May cause respiratory irritation. Causes serious eye irritation. Causes skin irritation.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Skin corrosion/irritation:** Irritating to skin.

**Serious eye damage/eye irritation:** Irritating to eyes.

**Irritation:** Irritating to eyes, respiratory system and skin.

**Sensitization:** No data available.

**PS108 Sodium Silicate w/ Siliconate Densifier WB Penetrating Sealer**

**11 Toxicological Information (Continued)**

**Germ cell mutagenicity:** No data available.  
**Carcinogenicity:** This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC or NTP.  
**Reproductive toxicity:** Not Available.  
**STOT - single exposure:** Not Available.  
**STOT - repeated exposure:** Not Available.  
**Aspiration hazard:** Not Available.  
**Numerical measures of toxicity - Product Information** N/A

**12 Ecological Information**

No available data.

**Ecotoxicity**

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Sodium silicate (1344-09-8)	-	301 - 478: 96 h Lepomis macrochirus mg/L LC50 3185: 96 h Brachydanio rerio mg/L LC50 semi-static	216: 96 h Daphnia magna mg/L EC50

**Persistence and degradability**

No data available.

**Bioaccumulation**

No data available.

**Other adverse effects**

No data available.

**13 Disposal Considerations**

**Waste treatment methods**

**Disposal of wastes:** Must not be disposed of together with household garbage. Do not allow product to reach waterways or storm sewers. Disposal must be made in accordance with local, state and federal regulations.

**Contaminated packaging:** Dispose of in accordance with federal, state and local regulations.

**14 Transport Information**

**DOT:** Not regulated

**Marine pollutant:** No available data

**IATA:** Not regulated

**IMDG:** Not regulated

# PS108 Sodium Silicate w/ Siliconate Densifier WB Penetrating Sealer

## 15 Regulatory Information

### International Inventories

**TSCA:** Does not comply

**DSL/NDSL:** Does not comply

**EINECS/ELINCS:** Does not comply

**ENCS:** Does not comply

**IECSC:** Does not comply

**KECL:** Does not comply

**PICCS:** Does not comply

**AICS:** Does not comply

### Legend

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**EINECS/ELINCS** - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

#### SARA 311/312 Hazard Categories

**Acute health hazard:** Yes

**Chronic health hazard:** No

**Fire hazard:** No

**Sudden release of pressure hazard:** No

**Reactive hazard:** No

#### CWA (Clean Water Act)

Does not apply.

#### CERCLA

Does not apply.

### US State Regulations

#### California Proposition 65

This product contains chemicals known to the state of California to cause birth defects or other reproductive harm.

**U.S. State Right-to-Know Regulations** N/A

**U.S. EPA Label Information** N/A

**PS108 Sodium Silicate w/ Siliconate Densifier WB Penetrating Sealer**

**16 Other Information**

<b>NFPA</b>	<b>Health hazards</b> 1	<b>Flammability</b> 0	<b>Instability</b> 0	<b>Physical and chemical properties</b> -
<b>HMIS</b>	<b>Health hazards</b> 1	<b>Flammability</b> 0	<b>Physical hazards</b> 0	<b>Personal protection</b> -

**Issue Date:** 22-May-2015

**Revision Date:** 30-Nov-2024

**Revision Note**

No data available.

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.