



# CRETE STRIP<sup>™</sup> EU

## SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

### CRETESTRIP EU

Version: 3  
Revision: 28/03/2018

Page 1 of 12  
Cancels and replaces: 2, 25/09/2015

#### SECTION 1: IDENTIFICATION OF THE MIXTURE AND OF THE COMPANY/UNDERTAKING.

##### 1.1 Product identifier.

Product Name: CRETESTRIP EU

##### 1.2 Relevant identified uses of the mixture and uses advised against.

Ecological solvent.

##### Uses advised against:

No uses advised detected, provided that the particulars given in this Safety Data Sheet are met.

##### 1.3 Details of the supplier of the safety data sheet.

Company: **Curecrete Distribution, Inc.**  
Address: 1203 Spring Creek Place  
City: Springville  
Province: UTAH  
Telephone: +1 801 489-5663  
Fax: +1 801 489-3307  
E-mail: techsupport@curecrete  
Web: www.curecrete.com

**1.4 Emergency telephone number:** 96 255 81 05 (Only available during office hours; Monday-Friday; 08:30-18:30)

#### SECTION 2: HAZARDS IDENTIFICATION.

##### 2.1 Classification of the mixture.

In accordance with Regulation (EU) No 1272/2008:

- Acute Tox. 4 : Harmful if swallowed.
- Aquatic Chronic 2 : Toxic to aquatic life with long lasting effects.
- Eye Dam. 1 : Causes serious eye damage.
- Skin Irrit. 2 : Causes skin irritation.
- Skin Sens. 1 : May cause an allergic skin reaction.

##### 2.2 Label elements.

##### Labelling in accordance with Regulation (EU) No 1272/2008:

##### Pictograms:



Signal Word:

**Danger**

H statements:

- |      |                                      |
|------|--------------------------------------|
| H302 | Harmful if swallowed.                |
| H315 | Causes skin irritation.              |
| H317 | May cause an allergic skin reaction. |

-Continued on next page.-



## SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

### CRETESTRIP EU

Version: 3  
Revision: 28/03/2018

Page 2 of 12  
Cancels and replaces: 2, 25/09/2015

H318 Causes serious eye damage.  
H411 Toxic to aquatic life with long lasting effects.

P statements:

P102 Keep out of reach of children.  
P261 Avoid breathing vapours.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P501 Dispose of contents/container to according hazardous waste regulations.

Contains:  
2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether  
Limonene  
Alkylmonoethanolamide ethoxylate

**Contains in accordance with Regulation (EC) No 648/2004 on detergents:**

anionic surfactants 5% - 15%  
non-ionic surfactants 5% - 15%  
Perfumes; Limonene.

Do not ingest.

**2.3 Other hazards.**

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

**3.1 Substances.**

Not Applicable.

**3.2 Mixtures.**

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	specific concentration limit
Index No: 603-014-00-0 CAS No: 111-76-2 EC No: 203-905-0 Registration No: 01-2119475108-36-XXXX	[1] 2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	>= 50% < 75%	Acute Tox. 4 *, H312 - Acute Tox. 4 *, H332 - Acute Tox. 4 *, H302 - Eye Irrit. 2, H319 - Skin Irrit. 2, H315	-
CAS No: 26027-37-2	Alkylmonoethanolamide ethoxylate	>=5% < 15%	Eye Dam. 1, H318 - Skin Irrit. 2, H315	-



## SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

### CRETESTRIP EU

Version: 3  
Revision: 28/03/2018

Page 3 of 12  
Cancels and replaces: 2, 25/09/2015

Index No: 601-029-00-7 CAS No: 5989-27-5 EC No: 227-813-5 Registration No: 01-2119529223-47-XXXX	Limonene	$\geq 1\% < 5\%$	Aquatic Acute 1, H400 - Aquatic Chronic 1, H410 - Flam. Liq. 3, H226 - Skin Irrit. 2, H315 - Skin Sens. 1, H317	-
CAS No: 106-65-0 EC No: 203-419-9 Registration No: 01-2119486681-29-XXXX	dimethyl succinate	$\geq 1\% < 5\%$	Eye Irrit. 2, H319	-

(\*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

\* See Regulation (EC) No. 1272/2008, Annex VI, section 1.2.

[1] Substance with a Community workplace exposure limit (see section 8.1).

#### SECTION 4: FIRST AID MEASURES.

##### 4.1 Description of first aid measures.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

##### Inhalation.

Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration. Do not administer anything orally. If unconscious, place them in a suitable position and seek medical assistance.

##### Eye contact.

Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

##### Skin contact.

Remove contaminated clothing. Wash skin vigorously with water and soap or a suitable skin cleaner. **NEVER** use solvents or thinners.

##### Ingestion.

If accidentally ingested, seek immediate medical attention. Keep calm. **NEVER** induce vomiting.

##### 4.2 Most important symptoms and effects, both acute and delayed.

Corrosive Product, contact with eyes can cause burns; ingestion or inhalation can cause internal damage, if this occurs immediate medical assistance is required.

Harmful Product, prolonged exposure due to inhalation may cause anaesthetic effects and the need for immediate medical assistance.

Contact with eyes may cause irreversible damage.

It may cause an allergic reaction, dermatitis, redness or inflammation of the skin.

##### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious. Do not induce vomiting. If the person vomits, clear the respiratory tract.

#### SECTION 5: FIREFIGHTING MEASURES.

The product does not present any particular risk in case of fire.



# CRETE STRIP™ EU

## SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

### CRETESTRIP EU

Version: 3  
Revision: 28/03/2018

Page 4 of 12  
Cancels and replaces: 2, 25/09/2015

#### 5.1 Extinguishing media.

##### Suitable extinguishing media:

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray.

##### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

#### 5.2 Special hazards arising from the mixture.

##### Special risks.

Fire can cause thick, black smoke. As a result of thermal decomposition, dangerous products can form: carbon monoxide, carbon dioxide. Exposure to combustion or decomposition products can be harmful to your health.

#### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account. Prevent the products used to fight the fire from going into drains, sewers, or waterways. Product residues and extinguishing media may contaminate the aquatic environment.

##### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

## SECTION 6: ACCIDENTAL RELEASE MEASURES.

#### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product dangerous for the environment, in case of large spills or if the product contaminates lakes, rivers, or sewers, inform the responsible authorities according to local legislation. Prevent the contamination of drains, surface or subterranean waters, and the ground.

#### 6.3 Methods and material for containment and cleaning up.

Pick up the spill with non-combustible absorbent materials (soil, sand, vermiculite, diatomite, etc.). Pour the product and the absorbent in an appropriate container. Clean the area with plenty of water.

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

## SECTION 7: HANDLING AND STORAGE.

#### 7.1 Precautions for safe handling.

For personal protection, see section 8. Never use pressure to empty the containers. They are not pressure-resistant containers.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Keep the product in containers made of a material identical to the original.

#### 7.2 Conditions for safe storage, including any incompatibilities.

Store according to local legislation. Observe indications on the label. Store the containers between 5 and 35° C, in a dry and well-ventilated place, far from sources of heat and direct solar light. Keep far away from ignition points. Keep away from oxidising agents and from highly acidic or alkaline materials. Do not smoke. Prevent the entry of non-authorized persons. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

-Continued on next page.-



## SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

### CRETESTRIP EU

Version: 3  
Revision: 28/03/2018

Page 5 of 12  
Cancels and replaces: 2, 25/09/2015

Classification and threshold amount of storage in accordance with Annex I to Directive 2012/18/EU (SEVESO III):

Code	Description	Qualifying quantity (tonnes) for the application of	
		Lower-tier requirements	Upper-tier requirements
E2	ENVIRONMENTAL HAZARDS - Hazardous to the Aquatic Environment in Category Chronic 2	200	500

#### 7.3 Specific end use(s).

Restricted to professional uses.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

#### 8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m <sup>3</sup>
2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether	111-76-2	European Union [1]	<b>Eight hours</b>	20 (skin)	98 (skin)
			<b>Short term</b>	50 (skin)	246 (skin)
		United Kingdom [2]	<b>Eight hours</b>	25	123
			<b>Short term</b>	50	246

[1] According both Binding Occupational Exposure Limits (BOELVs) and Indicative Occupational Exposure Limits (IOELVs) adopted by Scientific Committee for Occupational Exposure Limits to Chemical Agents (SCOEL).

[2] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adopted by Health and Safety Executive.

The product does NOT contain substances with Biological Limit Values.

Concentration levels DNEL/DMEL:

Name	DNEL/DMEL	Type	Value
2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether CAS No: 111-76-2 EC No: 203-905-0	DNEL (Workers)	Inhalation, Long-term, Systemic effects	98 (mg/m <sup>3</sup> )
Limonene CAS No: 5989-27-5 EC No: 227-813-5	DNEL (Workers)	Inhalation, Long-term, Systemic effects	33,3 (mg/m <sup>3</sup> )
dimethyl succinate CAS No: 106-65-0 EC No: 203-419-9	DNEL (Workers)	Inhalation, Long-term, Local effects	1,1 (mg/m <sup>3</sup> )
	DNEL (Workers)	Inhalation, Long-term, Systemic effects	33,5 (mg/m <sup>3</sup> )

DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.

DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.

#### 8.2 Exposure controls.

If the product is diluted or work with a dosing system which avoids the risk of splashes and direct contact with the product, the use of PPE is not necessary.

#### Measures of a technical nature:

Provide adequate ventilation. A usual ventilation should be sufficient, otherwise it can be achieved by using good local exhaust-ventilation and a good general exhaust system.

-Continued on next page.-





## SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

### CRETESTRIP EU

Version: 3  
Revision: 28/03/2018

Page 6 of 12  
Cancels and replaces: 2, 25/09/2015

<b>Concentration:</b>	<b>100 %</b>		
<b>Uses:</b>	<b>Ecological solvent</b>		
<b>Breathing protection:</b>			
If the recommended technical measures are observed, no individual protection equipment is necessary.			
<b>Hand protection:</b> If the product is handled correctly, no individual protection equipment is necessary. Rinse hands after use. If the product is used for long periods or if contact is unavoidable the following protection will be used:			
PPE:	Protective gloves against chemicals.		
Characteristics:	«CE» marking, category III.		
CEN standards:	EN 374-1, En 374-2, EN 374-3, EN 420		
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives.		
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.		
Material:	Nitrile	Breakthrough time (min.):	> 480
		Material thickness (mm):	0,4
<b>Eye protection:</b> If the product is handled correctly, no individual protection equipment is necessary, but if there is a risk of contact or of splatters the following protection is used:			
PPE:	Protective goggles with built-in frame.		
Characteristics:	«CE» marking, category II. Eye protector with built-in frame for protection against splashing liquid, dust, smoke, fog and vapour.		
CEN standards:	EN 165, EN 166, EN 167, EN 168		
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.		
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.		
<b>Skin protection:</b>			
PPE:	Protective clothing.		
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.		
CEN standards:	EN 340		
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.		
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.		
PPE:	Work footwear.		
Characteristics:	«CE» marking, category II.		
CEN standards:	EN ISO 13287, EN 20347		
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.		
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident		

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

### 9.1 Information on basic physical and chemical properties.

Appearance: Fluid transparent liquid  
Colour: Yellowish  
Odour: Characteristic  
Odour threshold: N.A./N.A.  
pH: N.A./N.A.  
Melting point: N.A./N.A.  
Boiling Point: N.A./N.A.



# CRETE STRIP™ EU

## SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

### CRETESTRIP EU

**Version: 3**  
**Revision: 28/03/2018**

**Page 7 of 12**  
**Cancel and replaces: 2, 25/09/2015**

Flash point: > 60 °C  
Freezing point: N.A./N.A.  
Evaporation rate: N.A./N.A.  
Inflammability (solid, gas): N.A./N.A.  
Lower Explosive Limit: N.A./N.A.  
Upper Explosive Limit: N.A./N.A.  
Vapour pressure: N.A./N.A.  
Vapour density: N.A./N.A.  
Relative density: 0.927 ± 0.005 g/cm<sup>3</sup> (20 °C)  
Solubility: N.A./N.A.  
Liposolubility: N.A./N.A.  
Hydrosolubility: N.A./N.A.  
Partition coefficient (n-octanol/water): N.A./N.A.  
Auto-ignition temperature: N.A./N.A.  
Decomposition temperature: N.A./N.A.  
Viscosity: N.A./N.A.  
Explosive properties: N.A./N.A.  
Oxidizing properties: N.A./N.A.  
N.A./N.A. = Not Available/Not Applicable due to the nature of the product

#### 9.2 Other information.

Pour point: N.A./N.A.  
Blink: N.A./N.A.  
Kinematic viscosity: N.A./N.A.  
N.A./N.A. = Not Available/Not Applicable due to the nature of the product

## SECTION 10: STABILITY AND REACTIVITY.

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

#### 10.2 Chemical stability.

Unstable in contact with:

- Acids.
- Bases.
- Oxidizing agents.

#### 10.3 Possibility of hazardous reactions.

In certain conditions this may cause a polymerization reaction.

#### 10.4 Conditions to avoid.

Avoid the following conditions:

- Heating.
- High temperature.
- Contact with incompatible materials.

#### 10.5 Incompatible materials.

Avoid the following materials:

- Acids.
- Bases.
- Oxidizing agents.

#### 10.6 Hazardous decomposition products.

Depending on conditions of use, can be generated the following products:

- CO<sub>x</sub> (carbon oxides).
- Organic compounds.



## SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

### CRETESTRIP EU

Version: 3  
Revision: 28/03/2018

Page 8 of 12  
Cancels and replaces: 2, 25/09/2015

#### SECTION 11: TOXICOLOGICAL INFORMATION.

##### 11.1 Information on toxicological effects.

There are no tested data available on the product.

Its repeated or prolonged contact with the skin or mucous membranes can cause irritant symptoms such as reddening of the skin, blisters, or dermatitis. Some of the symptoms may not be immediate. They can cause allergic reactions on the skin.

Splashes in the eyes causes serious eye damage.

##### Toxicological information about the substances present in the composition.

Name	Acute toxicity			
	Type	Test	Kind	Value
2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether  CAS No: 111-76-2      EC No: 203-905-0	Oral	DL50	Rat	470 mg/kg
	Dermal	DL50	Rabbit	2270 mg/kg [1]
		[1] Skin irritation		
Inhalation	CI50	Rat	2.21 mg/l (4 h)	

a) acute toxicity;  
Product classified:  
Acute toxicity (Oral), Category 4: Harmful if swallowed.

Acute Toxicity Estimate (ATE):  
Mixtures:  
ATE (Dermal) = 2.158 mg/kg  
ATE (Oral) = 981 mg/kg

b) skin corrosion/irritation;  
Product classified:  
Skin irritant, Category 2: Causes skin irritation.

c) serious eye damage/irritation;  
Product classified:  
Serious eye damage, Category 1: Causes serious eye damage.

d) respiratory or skin sensitisation;  
Product classified:  
Skin sensitiser, Category 1: May cause an allergic skin reaction.

e) germ cell mutagenicity;  
Not conclusive data for classification.

f) carcinogenicity;  
Not conclusive data for classification.

g) reproductive toxicity;  
Not conclusive data for classification.

h) STOT-single exposure;  
Not conclusive data for classification.

i) STOT-repeated exposure;  
Not conclusive data for classification.





## SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

### CRETESTRIP EU

Version: 3  
Revision: 28/03/2018

Page 9 of 12  
Cancels and replaces: 2, 25/09/2015

j) aspiration hazard;  
Not conclusive data for classification.

## SECTION 12: ECOLOGICAL INFORMATION.

### 12.1 Toxicity.

Name	Ecotoxicity			
	Type	Test	Kind	Value
2-butoxyethanol, butyl cellosolve, ethylene glycol monobutyl ether  CAS No: 111-76-2      EC No: 203-905-0	Fish	CL50	Lepomis macrochirus	1490 mg/l (96 h)
	Aquatic invertebrates	CE50	Daphnia	1720 mg/l (24 h)
	Aquatic plants	CE50	scenedesmus quadricauda	900 mg/l (168 h)

### 12.2 Persistence and degradability.

No information is available about persistence and degradability of the product.  
The components of the product comply with the biodegradability criteria of Regulation (EC) No 648/2004 on detergents.

### 12.3 Bioaccumulative potential.

Information about the bioaccumulation of the substances present.

Name	Bioaccumulation			
	Log Pow	BCF	NOECs	Level
dimethyl succinate  N. CAS: 106-65-0      EC No: 203-419-9	0,35	-	-	Very low

### 12.4 Mobility in soil.

No information is available about the mobility in soil.  
The product must not be allowed to go into sewers or waterways.  
Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Other adverse effects.

No information is available about other adverse effects for the environment.

## SECTION 13 DISPOSAL CONSIDERATIONS.

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.



# CRETE STRIP<sup>™</sup> EU

## SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

### CRETESTRIP EU

**Version: 3**  
**Revision: 28/03/2018**

**Page 10 of 12**  
**Cancels and replaces: 2, 25/09/2015**

Follow the provisions of Directive 2008/98/EC regarding waste management.

Waste classification according to the European Waste Catalogue:

15 WASTE PACKAGING, ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED

15 01 packaging (including separately collected municipal packaging waste)

15 01 10 packaging containing residues of or contaminated by hazardous substances

Waste classified as hazardous.

Method of treatment according to Directive 2008/98/EC:

Recovery

R4 Recycling/reclamation of metals and metal compounds.

#### SECTION 14: TRANSPORT INFORMATION.

Transport following ADR rules for road transport, RID rules for railway, ADN for inner waterways, IMDG for sea, and ICAO/IATA for air transport.

**Land:** Transport by road: ADR, Transport by rail: RID.

Transport documentation: Consignment note and written instructions

**Sea:** Transport by ship: IMDG.

Transport documentation: Bill of lading

**Air:** Transport by plane: ICAO/IATA.

Transport document: Airway bill.

##### 14.1 UN number.

UN No: UN3082

##### 14.2 UN proper shipping name.

Description:

ADR: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS LIMONENE), 9, PG III

IMDG: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS LIMONENE), 9, PG III, MARINE POLLUTANT

ICAO/IATA: UN 3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS LIMONENE), 9, PG III

##### 14.3 Transport hazard class(es).

Class(es): 9

##### 14.4 Packing group.

Packing group: III

##### 14.5 Environmental hazards.

Marine pollutant: Yes



Dangerous for the environment

##### 14.6 Special precautions for user.

Labels: 9



# CRETE STRIP<sup>™</sup> EU

## SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

### CRETESTRIP EU

Version: 3  
Revision: 28/03/2018

Page 11 of 12  
Cancels and replaces: 2, 25/09/2015



Hazard number: 90  
ADR LQ: 5 L  
IMDG LQ: 5 L  
ICAO LQ: 30 kg B

Provisions concerning carriage in bulk ADR: Not authorized carriage in bulk in accordance with ADR.  
Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): F-A,S-F  
Proceed in accordance with point 6.

#### 14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code.

The product is not transported in bulk.

## SECTION 15: REGULATORY INFORMATION.

#### 15.1 Safety, health and environmental regulations/legislation specific for the mixture.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

#### Volatile organic compound (VOC)

VOC content (p/p): 83,02 %

VOC content: 769,596 g/l

The product complies with Regulation (EC) No 648/2004 on detergents.

Product classification according to Annex I of Directive 2012/18/EU (SEVESO III): E2

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

#### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## SECTION 16: OTHER INFORMATION.

Complete text of the H phrases that appear in section 3:

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

-Continued on next page.-



# CRETE STRIP<sup>™</sup> EU

## SAFETY DATA SHEET

(in accordance with Regulation (EU) 2015/830)

### CRETESTRIP EU

**Version: 3**  
**Revision: 28/03/2018**

**Page 12 of 12**  
**Cancels and replaces: 2, 25/09/2015**

Classification codes:

Acute Tox. 4 : Acute toxicity (Dermal), Category 4  
Acute Tox. 4 : Acute toxicity (Inhalation), Category 4  
Acute Tox. 4 : Acute toxicity (Oral), Category 4  
Aquatic Acute 1 : Acute toxicity to the aquatic environment, Category 1  
Aquatic Chronic 1 : Chronic effect to the aquatic environment, Category 1  
Aquatic Chronic 2 : Chronic effect to the aquatic environment, Category 2  
Eye Dam. 1 : Serious eye damage, Category 1  
Eye Irrit. 2 : Eye irritation, Category 2  
Flam. Liq. 3 : Flammable liquid, Category 3  
Skin Irrit. 2 : Skin irritant, Category 2  
Skin Sens. 1 : Skin sensitiser, Category 1

Sections changed compared with the previous version:

1,2,3,4,5,6,7,8,9,10,11,12,14,15,16

It is advisable to carry out basic training with regard to health and safety at work in order to handle this product correctly.

Abbreviations and acronyms used:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.  
BCF: Bioconcentration factor.  
CEN: European Committee for Standardization.  
DMEL: Derived Minimal Effect Level, exposure level corresponding to a low risk, that risk should be considered a tolerable minimum.  
DNEL: Derived No Effect Level, level of exposure to the substance below which adverse effects are not anticipated.  
EC50: Half maximal effective concentration.  
PPE: Personal protection equipment.  
IATA: International Air Transport Association.  
ICAO: International Civil Aviation Organization.  
IMDG: International Maritime Code for Dangerous Goods.  
LC50: Lethal concentration, 50%.  
LD50: Lethal dose, 50%.  
Log Pow: Logarithm of the partition octanol-water.  
NOEC: No observed effect concentration.  
RID: Regulations Concerning the International Transport of Dangerous Goods by Rail.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>

<http://echa.europa.eu/>

Regulation (EU) 2015/830.

Regulation (EC) No 1907/2006.

Regulation (EU) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.