



ON THE JOB
SINCE 1865TM



FOAM SEALANTS

STRAW FOAM ■ GUN FOAM ■ 1 & 2-COMPONENT SPRAY FOAM KITS



FOAM SEALANT SOLUTIONS

PROTECT YOUR HOME


A FOAM FOR EVERY PROJECT

DAP® offers the industry's most complete line of expanding spray foam products for use in and around your home. DAP spray foam can eliminate air leaks and drafts, seal gaps and cracks and insulate against the elements to make homes comfortable, quiet, cozy and more energy efficient all year round.

STRAW FOAM



GUN FOAM




1 & 2-COMPONENT FOAM



MOST COMMON AREAS THAT REQUIRE INSULATING

UP TO **30%**
of home energy loss is through gaps & cracks & improper insulation



STRAW FOAM



MaxFill® Triple Expanding Foam

Three times the expansion to fill gaps greater than 1 inch.

- Weather resistant bond seals out drafts
- Blocks insects and other pests
- Meets ASTM E84/UL 723, Class A Fire Rated
- Bonus straw included; reusable up to 6 weeks
- Interior/exterior use
- UL-Classified

12 oz 7565000043
16 oz 7565031612
20 oz 7565020012

● Off-White Foam



NoWarp® Window & Door Foam

Low pressure formula won't bow window frames or door jambs.

- Meets AAMA standards & 812-04
- Meets ASTM E84/UL 723, Class A Fire Rated
- Bonus straw included; reusable up to 6 weeks
- Interior/exterior use
- UL-Classified

12 oz 7565004000

● Bright White Foam



Seal drafty windows and keep water out

HomeSeal™ All Season Foam

Fills & seals smaller gaps & openings.

- Wide temperature use from 30°F - 120°F
- Water resistant
- Bonus straw included; reusable up to 6 weeks
- Interior/exterior use
- UL-Classified

12 oz 7565000082
16 oz 7565011216

● Off-White Foam



Mouse Shield® Pest Block Foam

Specially formulated to protect foam from attack with an odor that is offensive to mice & other pests.

- Air-seals & insulates
- Meets ASTM E84/UL 723, Class A Fire Rated
- Bonus straw included; reusable up to 6 weeks
- Interior use
- UL-Classified

12 oz 7565012506

● Off-White Foam



Seals out mice and other pests

FireBreak® Fire Block Foam

The only approved fire block to pass the UL 94 V-0 burn test.

- Easy-to-identify orange color
- Meets ASTM E814 & UL 1715
- Type V residential fire block
- Meets ASTM E84/UL 723, Class A Fire Rated
- Flame spread-5, smoke developed-0
- Bonus straw included; reusable up to 6 weeks
- Interior/exterior use
- UL-Classified

12 oz 7565010012

● Orange Foam



Craft Foam Multi-Use Foam

Specially created for arts & craft projects.

- 2X expansion
- Cures to a firm, rigid surface that can be carved, sanded & painted
- Helps with unique creations that are lightweight, functional, realistic & detailed
- Great for hobby trains, parade floats, stage props, home & holiday decor, artificial plants and shipment protection
- Bonus straw included; reusable up to 6 weeks

12 oz 7565004012

● White Foam



Barrier™ Multi-Project Straw Foam

- 20°F - 120°F application temp
- Extends the season to seal & protect homes
- Stronger water resistance & weatherproofing
- Tighter, longer lasting seal
- Bonus straw included; reusable up to 6 weeks
- Protects foam from mouse attack
- Blocks birds, bats, ants, roaches & spiders
- Interior/exterior use

12 oz 7565012530

● White Foam



Landscape Adhesive Foam

Black, UV-resistant foam that's safe for plant & water life.

- Directs flow in & around water gardens
- Superior adhesive for landscaping projects
- Fills knotholes in trees to seal out pests
- Bonus straw included; reusable up to 6 weeks
- Interior/exterior use
- UL-Classified

12 oz 7565040440

● Black Foam



Ideal for stone, block and pond projects

DAPtex Plus® Multi-Purpose Foam

Seals, insulates & weatherproofs with easy water-clean up.

- Improved durability, flexibility & water resistance
- Reusable non-clogging applicator
- For windows, doors, pipes, vents & more
- Toolable, moldable & paintable
- Interior/exterior use

12 oz 7079818836

● White Foam



DAP BARRIER™ Spray Foam is proven to offer complete 4X PROTECTION for homes while offering more projects per can and less waste



REUSABLE + BONUS STRAW

SPRAY PLUG STORE REPEAT

GUN FOAM

APPLICATORS



All Purpose Polyurethane Foam Sealant

- Versatile, Type V residential fire block sealant with greater control for large & small gaps.
- Approved Fireblock Penetration Sealant
 - Meets ASTM E84/UL 723, Class A Fire Rated
 - Bright orange foam
 - Foam easily identifiable during inspection
 - Interior/exterior use
 - UL-Classified
- 24 oz 7565002420
- Orange Foam



Barrier™ Multi-Project Straw Foam

- 20°F - 120°F application temp
 - Proven to work in cold & hot weather
 - Extends the season to seal & protect homes
 - Stronger water resistance & weatherproofing
 - Tighter, longer lasting seal
 - Protects foam from mouse attack
 - Blocks birds, bats, ants, roaches & spiders
 - Interior/exterior use
- 24 oz 7565002420
- Orange Foam



Works with DAP® Sharpshooter and other gun applicators

Window & Door Polyurethane Foam Sealant

- Bright white, low pressure sealant that exerts virtually no force on window frames & door jams. Outperforms fiberglass.
- Meets AAMA standards and 812-04
 - Meets ASTM E84/UL 723, Class A Fire Rated
 - Interior/exterior use
 - UL-Classified
- 24 oz 7565002010
- Bright White Foam



Landscape Adhesive Polyurethane Foam Sealant

- Black, UV resistant foam that's ideal for landscaping projects including retaining walls, ponds & waterfalls.
- Safe for plants and fish
 - Directs flow in & around water gardens
 - Fills knotholes in trees to seal out pests
 - Interior/exterior use
 - UL-Classified
- 24 oz 7565002450
- Black Foam



Low Temp Polyurethane Foam Sealant

- Fills, expands, air seals in cold temperatures.
- Cures in temperatures as low as 20°F (-7°C)
 - Approved Type V residential fireblock sealant
 - Meets ASTM E814, E84, and UL 1715, Class A Fire Rated
 - Window & Door Safe, Meets AAMA standards and 812-04
 - Interior/exterior use
- 24 oz 7565002440
- Off-White Foam



Polyurethane Foam Cleaner

- Cleans foam in & around gun applicators.
- Attaches to applicator to flush barrel
 - Removes uncured foam from tools
 - Reusable dispensing
 - Zero VOC formula
- 12 oz 7565028700




Sharpshooter Extend Gun Foam Applicator

- Easier access in hard to reach areas
 - No drip, less mess, no waste
 - Comfortable, lightweight & reusable
 - Attaches to most gun grade foams
 - Adjustable belt clip for ease of use
- 7565062610



Attaches to most gun grade foams




Gun Foam Applicators

14" Precision Applicator

- Reusable
 - Adjustable output
 - Teflon® coated basket
 - Metal barrel & lever
 - Plastic tip extension included
 - 6-pack display-ready case
- 7565028775



46" Long Barrel Applicator



Comfort Spray Foam Applicator

- Universal attachment to most straw foam sealants
 - Ergonomic design for comfortable dispensing
 - Responsive trigger for better control
 - Can be used at any angle even upside down
 - 100% reusable
- 7565062610



Comfort at Any Angle



1 & 2-COMPONENT SPRAY FOAM



**SUPERIOR PERFORMANCE
LESS IMPACT ON THE ENVIRONMENT**



2-Component Foam Kits

Our Class A Fire-Rated foam bonds to most surfaces, dries in less than 60 seconds, & reduces energy costs up to 30%. Each kit comes with pre-attached hoses, an ergonomic foam applicator, disposable gloves, safety glasses & detailed instructions.



System 600 Kit

Yields up to 600 bd ft @ 1" thick
Perfect for insulating stud wall cavities (up to 2" thick) & crawl spaces.
7565062600

System 200 Kit

Yields up to 200 bd ft @ 1" thick
Ideal for sealing basement sill plates and rim/band joists.
7565062200

System 15 Kit

Yields up to 15 bd ft
Use for hole repairs and touch ups.
7565002506



WHAT IS GWP?

Global Warming Potential (GWP) is a measurement that is used to compare how different gases impact the Earth's atmosphere. Specifically, it measures how much energy the emissions of a particular gas will absorb over time compared to Carbon Dioxide, which has a standard of 1. The lower the number, the better for the environment.

OUR MISSION

DAP is committed to reducing our impact on the environment by meeting GWP requirements for our 1 & 2-Component spray foam products – but we didn't stop there. In our constant effort to bring only the best products to market, we pushed the boundaries to deliver on a higher R-value rating, significantly improved our foam quality and completely redesigned our applicator to increase spray speed and ratio performance.



**ALSO INCLUDES IMPROVED
P2 MAX APPLICATOR**

Improved Speed Consistency
From Start to Finish

Low GWP System 600 Kit

Yields up to 600 bd ft @ 1" thick
Perfect for insulating stud wall cavities (up to 2" thick) & crawl spaces.
7565062610

Low GWP 10 lb Kit

Yields up to 5025 linear ft.
7565000070

Low GWP System 200 Kit

Yields up to 200 bd ft @ 1" thick
Ideal for sealing basement sill plates and rim/band joists.
7565062620

Low GWP System 15 Kit

Yields up to 15 bd ft
Use for hole repairs and touch ups.
7565002515

**IMPROVED
P2 MAX APPLICATOR**

Improved Speed Consistency
From Start to Finish

TOUCH 'N FOAM
PROFESSIONAL

The Touch 'n Foam Professional lineup of foam systems can eliminate air leaks and drafts, seal gaps and cracks and insulate against the elements to make homes comfortable, quiet, cozy and more energy efficient all year round.

1-Component foam canisters offer quantity, portability & Class A Fire Rated for larger jobs



1-Component Foam

- Fast expansion & quick cure
 - Easily portable, fully disposable
 - Improves energy efficiency
 - No CFCs
 - Meets ASTM E84/UL723, Class A Fire Rated
- 10 lb 7565010001
16 lb 7565000016 (Black Foam)



PRODUCT INFORMATION

STRAW FOAM

Description	Item No.	Net Wt.	Unit UPC	Case Pack	Case Code	Case Dimensions (in.)
DAP® MaxFill® Triple Expanding Sealant (12 oz)	756500043	12 oz	0 75650 00031 1	12 per case	1 00 75650 00043 1	11.50 x 8.75 x 9.25
DAP® MaxFill® Triple Expanding Sealant (16 oz)	7565031612	16 oz	0 75650 31612 2	12 per case	1 00 75650 31612 9	11.50 x 9.00 x 10.63
DAP® MaxFill® Triple Expanding Sealant (20 oz)	7565020012	20 oz	0 75650 00032 8	12 per case	1 00 75650 00032 5	11.50 x 8.5 x 12.50
DAP® HomeSeal™ Minimum Expanding Sealant (12 oz)	756500082	12 oz	0 75650 00082 3	12 per case	1 00 75650 00082 0	11.50 x 8.75 x 9.25
DAP® HomeSeal Minimum Expanding Sealant (16 oz)	7565011216	16 oz	0 75650 11216 8	12 per case	1 00 75650 11216 5	11.38 x 8.63 x 10.63
DAP® No Warp® Window & Door Sealant	7565004000	12 oz	0 75650 04000 3	12 per case	1 00 75650 04000 0	11.50 x 8.75 x 9.25
DAP® Mouse Shield® Foam Sealant & Pest Block	7565012506	12 oz	0 75650 12512 0	6 per case	1 00 75650 12506 6	8.63 x 5.88 x 9.13
DAP® FireBreak® Flame Resistant Sealant	7565010012	12 oz	0 75650 10012 7	12 per case	3 00 75650 10012 8	11.50 x 8.75 x 9.25
DAP® Craft Foam	7565004013	12 oz	0 75650 04012 6	6 per case	3 00 75650 04013 4	11.50 x 8.75 x 9.25
DAP® Landscape Exterior Filler-Adhesive	7565040440	12 oz	0 75650 40440 9	12 per case	3 00 75650 40440 0	11.50 x 8.75 x 9.25
DAP® Barrier™ Multi-Project Foam	7565012530	12 oz	0 75650 12530 4	12 per case	1 00 75650 12530 1	11.00 x 8.75 x 11.50
DAP® DAPtex Plus™ Multi-Purpose Foam	7565012530	12 oz	0 75650 12530 4	12 per case	1 00 75650 12530 1	11.00 x 8.75 x 11.50

GUN FOAM

Description	Item No.	Net Wt.	Unit UPC	Case Pack	Case Code	Case Dimensions (in.)
DAP® All-Purpose Polyurethane Foam Sealant	7565002420	24 oz	0 75650 02420 1	12 per case	1 00 75650 02420 8	11.25 x 8.50 x 11.50
DAP® Window & Door Polyurethane Foam Sealant	7565002010	20 oz	0 75650 02010 4	12 per case	1 00 75650 02010 1	11.25 x 8.50 x 11.50
DAP® Black Landscaping Polyurethane Foam Sealant	7565002450	24 oz	0 75650 02450 8	12 per case	1 00 75650 02450 5	11.25 x 8.50 x 11.50
DAP® Low Temp Polyurethane Foam Sealant	7565002440	24 oz	0 75650 02240 9	12 per case	1 00 75650 02440 6	11.25 x 8.50 x 11.50
DAP® Barrier™ Multi-Project Gun Foam	7565012532	23 oz	0 75650 12532 8	12 per case	1 00 75650 12532 5	11.00 x 8.75 x 11.50
DAP® Polyurethane Foam Cleaner	7565028700	12 oz	0 75650 28700 2	12 per case	1 00 75650 28700 9	11.25 x 8.25 x 8.50

APPLICATORS

Description	Item No.	Net Wt.	Unit UPC	Case Pack	Case Code	Case Dimensions (in.)
DAP® Sharpshooter Extend Foam Applicator	7565070220	7.00 lb	0 75650 70220 8	6 per case	1 00 75650 70220 5	13.00 x 7.5 x 2.50
DAP® Precision Foam Gun	7565028775	6.95 lb	0 75650 28775 0	6 per case	1 00 75650 28775 7	15.25 x 6.75 x 14.00
DAP® 46" Long Barrel Gun	7565028046	1.97 lb	0 75650 28046 1	1 ea.	0 00 75650 28046 1	45.00 x 7.63 x 2.00
DAP® Comfort Spray Foam Applicator	7565070230	1.93 lb	0 75650 70230 7	6 per case	1 00 75650 70230 4	7.375 x 2.25 x 8.25

1 & 2-COMPONENT FOAM KITS

Description	Item No.	Net Wt.	Unit UPC	Case Pack	Case Code	Case Dimensions (in.)
DAP® TNFP 1-Component Foam Sealant	7565010001	10 lb	0 75650 00036 6	1 ea.	0 00 75650 00036 6	7.75 x 7.75 x 14.75
DAP® TNFP 1-Component Black Foam Sealant	7565000016	16 lb	0 75650 00016 8	1 ea.	—	10.00 x 10.00 x 17.25
DAP® TNFP System 15 Spray Foam 2-Component System	7565002506	2.21 lb	0 75650 02506 2	6 per case	1 00 75650 02506 9	13.25 x 12.00 x 12.75
DAP® TNFP System 200 Spray Foam 2-Component System	7565062200	41.56 lb	0 75650 22200 3	1 ea.	0 00 75650 22200 3	15.25 x 10.00 x 15.25
DAP® TNFP System 600 Spray Foam 2-Component System	7565062600	(A) Cylinder 44.94 lb (B) Cylinder 40.12 lb	0 75650 62600 9	1 ea.	0 00 75650 62600 9	(A) 12.50 x 12.50 x 18.75 (B) 12.50 x 12.50 x 18.75
DAP® TNFP LOW GWP System 15 Spray Foam 2-Component System	7565002515	2.21 lb	0 75650 02515 4	6 per case	1 00 75650 02515 1	13.25 x 12.00 x 12.75
DAP® TNFP LOW GWP System 200 Spray Foam 2-Component System	7565062620	41.56 lb	0 75650 62620 7	1 ea.	1 00 75650 62620 4	15.25 x 10.00 x 15.25
DAP® TNFP LOW GWP System 600 Spray Foam 2-Component System	7565062610	(A) Cylinder 44.94 lb (B) Cylinder 40.12 lb	0 75650 62609 2	1 ea.	1 00 75650 62609 9	(A) 12.50 x 12.50 x 18.75 (B) 12.50 x 12.50 x 18.75
DAP® TNFP LOW GWP 1-Component Foam Sealant	7565000070	10 lb	0 75650 00070 0	1 ea.	0 00 75650 00070 0	7.75 x 7.75 x 14.75
Replacement Nozzle - Conical	7565022005	5 ea.	0 75650 22005 4	6 pack	1 00 75650 22005 1	6.69 x 3.69 x 6.19
Replacement Nozzle - Fan	7565022025	5 ea.	0 75650 22025 2	6 pack	1 00 75650 22025 9	6.69 x 3.69 x 6.19