# **TELEVATE**

# **SAFETY DATA SHEET**

#### 1. Identification

Product identifier Elevate FullForce Sealant

Other means of identification

Product code W56358282F

**Recommended use** Construction. Sealant.

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

**Distributed by** Holcim Solutions and Products US, LLC

Address 26 Century Boulevard, Suite 205

Nashville, TN 37214

Elevate™ is a Holcim Solutions and Products US, LLC brand.

Website holcimelevate.com
Telephone Number 1-800-428-4442

**Emergency Telephone** 

Number

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Incident:

CHEMTREC within USA and Canada: 1-800-424-9300

CHEMTREC outside USA and Canada: +1 703-527-3887 (collect calls accepted)

# 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Serious eye damage/eye irritation Category 2A

Sensitization, skin Category 1
Reproductive toxicity Category 1B

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Danger

Hazard statement May cause an allergic skin reaction. Causes serious eye irritation. May damage fertility or the

unborn child. Harmful to aquatic life with long lasting effects.

Precautionary statement

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing mist/vapors. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear

protective gloves/protective clothing/eye protection/face protection.

**Response** If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Elevate FullForce Sealant SDS US

952771 Version #: 01 Revision date: - Issue date: 15-March-2023

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%
N-(3-(trimethoxysilyl)propyl)ethylen ediamine	1760-24-3	0.5 - 1.5
Trimethoxyvinylsilane	2768-02-7	0.5 - 1.5
Bis(2,2,6,6-tetramethyl-4-piperidyl) sebacate	52829-07-9	<1
Dibutyltin bis(acetylacetonate)	22673-19-4	<1
Octamethylcyclotetrasiloxane	556-67-2	0.01

**Composition comments** 

All concentrations are in percent by weight unless otherwise indicated.

Components not listed are either non-hazardous or are below reportable limits.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

#### 4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur.

Most important

symptoms/effects, acute and

delayed

Ingestion

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause an allergic skin reaction. Dermatitis. Rash.

Indication of immediate medical attention and special

treatment needed
General information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

...u.u

Foam. Dry chemical powder. Carbon dioxide (CO2). Water fog. Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

the chemical

Special protective equipment
and precautions for firefighters

May react with water liberating a small amount of methanol. During fire, gases hazardous to health may be formed such as: Carbon oxides (COx). Nitrogen Oxides (NOx). Aldehydes. Silicon oxides.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk. Use water spray to keep fire-exposed containers cool.

equipment/instructions
Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Will burn if involved in a fire.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

2/8

#### Methods and materials for containment and cleaning up

Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

## **Environmental precautions**

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

#### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing mist/vapors. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

# 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	or Air Contaminants (29 CFR 1910.1000) Type	Value	
Dibutyltin bis(acetylacetonate) (CAS 22673-19-4)	PEL	0.1 mg/m3	
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	
Dibutyltin bis(acetylacetonate) (CAS 22673-19-4)	STEL	0.2 mg/m3	
	TWA	0.1 mg/m3	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	
Dibutyltin bis(acetylacetonate) (CAS 22673-19-4)	TWA	0.1 mg/m3	
US. Workplace Environment	al Exposure Level (WEEL) Guides		
Components	Туре	Value	
Octamethylcyclotetrasiloxan e (CAS 556-67-2)	TWA	10 ppm	
logical limit values	No biological exposure limits noted for the ing	redient(s).	
osure guidelines			

# Biol

#### **Exposure guidelines**

## US - California OELs: Skin designation

Dibutyltin bis(acetylacetonate) (CAS 22673-19-4) Can be absorbed through the skin.

US - Minnesota Haz Subs: Skin designation applies

Dibutyltin bis(acetylacetonate) (CAS 22673-19-4) Skin designation applies.

**US - Tennessee OELs: Skin designation** 

Dibutyltin bis(acetylacetonate) (CAS 22673-19-4) Can be absorbed through the skin.

**US ACGIH Threshold Limit Values: Skin designation** 

Dibutyltin bis(acetylacetonate) (CAS 22673-19-4) Danger of cutaneous absorption

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Dibutyltin bis(acetylacetonate) (CAS 22673-19-4) Can be absorbed through the skin.

Elevate FullForce Sealant SDS US

952771 Version #: 01 Revision date: -Issue date: 15-March-2023 Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Examples of preferred glove barrier materials include:

Nitrile. Suitable gloves can be recommended by the glove supplier.

Skin protection

Other Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Chemical respirator with organic vapor cartridge and full facepiece. Appropriate respirator selection should be made by a qualified

professional.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

## 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Color Black.
Odor Mild.

Odor threshold Not available.

**pH** Not determined; product is not soluble in water.

Melting point/freezing point Not determined.

Initial boiling point and boiling > 392 °F (> 200 °C)

range

Flash point Does not flash.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not determined.

Explosive limit - upper (%) Not determined.

Vapor pressure Not determined.

Vapor density Not determined.

Relative density 1.43 ±0.03

Solubility(ies)

Solubility (water) Insoluble.

Partition coefficient Not applicable, product is a mixture.

(n-octanol/water)

Auto-ignition temperature Not self-igniting.

**Decomposition temperature** Not applicable as the product is not unstable.

 Viscosity
 251000 cps @ 2 rpm (70 °F (21.11 °C))

 Other information
 Solids: 99% @ 21 °C(70 °F) 50% RH

DensityNot determined.Explosive propertiesNot explosive.Kinematic viscosityNot determined.

Oxidizing properties Not oxidizing.

**VOC** 21 g/l @ 21 °C(70 °F) 50% RH

## 10. Stability and reactivity

**Reactivity** May react with water liberating a small amount of methanol.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Acids. Strong oxidizing agents. Fluorine.

**Hazardous decomposition** 

products

No hazardous decomposition products are known. In the event of fire: See Section 5.

## 11. Toxicological information

#### Information on likely routes of exposure

InhalationProlonged inhalation may be harmful.Skin contactMay cause an allergic skin reaction.Eye contactCauses serious eye irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. May cause an allergic skin reaction. Dermatitis. Rash.

#### Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components Species Test Results

Dibutyltin bis(acetylacetonate) (CAS 22673-19-4)

<u>Acute</u>

Dermal

LD50 Rat > 2000 mg/kg, 24 Hours

Oral

LD50 Rat 1864 mg/kg

N-(3-(trimethoxysilyl)propyl)ethylenediamine (CAS 1760-24-3)

**Acute** 

**Dermal** 

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat 2413 mg/kg

Octamethylcyclotetrasiloxane (CAS 556-67-2)

**Acute** 

Dermal

LD50 Rat > 2400 mg/kg

Inhalation

LC50 Rat > 36 mg/l, 4 Hours

Oral

LD50 Rat > 4800 mg/kg

Trimethoxyvinylsilane (CAS 2768-02-7)

<u>Acute</u>

**Dermal** 

LD50 Rat 3259 - 3880 mg/kg

Elevate FullForce Sealant SDS US

952771 Version #: 01 Revision date: - Issue date: 15-March-2023

Components Species Test Results

Inhalation

Vapor

LC50 Rat 16.8 mg/l, 4 Hours

Oral

LD50 Rat 300 - 2000 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** May cause an allergic skin reaction.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

**NTP Report on Carcinogens** 

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Reproductive toxicity** May damage fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.

**Further information** May react with water liberating a small amount of methanol. Methanol: Human exposure to

methanol may result in illness, systemic poisoning, blindness, optic nerve damage and perhaps death, after being ingested, absorbed through the skin or inhaled. Death due to cardiac or respiratory failure has been reported in some cases from consumption of as little as 30 mls.

## 12. Ecological information

**Ecotoxicity** Harmful to aquatic life with long lasting effects.

N-(3-(trimethoxysilyl)propyl)ethylenediamine (CAS 1760-24-3)

Components Species Test Results

Aquatic

Acute

AlgaeEC50Selenastrum capricornutum8.8 mg/l, 72 HoursCrustaceaEC50Daphnia magna90 mg/l, 48 HoursFishLC50Pimephales promelas> 100 mg/l, 96 Hours

Trimethoxyvinylsilane (CAS 2768-02-7)

Aquatic

Acute

AlgaeEC50Scenedesmus subspicatus> 100 mg/l, 72 HoursCrustaceaEC50Daphnia magna168.7 mg/l, 48 HoursFishLC50Brachydanio rerio> 100 mg/l, 96 Hours

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential**No data available for this product.

Partition coefficient n-octanol / water (log Kow)

Octamethylcyclotetrasiloxane (CAS 556-67-2) 5.1

Mobility in soil No data available.

Other adverse effects No data available.

## 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions)

**Contaminated packaging**Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal

#### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not established.

the IBC Code

## 15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Octamethylcyclotetrasiloxane (CAS 556-67-2) 1.0 % One-Time Export Notification only.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated

"active".

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

## SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard categories

Serious eye damage or eye irritation Respiratory or skin sensitization

Reproductive toxicity

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

Contains component(s) regulated under the Safe Drinking Water Act.

(SDWA)

#### **US** state regulations

#### **US. Massachusetts RTK - Substance List**

Not regulated.

#### US. New Jersey Worker and Community Right-to-Know Act

#### US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

#### **US. Rhode Island RTK**

Dibutyltin bis(acetylacetonate) (CAS 22673-19-4)

#### **California Proposition 65**



WARNING: This product can expose you to chemicals including Methanol, which is known to the State of

California to cause birth defects or other reproductive harm. For more information go

to www.P65Warnings.ca.gov.

## California Proposition 65 - CRT: Listed date/Developmental toxin

Methanol (CAS 67-56-1) Listed: March 16, 2012

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Octamethylcyclotetrasiloxane (CAS 556-67-2)

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

# 16. Other information, including date of preparation or last revision

15-March-2023 Issue date

**Revision date** Version # 01

Health: 2\* **HMIS®** ratings

Flammability: 1 Physical hazard: 0

Holcim Solutions and Products US, LLC cannot anticipate all conditions under which this **Disclaimer** 

information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience

currently available.

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).