

SAFETY DATA SHEET

1. Identification

Product identifier	ELEVATE Lap Sealant HS		
Other means of identification			
Product code	W563587031		
Recommended use	Construction. Adhesive.		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/	Distributor information		
Distributed by	Holcim Solutions and Products US, LLC		
Address	26 Century Boulevard, Suite 205		
	Nashville, TN 37214		
	Elevate™ is a Holcim Solutions and Products US, LLC brand.		
Website	holcimelevate.com		
Telephone Number	1-800-428-4442		
Emergency Telephone Number	For Chemical Emergency, Spill, Leak, Fire, Exposure, or Incident:		
	CHEMTREC within USA and Canada: 1-800-424-9300		
	CHEMTREC outside USA and Canada: +1 703-527-3887 (collect calls accepted)		

2. Hazard(s) identification

Physical hazards	Not classified.		
Health hazards	Skin corrosion/irritation	Category 2	
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3	
	Hazardous to the aquatic environment, long-term hazard	Category 3	
OSHA defined hazards	Not classified.		
Label elements			
O issued and			
Signal word	Warning		
Hazard statement	Causes skin irritation. Harmful to aquatic life with long lasting effects.		
Precautionary statement Prevention	Wash thoroughly after handling. Avoid release	to the environment. Wear protective deves	
Response	If on skin: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name		CAS number	%
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics		64742-49-0	5 - < 20
Carbon Black		1333-86-4	1 - 5
Distillates (petroleum), hydrotre heavy naphthenic	ated	64742-52-5	2.74
Quartz (SiO2)		14808-60-7	< 0.5
Composition comments	All concentrations are in percent by weight u Components not listed are either non-hazard Any concentration shown as a range is to pre-	lous or are below reportable lim	
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if symptor	ns develop or persist.	
Skin contact	Remove contaminated clothing. Wash with p medical advice/attention. Wash contaminate		irritation occurs: Get
Eye contact	Rinse with water. Get medical attention if irri	tation develops and persists.	
Ingestion	Rinse mouth. Get medical attention if sympto	oms occur.	
Most important symptoms/effects, acute and delayed	Skin irritation. May cause redness and pain.		
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and tro Symptoms may be delayed.	eat symptomatically. Keep victir	m under observation.
General information	Ensure that medical personnel are aware of protect themselves.	the material(s) involved, and ta	ke precautions to
5. Fire-fighting measures			
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Car	bon dioxide (CO2).	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as t	his will spread the fire.	
Specific hazards arising from the chemical	During fire, gases hazardous to health may boxides (COx).	pe formed. Combustion product	s may include: Carbor
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full p	protective clothing must be wor	n in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do	so without risk.	
Specific methods	Use standard firefighting procedures and con	nsider the hazards of other invo	lved materials.
General fire hazards	No unusual fire or explosion hazards noted.		
6. Accidental release meas	sures		
Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Wear and clean-up. Do not touch damaged containers protective clothing. For personal protection, s	or spilled material unless wear	
Methods and materials for	Prevent product from entering drains.		
containment and cleaning up	Large Spills: Stop the flow of material, if this possible. Absorb in vermiculite, dry sand or e recovery, flush area with water.		
	Small Spills: Wipe up with absorbent materia remove residual contamination.	al (e.g. cloth, fleece). Clean surf	ace thoroughly to
	For waste disposal, see section 13 of the SE	IS.	
Environmental precautions	Avoid release to the environment. Inform appendix environmental releases. Prevent further leak		sory personnel of all
7. Handling and storage			
Precautions for safe handling	Avoid contact with eyes, skin, and clothing. A ventilation. Wear appropriate personal prote Observe good industrial hygiene practices.	Avoid prolonged exposure. Prov ctive equipment. Avoid release	vide adequate to the environment.

8. Exposure controls/personal protection

Components	Substances (29 CFR 1910.100 Type	Value	
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.05 mg/m3	
US. OSHA Table Z-1 Permissible E Components	xposure Limits (PEL) for Air (Type	ontaminants (29 CFR 1910.100 Value	00) Form
Carbon Black (CAS 1333-86-4)	PEL	3.5 mg/m3	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (CAS 64742-49-0)	PEL	400 mg/m3	
		100 ppm	
US. OSHA Table Z-3 Permissible E Components	xposure Limits (PEL) for Mine Type	ral Dusts (29 CFR 1910.1000) Value	Form
Carbon Black (CAS 1333-86-4)	TWA	5 mg/m3	Respirable fraction.
		15 mg/m3	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.
		2.4 mppcf	Respirable.
US. ACGIH Threshold Limit Values	s (TLV)		
Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	3 mg/m3	Inhalable fraction.
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	TWA	5 mg/m3	Inhalable fraction.
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.
NIOSH. Immediately Dangerous to Components	Life or Health (IDLH) Values, Type	as amended Value	
Carbon Black (CAS 1333-86-4)	IDLH	1750 mg/m3	
Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5)	IDLH	2500 mg/m3	
Quartz (SiO2) (CAS 14808-60-7)	IDLH	50 mg/m3	

US. NIOSH: Pocket Guide t Components	Туре	Value	Form
Carbon Black (CAS 1333-86-4)	TWA	0.1 mg/m3	
Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (CAS 64742-49-0)	TWA	400 mg/m3	
		100 ppm	
Quartz (SiO2) (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.
ological limit values	No biological exposure limits noted t	or the ingredient(s).	
ppropriate engineering ontrols	Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safet shower.		
dividual protection measures	s, such as personal protective equipr	nent	
Eye/face protection	Wear safety glasses with side shield	s (or goggles).	
Skin protection			
Hand protection	Wear appropriate chemical resistant gloves. Examples of acceptable glove barrier materials include: Nitrile. Nitrile butyl rubber (NBR). Chloroprene rubber. Suitable gloves can be recommended by the glove supplier.		
Skin protection			
Other	Wear appropriate chemical resistant clothing.		
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Appropriate respirator selection should be made by a gualified professional.		
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
eneral hygiene onsiderations	Always observe good personal hygional and before eating, drinking, and/or sequipment to remove contaminants.		

9. Physical and chemical properties

Appearance	
Physical state	Solid.
Form	Paste.
Color	Black.
Odor	Petroleum-like.
Odor threshold	Not available.
рН	Not determined.
Melting point/freezing point	Not determined.
Initial boiling point and boiling range	Not determined.
Flash point	181.4 °F (83 °C)
Evaporation rate	9.2 (68 °F (20 °C))
Flammability (solid, gas)	Will burn if involved in a fire.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	0.9 %
Explosive limit - upper (%)	6.7 %
Vapor pressure	45 mm Hg (68 °F (20 °C))
Vapor density	3.8
Relative density	1.35 (68 °F (20 °C))
Solubility(ies)	
Solubility (water)	Soluble

Partition coefficient (n-octanol/water)	Not applicable, product is a mixture.	
Auto-ignition temperature	Not self-igniting.	
Decomposition temperature	Not applicable as the product is not unstable.	
Viscosity	Not determined.	
Other information	Solids: 80% Organic solvents: 20%	
Density	Not determined.	
Explosive properties	Not explosive.	
Kinematic viscosity	> 20.5 cSt	
Oxidizing properties	Not oxidizing.	
VOC	< 250 g/l	

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with incompatible materials.
Incompatible materials	Acids. Strong oxidizing agents. Fluorine.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	No adverse effects due to inhalation are expected. Crystalline silica poses a health hazard when it is inhaled as a dust. Normal use of product does not generate silica or other dust.	
Skin contact	Causes skin irritation.	
Eye contact	Direct contact with eyes may cause temporary irritation.	
Ingestion	Expected to be a low ingestion hazard.	
Symptoms related to the physical, chemical and toxicological characteristics	Skin irritation. May cause redness and pain.	

Information on toxicological effects

Acute toxicity Not expected to be acutely toxic.

Components	Species	Test Results
Carbon Black (CAS 1333-86	6-4)	
<u>Acute</u>		
Inhalation		
LC0	Rat	4.6 mg/m³, 4 h
Oral		
LD50	Rat	> 10000 mg/kg
Distillates (petroleum), hydro	otreated heavy naphthenic (CAS 6	4742-52-5)
Acute		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Inhalation		
Aerosol		
LC50	Rat	> 5.53 mg/l, 4 Hours
Oral		
LD50	Rat	> 5000 mg/kg

Components	Species	Test Results
Hydrocarbons, C7, n-alkanes, isoa	alkanes, cyclics (CAS 64742-49-	-0)
<u>Acute</u>		
Dermal		
LD50	Rat	> 2920 mg/kg
Inhalation		
LC50	Rat	> 23300 mg/m³
Oral		
LD50	Rat	> 5840 mg/kg
Quartz (SiO2) (CAS 14808-60-7)		
<u>Chronic</u>		
Inhalation		0.0500 / 0
LOEC	Human	0.0563 mg/m3
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye rritation	Direct contact with eyes may	cause temporary irritation.
Respiratory or skin sensitizatio		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected t	o cause skin sensitization.
Germ cell mutagenicity	No data available to indicate province mutagenic or genotoxic.	product or any components present at greater than 0.1% are
Carcinogenicity	Crystalline silica poses a health hazard when it is inhaled as a dust. Normal use of product does not generate silica or other dust. Inhalation of carbon black dust may cause cancer, however due to the physical form of the product, inhalation of dust is not likely.	
IARC Monographs. Overall	Evaluation of Carcinogenicity	
Carbon Black (CAS 1333		2B Possibly carcinogenic to humans.
(CAS 64742-52-5)	ydrotreated heavy naphthenic	3 Not classifiable as to carcinogenicity to humans.
Quartz (SiO2) (CAS 148 NTP Report on Carcinogen		1 Carcinogenic to humans.
Carbon Black (CAS 1333		Known To Be Human Carcinogen.
Quartz (SiO2) (CAS 148	,	Known To Be Human Carcinogen.
OSHA Specifically Regulate	ed Substances (29 CFR 1910.1	001-1053)
Quartz (SiO2) (CAS 148		Cancer
Reproductive toxicity	This product is not expected t	o cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
12. Ecological information	n	
Ecotoxicity	Harmful to aquatic life with lor	ng lasting effects.
Persistence and degradability	No data is available on the de	gradability of this product.
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects	The product contains volatile organic compounds which have a photochemical ozone creation potential.	
13. Disposal consideratio	ns	
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.	
	local/regional/national/interna	

ELEVATE Lap Sealant HS

Hazardous waste code	The waste code should be a disposal company.	ssigned in discussion between the user, the producer and the waste	
Waste from residues / unused products	Dispose in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging		ay retain product residue, follow label warnings even after container is hould be taken to an approved waste handling site for recycling or	
14. Transport information			
DOT	roods		
Not regulated as dangerous g	J0005.		
Not regulated as dangerous g	goods.		
IMDG	ve e de		
Not regulated as dangerous g Transport in bulk according to	joods. Not applicable.		
Annex II of MARPOL 73/78 and the IBC Code			
15. Regulatory informatio	n		
US federal regulations	This product is a "Hazardous Standard, 29 CFR 1910.120	s Chemical" as defined by the OSHA Hazard Communication 0.	
TSCA Section 12(b) Ex	port Notification (40 CFR 707	, Subpt. D)	
Not regulated. CERCLA Hazardous Su	bstance List (40 CFR 302.4)		
(CAS 64742-49-0)	n-alkanes, isoalkanes, cyclics	Listed.	
SARA 304 Emergency I	release notification		
Not regulated. OSHA Specifically Reg	ulated Substances (29 CFR 1	910.1001-1053)	
Quartz (SiO2) (CAS	14808-60-7)	Cancer lung effects immune system effects kidney effects	
Toxic Substances Control A	Act (TSCA) All co "activ	omponents of the mixture on the TSCA 8(b) inventory are designated	
Superfund Amendments and Re			
SARA 302 Extremely hazar Not listed.	•	,	
SARA 311/312 Hazardous chemical	Yes		
Classified hazard categories	Skin corrosion or irritation		
SARA 313 (TRI reporting) Not regulated.			
Other federal regulations			
Clean Air Act (CAA) Section	n 112 Hazardous Air Pollutan	ts (HAPs) List	
· · ·	ו 112(r) Accidental Release P	revention (40 CFR 68.130)	
Not regulated. Safe Drinking Water Act	Not regulated.		
(SDWA) US state regulations			
US. Massachusetts RTK - S	ubstance List		
Carbon Black (CAS 1333 Hydrocarbons, C7, n-alka Quartz (SiO2) (CAS 1480	anes, isoalkanes, cyclics (CAS	64742-49-0)	
ELEVATE Lap Sealant HS	- /	SDS US	
952180 Version # 02 Revision of	late: 07- luly-2023 lssue date: 0		

US. New Jersey Worker and Community Right-to-Know Act

Carbon Black (CAS 1333-86-4) Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (CAS 64742-49-0) Quartz (SiO2) (CAS 14808-60-7)

US. Pennsylvania Worker and Community Right-to-Know Law

Carbon Black (CAS 1333-86-4) Quartz (SiO2) (CAS 14808-60-7)

US. Rhode Island RTK

Carbon Black (CAS 1333-86-4) Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (CAS 64742-49-0) Quartz (SiO2) (CAS 14808-60-7)

California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Distillates (petroleum), hydrotreated heavy naphthenic (CAS 64742-52-5) Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics (CAS 64742-49-0)

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	07-July-2023
Revision date	07-July-2023
Version #	02
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 0 Personal protection: D
Disclaimer	Holcim Solutions and Products US, LLC cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.