

Technical Information Sheet



SkyScape™ Aluminum Drain Inspection Chamber

Item Description

Aluminum Drain Inspection Chamber

Description

SkyScape Aluminum Drain Inspection Chamber helps create a vegetation-free zone around interior roof drains. Made from 20-ga aluminum, the chamber features a lockable lid and side drainage holes to allow for proper drainage.

Method of Application

- 1. Center the chamber over the drain, and set it in place on the roofing membrane, root barrier, or slip sheet.
- 2. Install the vegetative roof system, roof pavers, ballast rock, or decorative rock, per project specification and product installation instructions.

Storage

- Deliver and store products in original packaging with Manufacturer's labels and materials list intact and signed off.
- Store Products in designated weather protected areas, elevated from ground, and protected from environmental damage.

Clean-Up

- Gather and dispose all debris upon completion of work.
- Clean all surfaces and inspect final assembly for approval.

Precautions

Wash hands, arms, and any exposed skin thoroughly after installation.

HOLCIM



LEED® Information

Post-Consumer Recycled Content: 6%
Post Industrial Recycled Content: 49%

Manufacturing Location: Nashville, TN

NOTE: LEED® is a registered trademark of the U.S. Green Building Council

Typical Properties		
Property	Test Method	Typical Performance
Dimensions	N/A	Varies: standard is 15" x 15" (381 mm x 381 mm)
Manufacturing Method	N/A	Form bent, and welded from sheet aluminum
Thickness	N/A	20 gauge (0.812 mm)
Material	N/A	Aluminum, two pieces, with lockable lid

Please contact Holcim Technical Services at 800-428-4511 for further information.

This sheet is meant to highlight Elevate products and specifications and is subject to change without notice. Holcim takes responsibility for furnishing quality materials that meet published Elevate product specifications or other technical documents, subject to normal manufacturing tolerances. Neither Holcim nor its representatives practice architecture. Holcim offers no opinion on and expressly refuses any responsibility for the soundness of any structure. Holcim accepts no liability for structural failure or resultant damages. Consult a competent structural engineer prior to installation if the structural soundness or structural ability to properly support a planned installation is in question. No Holcim representative is authorized to vary this disclaimer.

September 29, 2022 Sales: (800) 428-4442 | Technical (800) 428-4511



TIS 1930 2