



CORNERS AND TRIMS

PRODUCT GUIDE

www.grabberpro.com

GRABBER
CONSTRUCTION PRODUCTS

"The Professional's Choice"™

TABLE OF CONTENTS

| | | | |
|---------------------------------------|-----------|--|-----------|
| NO-COAT® STICKS | 8 | Aquabead® Outside 90 Roller | 20 |
| No-Coat® Inside 90 | 8 | Aquabead® Bullnose Roller | 20 |
| No-Coat® Outside 90 | 8 | STRAIT-FLEX® STICK CORNER | 21 |
| No-Coat® 1/2" L-Trim | 8 | BEADS – PAPER-FACED COMPOSITE | |
| No-Coat® 5/8" L-Trim | 9 | Strait-Flex® OS-300 | 21 |
| No-Coat® 3/8" Bullnose | 9 | Strait-Flex® OS-400 | 21 |
| No-Coat® 3/4" Bullnose | 9 | Strait-Flex® IS-300 | 21 |
| NO-COAT® FLEXIBLE CORNERS | 10 | STRAIT-FLEX® STICK CORNER | 22 |
| Flexible Corner 325 | 10 | BEADS – COMPOSITE | |
| Flexible Corner 450 | 10 | Strait-Flex® Big-Stick | 22 |
| NO-COAT® ARCH | 11 | Strait-Flex® Arch-Stick | 22 |
| No-Coat® Arch 3/4" Bullnose | 11 | Strait-Flex® Wet-Stick | 22 |
| No-Coat® Arch Outside 90 | 11 | STRAIT-FLEX® FLEXIBLE CORNER | 23 |
| NO-COAT® PRO CORNER | 12 | BEADS – PAPER-FACED COMPOSITE | |
| Flexible Corner 325 | 12 | Strait-Flex® Gold | 23 |
| NO-COAT® PRO MACHINE | 12 | Strait-Flex® Mid-Flex | 23 |
| NO-COAT® PRO AUTOMATED CORNERS | 13 | Strait-Flex® Wide-Flex | 23 |
| AQUABEAD® CORNERS | 14 | STRAIT-FLEX® FLEXIBLE CORNER | 24 |
| Aquabead® Outside 90 | 14 | BEADS – COMPOSITE | |
| Aquabead® 1/2" L-Trim | 14 | Strait-Flex® Original | 24 |
| Aquabead® 5/8" L-Trim | 14 | Strait-Flex® Medium | 24 |
| Aquabead® Bullnose | 15 | Strait-Flex® Ammo-Flex | 24 |
| Aquabead® Trim | 15 | Strait-Flex® Crack-Tape | 25 |
| LEVELLINE® FLEXIBLE CORNER | 16 | Strait-Flex® X-Crack | 25 |
| Levelline® Flexible Corner | 16 | STRAIT-FLEX® APPLICATION CHART | 26 |
| Levelline® Outside 90 Stick | 16 | MUD PRO² | 27 |
| CORNER APPLICATION MATRIX | 17 | Mud-Pro ² | 27 |
| DOUBLE BARREL HOPPER® | 18 | Mud-Pro ² Compound Applicator | 27 |
| ROLLERS | 19 | Inside Rolling Tools | 27 |
| No-Coat® Outside 90 Roller | 19 | Outside Rolling Tools | 28 |
| No-Coat® Bullnose Roller | 19 | BSR-300 Rolling Tool | 28 |
| No-Coat® Inside 90 Roller | 19 | OSR-300 Rolling Tool | 29 |
| No-Coat® One-Sided Roller | 19 | OSR-400 Rolling Tool | 29 |
| No-Coat® Pro Roller | 20 | Wet-Stick Rolling Tool | 29 |
| | | DRYWALL TAPE | 30 |
| | | Spark Perforated Drywall Tape | 30 |
| | | Professional Self Adhesive Fiberglass Drywall Tape | 30 |

ABOUT GRABBER

As a leading distributor of quality products built for hardworking construction professionals, Grabber® Construction Products are 100% reliable and durable – because we don't believe in slowing you down with cut-rate tools. For more than 55 years, each Grabber product has been manufactured with our high standards of quality, efficiency, and value.

Grabber fasteners are known as the best in the industry and can be trusted for a variety of wood, metal, and drywall applications. You'll also find the Grabber level of excellence in other product lines for the commercial and residential construction industries, including proprietary construction equipment, Corners and Trims, drywall tools and materials, power drives, adhesives, and accessories. Get the job done faster and better with Grabber. Find products at your local dealer or contact one of our reps to find a dealer near you.

GRABBER
CONSTRUCTION PRODUCTS





EASY-TO-APPLY, HIGH PERFORMANCE, DRYWALL CORNER SOLUTIONS.

CertainTeed's line of structural laminate corners — combined with water-activated corners and automation technologies — save money on call backs and are more aesthetically appealing over the long-term than conventional metal, paper faced metal, or vinyl beads. The durability and installation efficiency of these products make them ideal for both residential and commercial building applications.

The logo for NO-COAT, featuring the text "NO-COAT" in a bold, black, sans-serif font, centered within a blue, stylized, double-lined shape that resembles a wide, shallow 'V' or a trapezoid with a pointed top.The logo for AquaBead, featuring the text "AquaBead" in a bold, red, sans-serif font with a registered trademark symbol, set against a white background.The logo for LEVELLINE, featuring the text "LEVELLINE" in a bold, black, sans-serif font, with a vertical line through the middle of the letters "V" and "L".

The NO-COAT® Structural Laminate (SLAM®) design represents a drywall corner system that provides superior strength and durability, installs faster, and delivers bottom line savings in labor.

Water-activated AquaBead® offers fast, easy installation and outstanding performance, every time. Perforations allow compound to adhere to the drywall surface.

LEVELLINE® flexible rolls are ideal for off-angle and both short and long runs. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.



CERTAINTED CORNERS INTEGRATE TECHNOLOGY AND MATERIALS THAT OUTPERFORM ALL OTHERS.

The NO-COAT® Structural Laminate (SLAM®) design represents a revolutionary drywall corner system that provides superior strength and durability, installs faster, and delivers bottom line savings in labor.

SLAM TECHNOLOGY – A BREAKTHROUGH IN DRYWALL CORNER FINISHING

NO-COAT corners incorporate a tapered structural laminate design that consists of three key components:

1. Tapered copolymer core capable of withstanding severe impacts.
2. Joint tape that permanently bonds the corner to drywall with Taping or All-Purpose joint compound.
3. Formulated surface paper that eliminates cracks, chips and peels. Accepts any finish, resists abrasion.

NO-COAT SAVES LABOR

Rolls and pre-cut lengths allow for fast application, significantly reducing installation time.

A RADICAL DEPARTURE FROM CORNER BEAD

For more than 80 years, drywall contractors have reached for corner bead because it has been the only option available – not because it's the best product. Improvements such as plastic or paper faced metal are still based on a flawed bead design that create more problems than they solve. Beads are notorious in the industry for causing costly callbacks from denting, chipping, rusting, cracking and peeling. In addition, beads require excessive mud application that costs contractors time and money.

AN INNOVATIVE SOLUTION

NO-COAT structural laminate corners abandon corner bead design entirely. Instead, the SLAM design integrates new technologies and materials like dimensionally extruded copolymer plastic and formulated saturated paper. The result is a corner system that outperforms all others in the market.



SLAM TECHNOLOGY INTEGRATES THREE KEY COMPONENTS PROVIDING THE DURABILITY, FLEXIBILITY, AND STRENGTH THAT WON'T CRACK UNDER PRESSURE.

TAPERED HIGH STRENGTH COPOLYMER CORE
with stands severe impacts.
Won't rust. Requires less mud.


1.

3.

FORMULATED SURFACE PAPER
eliminates cracks, chips and peels, resists abrasion, and accepts any finish.

2.

JOINT TAPE
permanently bonds corner to drywall with All Purpose mud.





THE NO-COAT® DRYWALL CORNER SYSTEM

FLEXIBLE CORNERS

These flexible roll products are ideal for off-angle applications, both short and long runs, long columns and soffits. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

FLEXIBLE CORNER 325

FLEXIBLE CORNER 450

STICKS

Pre-cut stick lengths withstand severe impacts, settling and seismic movements without cracking, denting, chipping or peeling. Easy to install lengths deliver perfect corners in record time.

INSIDE 90

OUTSIDE 90

L-TRIM - 1/2", 5/8"

BULLNOSE - 3/8", 3/4"

ARCH

ARCH tape-on arches have notched flanges that flex and conform to any arch. Stiff profile fine-tunes poor framing and creates a perfectly smooth, round curve.

BULLNOSE 3/4"



OUTSIDE 90

TOOLS

Rollers and applicators allow for high speed installations and flawless results.

ROLLERS - Inside and Outside 90, Bullnose, and One-Sided (L-Trim)

DOUBLE BARREL HOPPER® - Install off-angles, inside and outside 90s or bullnose, in record time.





NO-COAT® STICKS

NO-COAT® mud applied, easy-to-install stick lengths deliver perfect corners in record time. Apply with CertainTeed tools for high speed installations.



NO-COAT® INSIDE 90



DESCRIPTION

NO-COAT INSIDE 90 corners make joint tape a thing of the past. Use the CertainTeed DOUBLE BARREL HOPPER and an INSIDE 90 Roller to ensure high speed installs and the best results.

APPLICATIONS


- 90° inside corners

FEATURES/BENEFITS

- Pre-cut to standard lengths
- Fast and efficient installs
- Built-in adjustable hinge
- SLAM® corner design ensures strength, durability, labor savings, and eliminates costly callbacks

PRODUCT DETAILS

8', 9', 10', stick lengths (2.4 m, 2.7 m, 3 m). 50 sticks/box. Use the CertainTeed DOUBLE BARREL



NO-COAT® OUTSIDE 90



DESCRIPTION

One of our best selling products, NO-COAT OUTSIDE 90 corners are made with our patented SLAM design. These corners deliver strength, durability, and guaranteed perfect results for all vertical outside corner applications.

APPLICATIONS


- 90° outside corners

FEATURES/BENEFITS


- Pre-cut to standard lengths
- Fast and efficient installs
- Built-in adjustable hinge
- SLAM® corner design ensures strength, durability, labor savings, and eliminates costly callbacks

PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



NO-COAT® 1/2" L-TRIM



DESCRIPTION

NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

APPLICATIONS


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

FEATURES/BENEFITS

- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

PRODUCT DETAILS


8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



NO-COAT® STICKS



NO-COAT® 5/8" L-TRIM



DESCRIPTION

NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

APPLICATIONS


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

FEATURES/BENEFITS


- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

PRODUCT DETAILS

10' (3 m) lengths Custom lengths available. 50 sticks/box.



NO-COAT® 3/8" BULLNOSE



DESCRIPTION

NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

APPLICATIONS


- 90° outside corners

FEATURES/BENEFITS


- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



NO-COAT® 3/4" BULLNOSE



DESCRIPTION

NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

APPLICATIONS


- 90° outside corners

FEATURES/BENEFITS

- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



NO-COAT® FLEXIBLE CORNERS



NO-COAT® flex roll products are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

FLEXIBLE CORNER 325



DESCRIPTION

NO-COAT FLEXIBLE CORNER 325 offers the same durability and strength as FLEXIBLE CORNER 450, with a narrower flange width that makes it ideal for shorter off-angle spans.

APPLICATIONS


- Short runs of less than 10 ft (3 m)
- Vertical off angle applications, stand ups
- 90° inside/outside corners

FEATURES/BENEFITS

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

3.25" wide x 100' roll (8.3 cm x 30.5 m) 10 rolls/carton.



FLEXIBLE CORNER 450



DESCRIPTION

The world's #1 flex product has earned the reputation for delivering perfectly straight lines for challenging off-angles and long spans, while withstanding settling, shrinking lumber, seismic movements and temperature variations.

APPLICATIONS


- Long peaks (spans > 10 ft [3 m])
- Vaulted, cathedral, tray ceilings
- Inside/outside corners of any length

FEATURES/BENEFITS

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

.5" wide x 100' roll (11.4 cm x 30.5 m) 4 rolls/carton.



NO-COAT® ARCH

Install perfect archways in minutes without the hassle of glues, staples and extra coats of mud. Arch tape-on arches have notched flanges that flex and conform to any arch, and a stiff profile that fine-tunes poor framing and creates a perfectly smooth, round curve.



NO-COAT® ARCH 3/4" BULLNOSE



DESCRIPTION

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and time-consuming spraying.

APPLICATIONS


- 90° bullnose archways

FEATURES/BENEFITS

- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- Self-forming, ridgeless design
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

10' (3 m) lengths. Custom lengths available. 10 sticks/box.



NO-COAT® ARCH OUTSIDE 90



DESCRIPTION

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and time-consuming spraying.

APPLICATIONS


- 90° outside archways

FEATURES/BENEFITS

- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

10' (3 m) lengths. Custom lengths available. 10 sticks/box.



NO-COAT® PRO CORNER

NO-COAT PRO CORNER flexible roll product is ideal for production work, long columns and soffits. When used with the NO-COAT PRO machine, production time is dramatically reduced, and waste is virtually eliminated.



FLEXIBLE CORNER 325



DESCRIPTION

NO-COAT PRO offers the same durability and strength as Flexible Corner.

APPLICATIONS


- Outside 90° corners
- Long spans of any angle

FEATURES/BENEFITS

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

3.75" wide x 250' roll (9.5 cm x 76.2 m)



NO-COAT® PRO MACHINE

The NO-COAT PRO machine is the first and only automated system for custom cutting corners of any length or angle. Its lightweight portability makes it easy to move on the jobsite. Used in conjunction with NO-COAT PRO corner, it is simply the fastest and most efficient cornering system available.

DESCRIPTION

The NO-COAT PRO machine uses NO-COAT PRO CORNER to produce ready-to-install corners with joint compound applied, cut to any length.

APPLICATIONS

- Outside 90° corners
- Long spans of any angle

FEATURES/BENEFITS

- Portable size is light-weight and easy to maneuver
- Replaces pre-cut stick lengths and roll products with one simple 250' (76.2 m) roll
- Easy-to-use keypad simplifies operation and stores custom measurements
- 5 gallon (19 L) hopper is easy-to-fill, clean and cap for overnight mud storage



NO-COAT® PRO AUTOMATED CORNERS



The NO-COAT PRO machine uses NO-COAT PRO Corner to produce ready-to-install corners with joint compound applied, cut to any length.



Comes with handy remote control

Easy-to-use trilingual keypad simplifies operation and stores custom measurements

Replaces pre-cut stick lengths and roll products with one simple 250' (76.2 m) roll.


5 gallon (19 L) hopper is easy-to-fill, clean and cap for overnight mud storage

Powered by convenient 110 volts


35 lb without the hopper. Fits in a gang box.



INSIDE 90



OUTSIDE 90



OFF-ANGLES

AQUABEAD® CORNERS

Water-activated AquaBead offers fast, easy installation and outstanding performance, every time. An easy-to-apply, self-adhesive drywall corner that won't blister, bubble or edge crack. Perforations allow compound to adhere to the drywall surface.

AquaBead®

AQUABEAD® OUTSIDE 90



DESCRIPTION

AQUABEAD OUTSIDE 90° has a specially engineered beaded nose to create the perfect corner.

APPLICATIONS


- Outside 90° corners

FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m) 50 sticks/box.



AQUABEAD® 1/2" L-TRIM



DESCRIPTION

AQUABEAD L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

APPLICATIONS


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

PRODUCT DETAILS

4.5" wide x 100' roll (11.4 cm x 30.5 m)
4 rolls/carton.



AQUABEAD® 5/8" L-TRIM



DESCRIPTION

AQUABEAD L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

APPLICATIONS


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

PRODUCT DETAILS

10' (3 m) lengths. Custom lengths available.
50 sticks/box.



AQUABEAD® CORNERS

AquaBead®

AQUABEAD® BULLNOSE



DESCRIPTION

AQUABEAD BULLNOSE corners allow you to create a more stylish professional looking corner.

APPLICATIONS


- Outside corners

FEATURES/BENEFITS

- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

PRODUCT DETAILS

8', 9', 10', stick lengths (2.4 m, 2.7 m, 3 m). 50 sticks/box.



AQUABEAD® TRIM



DESCRIPTION

AQUABEAD TRIM, with the beadless nose, offers a durable no-mess outside corner in less time.

APPLICATIONS


- 90° outside corners

FEATURES/BENEFITS

- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m) 50 sticks/box.



LEVELLINE® FLEXIBLE CORNER

LEVELLINE flexible rolls are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.



LEVELLINE® FLEXIBLE CORNER



DESCRIPTION

LEVELLINE FLEXIBLE CORNER flexes to any inside or outside corner angle, making finishing fast and easy. Narrower flange width is ideal for shorter off-angle spans.

APPLICATIONS


- Short runs of less than 10' (3 m)
- Vertical off angle applications, stand ups
- 90° inside/outside corners

FEATURES/BENEFITS

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing

PRODUCT DETAILS

2.75" wide x 100' roll (7 cm x 30.5 m)
12 rolls/carton.



LEVELLINE® OUTSIDE 90 STICK

LEVELLINE Outside 90 sticks are easy-to-install and deliver perfect corners in record time. Apply with CertainTeed tools for high speed installations and flawless results.

LEVELLINE® OUTSIDE 90



DESCRIPTION

A brand new addition to our Levelline family, Levelline Outside 90 corners are easy to handle and install, better than metal – no memory, less waste, less dents, no rust – creating crisp, straight corners.

APPLICATIONS


- 90° outside corners

FEATURES/BENEFITS

- Pre-cut to standard lengths
- Fast and efficient installs

PRODUCT DETAILS

6" 10', 8', 9', 10', 12' stick lengths (1.8, 2.4 m, 2.7 m, 3 m, 3.7 m) 50 sticks/box.





CORNER APPLICATION MATRIX

CertainTeed offers a complete drywall corner system for all profiles and applications. Please refer to the matrix below for recommended applications.

CORNER APPLICATION MATRIX

| | Off Angles | Inside Corners | Outside Corners | Archways | Industrial Applications | Large Gaps | Vaults, Soffits | Window Returns, Door Jamb, Drop Ceilings, etc. | Long Spans Over 10' (3 m) | Short Spans Under 10' (3 m) |
|------------------------------------|------------|----------------|-----------------|----------|-------------------------|------------|-----------------|--|---------------------------|-----------------------------|
| NO-COAT | | | | | | | | | | |
| Flexible Corner 325 | ■ | ■ | ■ | | | ■ | ■ | | | ■ |
| Flexible Corner 450 | ■ | ■ | ■ | | ■ | ■ | ■ | | ■ | |
| Inside 90 | ■ | ■ | | | | | | | | |
| Outside 90 | ■ | | ■ | | | | | | | |
| L-Trim – 1/2", 5/8" | | | | | ■ | | | ■ | | |
| Bullnose – 3/8", 3/4" | | | ■ | | ■ | | | | | |
| Arch – Outside 90 3/4" Bullnose | | | ■ | ■ | | | | | | |
| NO-COAT PRO Corner | ■ | ■ | ■ | | ■ | ■ | ■ | | ■ | |
| AQUABEAD | | | | | | | | | | |
| Outside 90 | ■ | | ■ | | | | | | | |
| L-Trim – 1/2", 5/8" | | | | | | | | ■ | | |
| Bullnose – 3/4" | | | ■ | | | | | | | |
| Outside 90 Trim | ■ | | ■ | | | | | | | |
| LEVELLINE | | | | | | | | | | |
| Flexible Corner | ■ | ■ | ■ | | | ■ | ■ | | | ■ |
| Outside 90 | | | ■ | | | | | | | |

DOUBLE BARREL HOPPER®

The Double Barrel Hopper is set up for all angles, all the time. Install off-angles, inside and outside 90s or bullnose, in record time. No time-consuming adjustments or extra hardware necessary.

DOUBLE BARREL HOPPER®



DESCRIPTION

CertainTeed has perfected this standard industry tool to accommodate all inside and outside angles without time-consuming part changeovers and reconfiguration.

APPLICATIONS


- NO-COAT inside, outside, and bullnose corners
- Flexible Corner 450 and 325

FEATURES/BENEFITS

- Eliminates part changes or reconfiguration – handles both inside and outside angles
- Ensures a uniform and high-speed installation
- Single piece gates with ergonomic hand knob allow for fast and easy adjustments

PRODUCT DETAILS

- High density polyurethane tank and gate controllers
- Stainless steel reservoir trough and gates



Stainless steel gates accommodate off-angles, inside 90s, bullnose, and outside 90s

ROLLERS

CertainTeed rollers press corners firmly and accurately into place, creating an absolute bond to the drywall. Ensures high speed, accurate installations, and delivers bottom-line savings on labor and mud.



NO-COAT® OUTSIDE 90 ROLLER



APPLICATIONS

- NO-COAT Outside 90 corners

FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

NO-COAT® BULLNOSE ROLLER



APPLICATIONS

- NO-COAT 3/8" and 3/4" BULLNOSE corners

FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

NO-COAT® INSIDE 90 ROLLER



APPLICATIONS

- NO-COAT Inside 90 corners and Flexible 325 off angles

FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

NO-COAT® ONE-SIDED ROLLER



APPLICATIONS

- NO-COAT and AquaBead L-TRIM corners and Flexible off angles

FEATURES/BENEFITS

- Squeezes out excess mud
- Removable hex handle for handheld convenience
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

ROLLERS

CertainTee® rollers press corners firmly and accurately into place, creating an absolute bond to the drywall. Ensures high speed, accurate installations, and delivers bottom-line savings on labor and mud.



NO-COAT® PRO ROLLER



APPLICATIONS

- NO-COAT PRO Corner


FEATURES/BENEFITS

- Squeezes out excess mud
- Removable hex handle for handheld convenience
- Highly durable, corrosion resistant, stainless steel

PRODUCT DETAILS

- Durable thermoplastic roller wheels
- Stainless steel frame and hardware

AQUABEAD® OUTSIDE 90 ROLLER



APPLICATIONS

- AquaBead Outside 90 corners

FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable.

PRODUCT DETAILS

- Pliable red 90° roller wheels

AQUABEAD® BULLNOSE ROLLER



APPLICATIONS

- AquaBead Bullnose corners

FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable

PRODUCT DETAILS

- Pliable blue roller wheels



STRAIT-FLEX® STICK CORNER BEADS - PAPER-FACED COMPOSITE



Strait-Flex® is the best choice for fast, strong, straight corners that deliver a significant savings on joint compound usage. The smooth nose provides clean, square, and low-profile corners and uses up to 50% less joint compound when compared to standard corner beads. Finishing compound is not required over the laminated area, just use a light skim coat over the outer edges. Composite structural backing provides strength and durability for a superior bond to the drywall surface. Diamond-punched paper edging provides maximum adhesion to the drywall surface and a flat, even lay-down of the paper edge. Installs with all-purpose joint compound.

STRAIT-FLEX® OS-300



DESCRIPTION

OS-300's smooth nose creates low-fill outside corners that use up to 50% less joint compound and provide superior adhesion when compared with other corner beads. Composite structural backing quickly produces a durable and straight corner, every time.

APPLICATIONS

- For 90° outside corners

FEATURES/BENEFITS

- 3" paper-faced composite outside corner bead
- Nose resists dents and damage
- Paper will not fuzz-up during finish sanding
- Available in 8 ft., 9 ft., 10 ft. and 12 ft. lengths

STRAIT-FLEX® OS-400



DESCRIPTION

OS-400 is designed to span large gaps in drywall and straighten framing irregularities on outside corners. Create a perfect finish with less joint compound and less effort due to the diamond-embossed paper edging, which allows for easier feathering and an even lay-down of the paper edge.


APPLICATIONS

- For 90° outside corners

FEATURES/BENEFITS

- 4" paper-faced composite outside corner bead
- Smooth nose provides clean, square, low-profile/low-fill corners and resists damage
- Ideal for double 5/8" drywall applications
- Paper will not fuzz-up during finish sanding
- Available in 8 ft., 9 ft., 10 ft. and 12 ft. lengths

STRAIT-FLEX® IS-300



DESCRIPTION

IS-300 is designed for speed and strength. It spans large gaps in drywall and straightens common framing irregularities on inside corners. Because joint compound is only required on the edges, not in the center, inside corners are now faster and easier than ever to finish. paper edge.

APPLICATIONS

- For 90° inside corners.

FEATURES/BENEFITS


- 3" paper-faced composite inside corner bead
- Joint compound is only required on the edges, keeps compound out of the corner for a cleaner, easier finish
- Paper surface is pre-treated to accept paint
- Available in 8 ft., 9 ft., 10 ft. and 12 ft. lengths.

STRAIT-FLEX® STICK CORNER BEADS - COMPOSITE



The superior choice for fast, strong, and straight corners. Full composite construction (no paper) allows the first finishing coat to be applied immediately after the bed-coat with no delayed shrinkage. An impact-resistant, beaded nose absorbs energy from forceful blows and is finished from nose-to-wall, just like a traditional corner bead. The composite fiber surface provides exceptional durability and a superior bond to the drywall surface. Installs with all-purpose joint compound.

STRAIT-FLEX® BIG-STICK



DESCRIPTION

Designed with an impact-resistant nose for use in high-traffic/high-abuse environments, Big-Stick is the easiest corner bead on the market to install and repair. The first finishing coat of compound can be applied immediately, with no threat of delayed shrinkage or edge cracking – saving you time and money.


APPLICATIONS

- For 90° outside corners

FEATURES/BENEFITS

- 3" full composite corner bead
- Beaded nose, finishes from nose-to-wall, just like a traditional corner bead
- The perfect corner bead for jobs that require high-abuse gypsum board
- Available in 8 ft., 9 ft., 10 ft. and 12 ft. lengths

STRAIT-FLEX® ARCH-STICK



DESCRIPTION

Designed with a wire in the nose to create perfect radiuses with no kinks and no flat spots, Arch-Stick is the easiest arch corner bead on the market to install. Use Arch-Stick for arched doorways, windows, curved walls, ceilings, soffits, staircases and any free-form, custom drywall application where a seamless curved installation is required.


APPLICATIONS

- For all curved applications on 90° outside corners.

FEATURES/BENEFITS

- 3-3/8" full composite corner bead
- Mud-on arch corner bead, no staples or spray adhesive required to get perfect arches
- Tear strips on the edge of flanges make unnoticeable curved-to-straight transitions
- Available in 8 ft. and 10 ft. lengths

STRAIT-FLEX® WET-STICK



DESCRIPTION

Wet-Stick features a water-activated adhesive for installation without fasteners, joint compound or spray adhesive. Wet-Stick is fast-drying and will not delaminate, crack, or shrink.

APPLICATIONS

- For 90° outside corners.

FEATURES/BENEFITS

- 3" full composite corner bead
- Water-activated adhesive for installation to drywall, no fasteners or compound required
- Impact-resistant nose for use in high-traffic areas
- Available in 8 ft., 9 ft., 10 ft. and 12 ft. lengths

STRAIT-FLEX® FLEXIBLE CORNER BEADS - PAPER-FACED COMPOSITE



Strait-Flex® flexible, paper-faced composite corner beads adjust to any angle to create perfect inside and outside 90° and off-angle corners. The composite structural backing provides strength for durability and a superior bond to the drywall surface. The heavyweight, diamond-punched paper provides maximum adhesion for an even lay-down of the paper edge and will not fuzz-up during finish sanding.

Strait-Flex® paper-faced composite construction delivers a significant savings on joint compound usage by using up to 50% less joint compound when compared to standard corner beads. Finishing compound is not required over the laminated area of the bead, just use a light skim coat on the outer edges. The paper surface is pre-treated to accept primer or paint.

Available in three widths, our flexible, paper-faced composite corner beads can meet any drywall finishing challenge. Installs with all-purpose joint compound. Available in 100 ft. rolls that can be cut to length in the field to minimize scrap loss.

STRAIT-FLEX® GOLD



FEATURES/BENEFITS

- 2-1/2" flexible paper-faced composite corner bead
- For inside and outside 90° and off-angle corners
- Inside and outside corners where common gaps in drywall are present
- Inside 90° corners where a large fill or straightening is required, no backfilling needed
- Great for everyday use and for vaulted, coffered and tray ceilings, bay windows

STRAIT-FLEX® MID-FLEX



FEATURES/BENEFITS

- 3" flexible paper-faced composite corner bead
- For inside and outside 90° and off-angle corners
- Outside corners where common gaps in drywall are present
- Outside corners where a large fill or straightening is required, no backfilling needed
- Great for vaulted, coffered and tray ceilings, bay windows

STRAIT-FLEX® WIDE-FLEX



FEATURES/BENEFITS

- 4" flexible paper-faced composite corner bead
- For inside and outside 90° and off-angle corners
- Outside corners where large gaps in drywall are present
- Hard to straighten outside corners due to framing irregularities
- Double 5/8" drywall applications
- Great for vaulted, coffered, tray and cathedral ceilings

STRAIT-FLEX® FLEXIBLE CORNER BEADS - COMPOSITE



Strait-Flex® flexible, composite corner beads adjust to any angle to create perfect inside and outside 90° and off-angle corners. The composite fiber backing embeds into joint compound to provide a superior bond to the drywall surface. Strait-Flex® full-composite (no-paper) construction allows the first finishing coat of compound to be applied immediately after the bed coat with no delayed shrinkage and no edge cracking. Resists dents, damage, and common cracking problems. Strait-Flex® flexible composite corner beads install with all-purpose joint compound. Available in 100 ft. rolls that can be cut to the length in the field to minimize scrap loss.

STRAIT-FLEX® ORIGINAL



FEATURES/BENEFITS

- 2-3/8" flexible composite corner bead
- For inside and outside 90° and off-angle corners
- Replaces standard corner bead and uses half the compound
- Spans common gaps in drywall, no backfilling required
- Will not fuzz-up when sanded
- Great for coffered and tray ceilings, bay windows

STRAIT-FLEX® MEDIUM



FEATURES/BENEFITS

- 2-1/4" flexible composite corner bead
- For inside 90° and off-angle corners
- Twice as strong and twice as fast as conventional paper or mesh tapes
- Fixes corners where a small fill or minor straightening is required, no backfilling needed
- Slightly thinner than Strait-Flex® Original
- Great for vertical and wall-to-ceiling inside corners, inside angles of bay windows

STRAIT-FLEX® AMMO-FLEX



DESCRIPTION

Ammo-Flex is designed to work through a Bazooka® automatic drywall taper. Reinforced paper backing provides strength and rigidity that spans small gaps in drywall with no need for backfilling. Diamond-punched paper edging provides maximum adhesion to the drywall surface for an even lay-down. The paper surface is pre-treated to accept primer or paint, so only the edges of the paper require a finish coat of compound.

FEATURES/BENEFITS

- 4-1/4" x 10' galvanized steel
- Eliminates cracks in ceiling corner joints
- Hinged backbone flexes to any angle for perfectly straight corner joints in ceilings
- Greatly reduces call-backs for ceiling corner cracks
- Sold in cases of 10 pcs, 4-1/4" x 10' per piece

STRAIT-FLEX® FLEXIBLE CORNER BEADS - COMPOSITE



STRAIT-FLEX® CRACK-TAPE



DESCRIPTION

Crack-Tape is designed to repair stress cracks in corners and on flat surfaces. The composite fiber backing embeds into joint compound to provide a superior bond to the drywall surface. Our full-composite (no-paper) construction allows the first finishing coat of compound to be applied immediately after the bed coat with no delayed shrinkage or edge cracking..

FEATURES/BENEFITS

- 2" composite drywall repair tape
- Two times stronger than regular paper tape
- Great for repairing cracks in vaulted ceilings caused by truss uplift
- Sold in 100 ft. rolls

STRAIT-FLEX® X-CRACK



DESCRIPTION

X-Crack is designed to eliminate cracks in ceilings by holding the drywall stationary while allowing for structural movement of the truss framing members. The rigid, galvanized steel design with a hinged backbone and flexible tabs corrects uneven framing members and provides perfectly straight inside and outside corners in ceilings. Great for vaulted and cathedral ceilings as well as inside 90° corners in flat ceilings.

FEATURES/BENEFITS

- 4-1/4" x 10' galvanized steel
- Eliminates cracks in ceiling corner joints
- Hinged backbone flexes to any angle for perfectly straight corner joints in ceilings
- Greatly reduces call-backs for ceiling corner cracks
- Sold in cases of 10 pcs, 4-1/4" x 10' per piece



STRAIT-FLEX® APPLICATION CHART



THE RIGHT PRODUCT FOR THE RIGHT APPLICATION

| | | | Product Total Width | Gaps Filled | in Drywall | Outside 90° Corners | Inside 90° Corners | Off-Angle Corners | Vaults | Seams | Butt-Joints | Cracks | Wet Areas | Curves, 90° Corners | Free-Form Curves | Veneer Plaster | Double 5/8" 90° Corners | Repairs Metal Corner Bead | High Traffic Areas | Mold-Resistant | Full Composite | Paper-Faced Composite | Paper-Faced Cellulose Laminate | |
|-------------------------|---|---------|---------------------|-------------|------------|---------------------|--------------------|-------------------|--------|-------|-------------|--------|-----------|---------------------|------------------|----------------|-------------------------|---------------------------|--------------------|----------------|----------------|-----------------------|--------------------------------|--|
| rolled products | | | | | | | | | | | | | | | | | | | | | | | | |
| Tuff-Tape | Use where paper tapes has failed | 2" | Small | ✓ | | | | | ✓ | | | | | | | | | | | ✓ | | | | |
| Crack-Tape | Persistent cracks | 2" | Reg | ✓ | | | | | ✓ | | ✓ | | | | ✓ | | | | | ✓ | | | | |
| Edge-Tape | Finishes edges of drywall | 2" | Reg | | | | | | | | | | | | | | | | | | | ✓ | | |
| Perfect-90° | Faster and stronger than paper tape | 2 1/16" | Small | ✓ | ✓ | | | | | | | | | | | | | | | | | | ✓ | |
| Ammo-Flex | Bazooka® applications | 2 1/16" | Small | ✓ | ✓ | | | | | | | | | | | | | | | | | | ✓ | |
| Butt-Tape | Fast, flat butt-joints | 2 1/16" | Small | | | | | | ✓ | ✓ | | | | | | | | | | | | | ✓ | |
| Medium | Inside corners and off-angle corners | 2 1/4" | Small | | ✓ | ✓ | | | | | | | | | | | | | | | ✓ | | | |
| Tile-Tape | Wet areas, Mold-proof | 2 1/4" | Reg | ✓ | ✓ | ✓ | | | ✓ | | | ✓ | | | | | | | | ✓ | ✓ | ✓ | | |
| Uno-Bead ²²² | Drywall, plaster | 2 1/4" | Reg | ✓ | ✓ | ✓ | | | | | | | | | ✓ | | ✓ | ✓ | | ✓ | ✓ | ✓ | | |
| L-Bead | Finishes edges of drywall | 2 1/4" | Reg | | | | | | | | | | | | | | | | | | ✓ | ✓ | ✓ | |
| Original | Most versatile, multi-purpose | 2 3/8" | Reg | ✓ | ✓ | ✓ | | | | | | | | | | | | | | | ✓ | ✓ | ✓ | |
| Gold | Inside & outside 90° and off-angle corners | 2 1/2" | Reg | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | | | | | | ✓ | ✓ | |
| Mid-Flex | Inside & outside 90° and off-angle corners | 3" | Reg | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | | | | | | ✓ | ✓ | |
| Wet-Flex | Outside corners, vaults, water activated | 3" | Large | ✓ | | ✓ | | | | | | | | | | | | | | | | ✓ | ✓ | |
| Arch-Flex | Compound arches, double curves applications | 3 3/8" | Reg | | | | | | | | | | ✓ | ✓ | | | | | | | | ✓ | ✓ | |
| Wide-Flex | Inside & outside 90° and off-angle corners | 4" | Large | ✓ | ✓ | ✓ | ✓ | | | | | | | | | | | | | | | ✓ | ✓ | |

| | | | Product Total Width | Gaps Filled | in Drywall | Outside 90° Corners | Inside 90° Corners | Off-Angle Corners | Vaults | Seams | Butt-Joints | Cracks | Wet Areas | Curves, 90° Corners | Free-Form Curves | Veneer Plaster | Double 5/8" 90° Corners | Repairs Metal Corner Bead | High Traffic Areas | Mold-Resistant | Full Composite | Paper-Faced Composite | Paper-Faced Cellulose Laminate | |
|-----------------------|--|--------|---------------------|-------------|------------|---------------------|--------------------|-------------------|--------|-------|-------------|--------|-----------|---------------------|------------------|----------------|-------------------------|---------------------------|--------------------|----------------|----------------|-----------------------|--------------------------------|--|
| stick products | | | | | | | | | | | | | | | | | | | | | | | | |
| IS-300 | Inside 90°, straightens large irregularities | 3" | Large | | ✓ | | | | | | | | | | | | | | | | | ✓ | | |
| Big-Stick | Outside 90°, straightens common irregularities | 3" | Reg | ✓ | | | | | | | | | | | | | | ✓ | | | ✓ | ✓ | | |
| Wet-Stick | Outside 90°, water-activated | 3" | Reg | ✓ | | | | | | | | | | | | | | ✓ | | | ✓ | ✓ | | |
| OS-300 | Outside 90°, straightens common irregularities | 3" | Reg | ✓ | | | | | | | | | | | | | | | | | | ✓ | ✓ | |
| Arch-Stick | Outside 90° arched corners | 3 3/8" | Reg | ✓ | | | | | | | | | ✓ | ✓ | | | | | | | | ✓ | ✓ | |
| OS-400 | Outside 90°, straightens large irregularities | 4" | Large | ✓ | | | | | | | | | | | | | | | | | | ✓ | ✓ | |



MUD-PRO²



MUD-PRO²



DESCRIPTION

The fastest, cleanest, and most durable compound applicator on the market.

Designed to apply precise amounts of compound to inside and outside 90° corner beads, flex tapes, and outside bull-nose and chamfer corner beads.

FEATURES/BENEFITS

- Mix and store compound in same bucket.
- Five gallon compound capacity
- No daily clean-up. Just fold legs; drop into 6" of water.
- Stainless steel construction for long-life.
- Includes Mud-Pro2 mounted to bucket, and second bucket


MUD-PRO² COMPOUND APPLICATOR



SPECIFICATIONS

- Item No. MP2
- Case Pack: 1
- Item Weight: 14 lb. (6.35kg)
- Item UPC: 6-56690-83247-8

INSIDE ROLLING TOOLS



FEATURES/BENEFITS

- Speeds application time.
- Squares up corner beads on walls.
- For use with all inside corner products (excl. Wide-Flex)
- Attaches to common extension poles.

DESIGNED FOR

- Original
- Medium
- Uno-Bead222
- IS-300
- Gold
- Mid-Flex
- Perfect-90°


SPECIFICATIONS

- Item No. ISR
- Item Size: 8" x 17/8" x 17/8"
- Case Pack: 1
- Case Weight: 1.2 lb.
- Item UPC: 6-56690-89110-9

MUD-PRO²



OUTSIDE ROLLING TOOLS



FEATURES/BENEFITS

- Speeds application time.
- Squares up corner beads on walls.
- For use with all outside corner products.)
- Attaches to common extension poles.

DESIGNED FOR

- Original
- Medium
- Uno-Bead222

SPECIFICATIONS

ORIGINAL OUTSIDE TOOL

- Item No. OSR
- Case Pack: 1
- Case Weight: 1.2 lb.
- Item UPC: 6-56690-12358-3

BSR-300 TOOL

- Item No. BSR300
- Case Pack: 1
- Case Weight: 1.2 lb.
- Item UPC: 6-56690-89135-2

BSR-300 TOOL

- Item No. BSR300
- Case Pack: 1
- Case Weight: 1.2 lb.
- Item UPC: 6-56690-89135-2


OSR-400 TOOL

- Item No. OSR400
- Case Pack: 1
- Case Weight: 1.2 lb.
- Item UPC: 6-56690-89130-7

WET-STICK TOOL

- Item No. WSR
- Case Pack: 1
- Case Weight: 1.2 lb.
- Item UPC: 6-56690-89111-6

BSR-300 ROLLING TOOL




DESIGNED FOR

- Big
- Big-Stick
- Arch-Flex
- Arch-Stick

MUD-PRO²




OSR-300 ROLLING TOOL



DESIGNED FOR

- Gold
- Mid-Flex
- OS-300


OSR-400 ROLLING TOOL



DESIGNED FOR

- Huge
- Wide-Flex
- OS-400

WET-STICK ROLLING TOOL




DESIGNED FOR

- Wet-Stick
- Wet-Flex



DRYWALL TAPE

SPARK PERFORATED DRYWALL TAPE



DESCRIPTION

Grabber Drywall Joint Tape is spark perforated allowing joint compound easy pass-through eliminating air bubbles.

| PART NO. | DESCRIPTION |
|----------|---|
| JT250 | 2" X 250', HIGH TENSILE STRENGTH SPARK PERFORATED PAPER TAPE - 20, 250' ROLLS EACH CASE |
| JT500 | 2" X 500', HIGH TENSILE STRENGTH SPARK PERFORATED PAPER TAPE - 10, 500' ROLLS EACH CASE |

PROFESSIONAL SELF ADHESIVE FIBERGLASS DRYWALL TAPE



DESCRIPTION

Grabber's Multi-Purpose Self-Adhesive Drywall Mesh Tape is ideal for use in finishing drywall and cement board. Grabber's mesh tape is designed to cover drywall joints, cracks, and holes on smooth, textured, stucco and popcorn finishes. Packaged in 300-foot rolls.

Grabber's self-adhesive fiberglass mesh tape, meets the highest standards for quality. Specially primed adhesive provides additional holding ability, especially in higher heat and humidity environments where other competing products may fail. Customer feedback has shown superior bond ratings versus our competition.


FEATURES/BENEFITS

- Faster to Apply
- More Efficient
- No Shrinking
- No Stapling
- No Pre-pasting
- Easier to Use
- Available in 2-in and 2-1/2-in widths

| PART NO. | DESCRIPTION |
|----------|--|
| GMT200B | 2" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, BLUE |
| GMT200Y | 2" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, YELLOW |
| GMT200 | 2" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, WHITE |
| GMT250B | 2.5" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, BLUE |
| GMT250Y | 2.5" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, YELLOW |
| GMT250 | 2.5" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, WHITE |



GRABBER BRANCH LOCATIONS



WEST REGION

Grabber San Diego
858.292.6022
9466 Chesapeake Drive
San Diego CA 92123-1353

Grabber Salt Lake
801.266.4151
4273 South 590 West
Murray UT 84123-3615

Grabber Portland
503.467.5001
15031 NE Airport Way Ste 300
Portland OR 97230-8333

Grabber L.A.
562.696.5122
8319 Allport Ave
Santa Fe Springs CA 90670-2107

Grabber NorCal
925.687.6606
2241 Carion Court
Pittsburg CA 94565-4029

SOUTH REGION

Grabber Memphis
662.895.9300
6045 E Shelby Drive Ste 1
Memphis TN 38141-7601

Grabber Dallas
972.470.9044
10990 Petal Street Ste 400
Dallas TX 75238-2487

Grabber Houston
713.545.6424
2121 Britmoore Road Ste 1600
Houston TX 77043-2230

MIDWEST REGION

Grabber Cincinnati
513.874.9027
4325 Mulhauser Road Ste 8
Fairfield OH 45014-2266

Grabber Maumee
419.794.8212
370 W Dussel Drive Ste 5
Maumee OH 43537-1604

Grabber Kansas City
816.931.8816
805 Liberty Street
Kansas City MO 64102-1009

NORTHEAST REGION

Grabber DC
301.808.5100
850 B Hampton Park Blvd
Capitol Heights MD 20743-4917

Grabber New England
860.623.3600
120 Newberry Road
East Windsor CT 06088-9544

Grabber Jersey
856.662.2525
1125 Thomas Busch Memorial Hwy
Pennsauken NJ 08110-2310

Grabber Baltimore
410.789.0655
717A North Hammonds Ferry Rd
Linthicum MD 21090-1238

Grabber Virginia
703.631.8770
14801 Willard Road Ste 700
Chantilly VA 20151-3719

SOUTHEAST REGION

Grabber Conover
828.267.6245
1136 Industrial Dr SW
Conover NC 28613-2753

Grabber Miami
305.820.0975
5717 NW 158th Street
Hialeah FL 33014-6719

Grabber Ft. Myers
239.278.1888
12570 Metro Pkwy
Fort Myers FL 33966-8356

Grabber Tampa
813.249.2281
5835 Barry Road
Tampa FL 33634-3020

Grabber Pompano
954.971.4730
1857 SW 3rd Street
Pompano FL 33069-3105

Grabber Orlando
407.297.7278
3714 Silver Star Road
Orlando FL 32808-6605

Grabber Jacksonville
904.739.2760
5913 Saint Augustine Rd Ste 7
Jacksonville FL 32207-8000

Grabber Atlanta
770.813.1332
2605 N Berkeley Lake Rd NW
Ste 500
Duluth GA 30096-3099

CORNERS AND TRIMS PRODUCT GUIDE

CertainTeed
SAINT-GOBAIN



ClarkDietrich®

NO-COAT

STRAIT-FLEX®

LEVELLINE®

AquaBead®

GRABBER
CONSTRUCTION PRODUCTS

Discover the Grabber Difference

Grabber products are trusted to perform at the highest levels so you can do more, better. Since 1967, contractors have relied on the quality, value, consistency and performance of Grabber products, box after box. In a post-pandemic environment, you can count on Grabber to start boosting your productivity and profitability even before you reach the jobsite with easy purchasing options and valuable advice.

Visit www.grabberpro.com or call 800-477-8876
to find a dealer near you.

