

OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 03/05/2021 Version: 2.0 Replaces Version: 1.0

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: GrabberGard IFC Product Code: GGIFC10, GGIFC20, GGIFC29, GGIFC5

Product Type: Intumescent Caulk Use: Firestopping Caulk

Chemical Family: Organic/Inorganic

Supplier Address: Contact Information:
Grabber Construction Products Telephone: 800.810.1788

5255 W 11000 N Suite 100

Highland, UT 84003

1-877-671-4608 (toll free) or 1-303-592-1711

TRANSPORT EMERGENCY Phone: CHEMTREC
1-800-424-9300 (toll free) or 1-703-527-3887

Not Classified

Internet: www.firestop.com

## **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS CLASSIFICATION**

Physical Hazards: None Not Classified Oral: Not Classified Dermal: Inhalation: Not Classified Skin Corrosion / Irritation: Not Classified Serious Eye Damage / Eye Irritation: Not Classified Respiratory or Skin Sensitization: Not Classified Not Classified Germ Cell Mutagenicity: Carcinogenic: Not Classified Not Classified Reproductive Toxicology: Target Organ System Toxicity -Not Classified Single Exposure: Target Organ System Toxicity -Not Classified Repeated Exposure:

## **ENVIRONMENTAL HAZARDS**

Aspiration Toxicity:

Hazards to the Aquatic Environment:

Acute Aquatic Toxicity:

Not Classified

Chronic Aquatic Toxicity:

Not Classified

Bioaccumulation Potential:

Not Classified

Rapid Degradability:

Not Classified



OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 03/05/2021 Version: 2.0 Replaces Version: 1.0

#### GHS LABEL ELEMENTS, INCLUDING PRECAUTIONARY STATEMENTS:

Hazard Symbols: None

**Precautionary Statements:** 

P102 - Keep Out Of Reach of Children P264 - Wash Hands Throughly After Handling

## POTENTIAL HEALTH EFFECTS:

Inhalation: May cause irritation to nose and throat. Skin contact: May cause slight irritation to skin.

Eye contact: May cause slight irritation to eyes on contact.

Not expected to be harmful by ingestion. Ingestion of large amounts may produce Ingestion:

gastrointestinal disturbances including irritation, nausea, and diarrhea.

Existing conditions aggravated by exposure:

This product is consisted hazardous under 29 CFR 1910.1200 (Hazard Communication).

See Section 11 for additional toxicological information.

### SECTION 3. COMPOSITION /INFORMATION ON INGREDIENTS

Hazardous Components	CAS Number	Precentage %*
Calcium Carbonate	471-34-1	< 50
Acrylic Polymer	None known	< 45
Water	7732-18-5	< 25
Graphite	7782-42-5	< 10
1,2-Propylene Glycol	57-55-6	< 2
Color Pigment	1309-37-1	< 1
Polyethylene Glycol	25322-68-3	< 0.5
P(EA/MAA)	25212-88-8	< 0.5

<sup>\*</sup> Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protection.

#### **SECTION 4. FIRST AID MEASURES**

Inhalation: Move to fresh air in case of accidental inhalation of vapors. Skin contact: Wash affected area immediately with soap and water.

Eye contact: Immediately flush eyes with plenty of water for at least 15 minutes. If symptoms develop and persist, get medical

Ingestion: attention. Consult a physician if necessary.

Symptoms: See Section 11.

# **SECTION 5. FIRE FIGHTING MEASURES**

Flash point: Not applicable Not available Autoignition temperature: Flammable / Explosive limits - lower: Not available Not available Flammable / Explosive limits - upper:

Extinguishing media: All standard firefighting procedures

Special firefighting procedures: Do not breathe combustion gases. Wear protective equipment

Unusual fire or explosion hazards:

Hazardous combustion products: Carbon Dioxide (CO<sub>2</sub>), Carbon Monoxide (CO), Fragmented Hydrocarbons



OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 03/05/2021 Version: 2.0 Replaces Version: 1.0

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:

Do not allow to enter drains, surface or ground water.

Clean-up methods: Wipe up spills to prevent footing hazard. Scrape up spilled material and place in a closed container for disposal. Wear appropriate

protective equipment and clothing during clean-up.

## **SECTION 7. HANDLING AND STORAGE**

Handling: Avoid contact with eyes, skin and clothing. Keep out of the reach of children.

Storage: Store between 4°C (40°F) and below 32°C (90°F). Keep from freezing. Store in accordance with local regulations. Store in original

container protected from direct sunlight, in a cool, dry area. Keep containers closed when not in use. Do not store in unlabeled containers.

For information on product shelf life, please review labels on containers or check the Technical Data Sheet.

### SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Components	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Calcium Carbonate	10 mg/m³ TWA (total dust)	5 mg/m³ PEL (respirable fraction) 15 mg/m³ PEL (total dust)	None	None
Graphite	2 mg/m³ TWA (respirable fraction)	15 mg/m³ PEL (total dust)	None	None
Polyethylene Glycol	None	None	10 mg/m³ TWA (particular)	None
Color Pigment	5 mg/m³ TWA (respirable fraction)	10 mg/m³ TWA (fume)	None	None

Engineering controls:	Use general ventilation and use local exhaust, where possible, in confined or enclosed space.
Respiratory protection:	Not normally required. Use NIOSH approved respirator if there is potential to exceed exposure limit(s).
Eye / Face protection:	Safety goggles or safety glasses with side shields.
Skin protection:	Chemical resistant, impermeable gloves; Neoprene, Butyl-rubber, or Nitrile-rubber gloves.



OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 03/05/2021 Version: 2.0 Replaces Version: 1.0

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Pasty Rust Red Color: Odor: Mild, aromatic Odor threshold: Not available pH: 8.0 - 9.0 Vapor pressure: 18.52 mm HG Boiling point/range:  $> 100^{\circ} \text{C} (> 212^{\circ} \text{F})$ Not available Melting point/range:

Specific gravity:  $1.40 - 1.50 \text{ at } 25^{\circ}\text{C (77°F)}$  Vapor density: Heavier than air, (Air = 1)

Flash point:

Flammable / Explosive limits - lower:

Not applicable

Flammable / Explosive limits - upper:

Not applicable

Autoignition temperature:

Not applicable

Evaporation rate:

< 1

Solubility in water:

Not applicable

Partition coefficient (n-octanol / water):

Not applicable

# SECTION 10. STABILITY AND REACTIVITY

VOC content:

Stability: Stable under normal conditions of storage and use.

37.1 g/l (calculated)

Hazardous reactions: Not applicable

Hazardous decomposition products: Carbon Dioxide, Carbon Monoxide Incompatible materials: Strong Alkalis, Mineral Acids.

Reactivity: Not applicable
Conditions to avoid: Do not freeze



OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 03/05/2021 Version: 2.0 Replaces Version: 1.0

### SECTION 11. TOXICOLOGICAL INFORMATION

Relevant Routes of Exposure: Inhalation, Skin Contact, Eyes, Ingestion

Potential Health Effects / Symptoms

Inhalation: May cause irritation to nose and throat
Skin contact: May cause slight irritation of skin.

Eye contact: May cause slight irritation to eyes on contact.

Ingestion: Not expected to be harmful by ingestion. Ingestion of large amounts may produce gastrointestinal distrubances including irritation, nausea and diarrhea.

Hazardous Components	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Calcium Carbonate	No	No	No
Polyethylene Glycol	Rat, Not carcinogenic	No	No
Color Pigment	No	No	No

Hazardous Components	Health Effects / Target Organs		
Calcium Carbonate	No Data		
Polyethylene Glycol	Inhalation, Rat, NOAEL, 1.008 mg/l, 2 weeks		
Color Pigment	No Data		

### SECTION 12. ECOLOGICAL INFORMATION

Ecological information: Not applicable

## **SECTION 13. DISPOSAL CONSIDERATIONS**

Information provided is for unused product only:

Recommended method of disposal:

Disposal should be in accordance with applicable regional, national, Federal, State and local governmental regulations.

Waste disposal:

The generation of waste should be avoided or minimized wherever possible. Empty containers may retain some product residues. This material and its containers must be disposed of in a safe way. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Hazardous waste number:

It is the responsibility of the user to determine if an item is hazardous as defined in the Resource Conservation and Recovery Act (RCRA) at the time of disposal. Product uses, transformations, mixtures, processes, etc., may render the resulting material hazardous, under the criteria of ignitability, corrosivity, reactivity and toxicity characteristics of the Toxicity Characteristics Leaching Procedure (TCLP) 40 CFR 261.20-24.



OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 03/05/2021 Version: 2.0 Replaces Version: 1.0

## **SECTION 14. TRANSPORT INFORMATION**

Regulatory Information	UN Number	Proper Shipping Name	Classes	PG*	Label	Additional Information
DOT Classification	Not regulated	-	-	-	-	-
TDG Classification	Not regulated	-	-	-	-	-
Mexico Classification	Not regulated	-	-	-	-	-
ADR / RID Class	Not regulated	-	-	-	-	-
IMDG Class	Not regulated	-	-	-	-	-
IATA-DGR Class	Not regulated	-	-	-	-	-

## U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

### International Air Transportation (ICAO/IATA)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

### Water Transportation (IMO/IMDG)

Proper shipping name: Not regulated Hazard class or division: None Identification number: None Packing group: None

## **SECTION 15. REGULATORY INFORMATION**

# **United States Regulatory Information**

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory

TSCA 12 (b) Export Notification: None above reporting de minimus CERCLA / SARA Section 302 EHS: None above reporting de minimus

CERCLA / SARA Section 311/312: Immediate health

CERCLA / SARA 313: None above reporting de minimus

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

## Canada Regulatory Information

CEPA DSL / NDSL Status: All components are listed on or exempt from listing on the Canadian Domestic Substances List.

WHMIS hazard class: Not controlled



OSHA Haz Com Standard 29 CFR 1910.1200.

Revision Date: 03/05/2021 Version: 2.0 Replaces Version: 1.0

## **SECTION 16. OTHER INFORMATION**

This safety data sheet contains changes from the previous version in sections:

Prepared by: Chemical Laboratory
Issue date: June 1, 2015

This information is provided in good faith and is correct to the best of Grabber Construction Products' knowledge as of the date hereof; however, Grabber makes no representation as to its completeness or accuracy. Customers are encouraged to make their own determination as to the suitability of this product for their purpose prior to use. Grabber disclaims responsibility to damages of any kind resulting from the use of this information. THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE WITH RESPECT TO THIS INFORMATION OR TO THE PRODUCT IT DESCRIBES.