



# CORNERS AND TRIMS

## PRODUCT GUIDE

[www.grabberpro.com](http://www.grabberpro.com)

**GRABBER**  
CONSTRUCTION PRODUCTS

"The Professional's Choice"™

# TABLE OF CONTENTS

|                                       |           |  |           |
|---------------------------------------|-----------|--|-----------|
| <b>NO-COAT® STICKS</b>                | <b>8</b>  | Aquabead® Outside 90 Roller                        | 20        |
| No-Coat® Inside 90                    | 8         | Aquabead® Bullnose Roller                          | 20        |
| No-Coat® Outside 90                   | 8         |  |           |
| No-Coat® 1/2" L-Trim                  | 8         | <b>STRAIT-FLEX® STICK CORNER</b>                   | <b>21</b> |
| No-Coat® 5/8" L-Trim                  | 9         | <b>BEADS – PAPER-FACED COMPOSITE</b>               |           |
| No-Coat® 3/8" Bullnose                | 9         | Strait-Flex® OS-300                                | 21        |
| No-Coat® 3/4" Bullnose                | 9         | Strait-Flex® OS-400                                | 21        |
|                                       |           | Strait-Flex® IS-300                                | 21        |
| <b>NO-COAT® FLEXIBLE CORNERS</b>      | <b>10</b> | <b>STRAIT-FLEX® STICK CORNER</b>                   | <b>22</b> |
| Flexible Corner 325                   | 10        | <b>BEADS – COMPOSITE</b>                           |           |
| Flexible Corner 450                   | 10        | Strait-Flex® Big-Stick                             | 22        |
|                                       |           | Strait-Flex® Arch-Stick                            | 22        |
| <b>NO-COAT® ARCH</b>                  | <b>11</b> | Strait-Flex® Wet-Stick                             | 22        |
| No-Coat® Arch 3/4" Bullnose           | 11        | <b>STRAIT-FLEX® FLEXIBLE CORNER</b>                | <b>23</b> |
| No-Coat® Arch Outside 90              | 11        | <b>BEADS – PAPER-FACED COMPOSITE</b>               |           |
| <b>NO-COAT® PRO CORNER</b>            | <b>12</b> | Strait-Flex® Gold                                  | 23        |
| Flexible Corner 325                   | 12        | Strait-Flex® Mid-Flex                              | 23        |
|                                       |           | Strait-Flex® Wide-Flex                             | 23        |
| <b>NO-COAT® PRO MACHINE</b>           | <b>12</b> | <b>STRAIT-FLEX® FLEXIBLE CORNER</b>                | <b>24</b> |
|                                       |           | <b>BEADS – COMPOSITE</b>                           |           |
| <b>NO-COAT® PRO AUTOMATED CORNERS</b> | <b>13</b> | Strait-Flex® Original                              | 24        |
|                                       |           | Strait-Flex® Medium                                | 24        |
| <b>AQUABEAD® CORNERS</b>              | <b>14</b> | Strait-Flex® Ammo-Flex                             | 24        |
| Aquabead® Outside 90                  | 14        | Strait-Flex® Crack-Tape                            | 25        |
| Aquabead® 1/2" L-Trim                 | 14        | Strait-Flex® X-Crack                               | 25        |
| Aquabead® 5/8" L-Trim                 | 14        | <b>STRAIT-FLEX® APPLICATION CHART</b>              | <b>26</b> |
| Aquabead® Bullnose                    | 15        |  |           |
| Aquabead® Trim                        | 15        | <b>MUD PRO<sup>2</sup></b>                         | <b>27</b> |
| <b>LEVELLINE® FLEXIBLE CORNER</b>     | <b>16</b> | Mud-Pro <sup>2</sup>                               | 27        |
| Levelline® Flexible Corner            | 16        | Mud-Pro <sup>2</sup> Compound Applicator           | 27        |
| Levelline® Outside 90 Stick           | 16        | Inside Rolling Tools                               | 27        |
| <b>CORNER APPLICATION MATRIX</b>      | <b>17</b> | Outside Rolling Tools                              | 28        |
|                                       |           | BSR-300 Rolling Tool                               | 28        |
| <b>DOUBLE BARREL HOPPER®</b>          | <b>18</b> | OSR-300 Rolling Tool                               | 29        |
|                                       |           | OSR-400 Rolling Tool                               | 29        |
| <b>ROLLERS</b>                        | <b>19</b> | Wet-Stick Rolling Tool                             | 29        |
| No-Coat® Outside 90 Roller            | 19        | <b>DRYWALL TAPE</b>                                | <b>30</b> |
| No-Coat® Bullnose Roller              | 19        | Spark Perforated Drywall Tape                      | 30        |
| No-Coat® Inside 90 Roller             | 19        | Professional Self Adhesive Fiberglass Drywall Tape | 30        |
| No-Coat® One-Sided Roller             | 19        |  |           |
| No-Coat® Pro Roller                   | 20        |  |           |

## ABOUT GRABBER

---

As a leading distributor of quality products built for hardworking construction professionals, Grabber® Construction Products are 100% reliable and durable – because we don't believe in slowing you down with cut-rate tools. For more than 55 years, each Grabber product has been manufactured with our high standards of quality, efficiency, and value.

Grabber fasteners are known as the best in the industry and can be trusted for a variety of wood, metal, and drywall applications. You'll also find the Grabber level of excellence in other product lines for the commercial and residential construction industries, including proprietary construction equipment, Corners and Trims, drywall tools and materials, power drives, adhesives, and accessories. Get the job done faster and better with Grabber. Find products at your local dealer or contact one of our reps to find a dealer near you.

**GRABBER**  
CONSTRUCTION PRODUCTS





# EASY-TO-APPLY, HIGH PERFORMANCE, DRYWALL CORNER SOLUTIONS.

CertainTeed's line of structural laminate corners — combined with water-activated corners and automation technologies — save money on call backs and are more aesthetically appealing over the long-term than conventional metal, paper faced metal, or vinyl beads. The durability and installation efficiency of these products make them ideal for both residential and commercial building applications.



**NO-COAT**<sup>®</sup>



**AquaBead**<sup>®</sup>



**LEVELLINE**<sup>®</sup>

The NO-COAT<sup>®</sup> Structural Laminate (SLAM<sup>®</sup>) design represents a drywall corner system that provides superior strength and durability, installs faster, and delivers bottom line savings in labor.

Water-activated AquaBead<sup>®</sup> offers fast, easy installation and outstanding performance, every time. Perforations allow compound to adhere to the drywall surface.

LEVELLINE<sup>®</sup> flexible rolls are ideal for off-angle and both short and long runs. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.



# CERTAINTED CORNERS INTEGRATE TECHNOLOGY AND MATERIALS THAT OUTPERFORM ALL OTHERS.

The NO-COAT® Structural Laminate (SLAM®) design represents a revolutionary drywall corner system that provides superior strength and durability, installs faster, and delivers bottom line savings in labor.

## SLAM TECHNOLOGY – A BREAKTHROUGH IN DRYWALL CORNER FINISHING

NO-COAT corners incorporate a tapered structural laminate design that consists of three key components:

1. Tapered copolymer core capable of withstanding severe impacts.
2. Joint tape that permanently bonds the corner to drywall with Taping or All-Purpose joint compound.
3. Formulated surface paper that eliminates cracks, chips and peels. Accepts any finish, resists abrasion.

## NO-COAT SAVES LABOR

Rolls and pre-cut lengths allow for fast application, significantly reducing installation time.

## A RADICAL DEPARTURE FROM CORNER BEAD

For more than 80 years, drywall contractors have reached for corner bead because it has been the only option available – not because it's the best product. Improvements such as plastic or paper faced metal are still based on a flawed bead design that create more problems than they solve. Beads are notorious in the industry for causing costly callbacks from denting, chipping, rusting, cracking and peeling. In addition, beads require excessive mud application that costs contractors time and money.

## AN INNOVATIVE SOLUTION

NO-COAT structural laminate corners abandon corner bead design entirely. Instead, the SLAM design integrates new technologies and materials like dimensionally extruded copolymer plastic and formulated saturated paper. The result is a corner system that outperforms all others in the market.



SLAM TECHNOLOGY INTEGRATES THREE KEY COMPONENTS PROVIDING THE DURABILITY, FLEXIBILITY, AND STRENGTH THAT WON'T CRACK UNDER PRESSURE.

**TAPERED HIGH STRENGTH COPOLYMER CORE**  
with stands severe impacts.  
Won't rust. Requires less mud.


1.

3.

**FORMULATED SURFACE PAPER**  
eliminates cracks, chips and peels, resists abrasion, and accepts any finish.

2.

**JOINT TAPE**  
permanently bonds corner to drywall with All Purpose mud.





## THE NO-COAT® DRYWALL CORNER SYSTEM

### FLEXIBLE CORNERS

These flexible roll products are ideal for off-angle applications, both short and long runs, long columns and soffits. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

FLEXIBLE CORNER 325

FLEXIBLE CORNER 450

### STICKS

Pre-cut stick lengths withstand severe impacts, settling and seismic movements without cracking, denting, chipping or peeling. Easy to install lengths deliver perfect corners in record time.

INSIDE 90

OUTSIDE 90

L-TRIM - 1/2", 5/8"

BULLNOSE - 3/8", 3/4"

### ARCH

ARCH tape-on arches have notched flanges that flex and conform to any arch. Stiff profile fine-tunes poor framing and creates a perfectly smooth, round curve.

BULLNOSE 3/4"




OUTSIDE 90

### TOOLS

Rollers and applicators allow for high speed installations and flawless results.

ROLLERS - Inside and Outside 90, Bullnose, and One-Sided (L-Trim)

DOUBLE BARREL HOPPER® - Install off-angles, inside and outside 90s or bullnose, in record time.



# NO-COAT® STICKS

NO-COAT® mud applied, easy-to-install stick lengths deliver perfect corners in record time. Apply with CertainTeed tools for high speed installations.



## NO-COAT® INSIDE 90



### DESCRIPTION

NO-COAT INSIDE 90 corners make joint tape a thing of the past. Use the CertainTeed DOUBLE BARREL HOPPER and an INSIDE 90 Roller to ensure high speed installs and the best results.

### APPLICATIONS


- 90° inside corners

### FEATURES/BENEFITS

- Pre-cut to standard lengths
- Fast and efficient installs
- Built-in adjustable hinge
- SLAM® corner design ensures strength, durability, labor savings, and eliminates costly callbacks

### PRODUCT DETAILS

8', 9', 10', stick lengths (2.4 m, 2.7 m, 3 m). 50 sticks/box. Use the CertainTeed DOUBLE BARREL



## NO-COAT® OUTSIDE 90



### DESCRIPTION

One of our best selling products, NO-COAT OUTSIDE 90 corners are made with our patented SLAM design. These corners deliver strength, durability, and guaranteed perfect results for all vertical outside corner applications.

### APPLICATIONS


- 90° outside corners

### FEATURES/BENEFITS


- Pre-cut to standard lengths
- Fast and efficient installs
- Built-in adjustable hinge
- SLAM® corner design ensures strength, durability, labor savings, and eliminates costly callbacks

### PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



## NO-COAT® 1/2" L-TRIM



### DESCRIPTION

NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

### APPLICATIONS


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

### FEATURES/BENEFITS

- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

### PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.






# NO-COAT® STICKS



## NO-COAT® 5/8" L-TRIM



### DESCRIPTION

NO-COAT L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

### APPLICATIONS


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

### FEATURES/BENEFITS


- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

### PRODUCT DETAILS

10' (3 m) lengths Custom lengths available. 50 sticks/box.



## NO-COAT® 3/8" BULLNOSE



### DESCRIPTION

NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

### APPLICATIONS


- 90° outside corners

### FEATURES/BENEFITS


- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

### PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



## NO-COAT® 3/4" BULLNOSE



### DESCRIPTION

NO-COAT BULLNOSE corners offer the strength and durability of NO-COAT's SLAM design with a superior aesthetic finish.

### APPLICATIONS


- 90° outside corners

### FEATURES/BENEFITS

- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

### PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m). 50 sticks/box.



# NO-COAT® FLEXIBLE CORNERS



NO-COAT® flex roll products are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.

## FLEXIBLE CORNER 325



### DESCRIPTION

NO-COAT FLEXIBLE CORNER 325 offers the same durability and strength as FLEXIBLE CORNER 450, with a narrower flange width that makes it ideal for shorter off-angle spans.

### APPLICATIONS


- Short runs of less than 10 ft (3 m)
- Vertical off angle applications, stand ups
- 90° inside/outside corners

### FEATURES/BENEFITS

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

### PRODUCT DETAILS

3.25" wide x 100' roll (8.3 cm x 30.5 m) 10 rolls/carton.



## FLEXIBLE CORNER 450



### DESCRIPTION

The world's #1 flex product has earned the reputation for delivering perfectly straight lines for challenging off-angles and long spans, while withstanding settling, shrinking lumber, seismic movements and temperature variations.

### APPLICATIONS


- Long peaks (spans > 10 ft [3 m])
- Vaulted, cathedral, tray ceilings
- Inside/outside corners of any length

### FEATURES/BENEFITS

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

### PRODUCT DETAILS

.5" wide x 100' roll (11.4 cm x 30.5 m) 4 rolls/carton.



# NO-COAT® ARCH

Install perfect archways in minutes without the hassle of glues, staples and extra coats of mud. Arch tape-on arches have notched flanges that flex and conform to any arch, and a stiff profile that fine-tunes poor framing and creates a perfectly smooth, round curve.



## NO-COAT® ARCH 3/4" BULLNOSE



### DESCRIPTION

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and time-consuming spraying.

### APPLICATIONS


- 90° bullnose archways

### FEATURES/BENEFITS

- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- Self-forming, ridgeless design
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

### PRODUCT DETAILS

10' (3 m) lengths. Custom lengths available. 10 sticks/box.



## NO-COAT® ARCH OUTSIDE 90



### DESCRIPTION

ARCH'S unique tape-on design allows for dramatic labor savings and requires less mud than competitors. No more awkward stapling and time-consuming spraying.

### APPLICATIONS


- 90° outside archways

### FEATURES/BENEFITS

- Notched flanges flex and conform to any arch
- No spray glues required
- No staples required
- Stiff profile fine-tunes poor framing and creates perfectly smooth, round curve
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

### PRODUCT DETAILS

10' (3 m) lengths. Custom lengths available. 10 sticks/box.



# NO-COAT® PRO CORNER

NO-COAT PRO CORNER flexible roll product is ideal for production work, long columns and soffits. When used with the NO-COAT PRO machine, production time is dramatically reduced, and waste is virtually eliminated.



## FLEXIBLE CORNER 325



### DESCRIPTION

NO-COAT PRO offers the same durability and strength as Flexible Corner.

### APPLICATIONS


- Outside 90° corners
- Long spans of any angle

### FEATURES/BENEFITS

- Extra stiff profile provides easy application for long spans
- Wide flange covers large gaps and poor framing
- Built-in flexible hinge adjusts to fit any inside or outside corner angle
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

### PRODUCT DETAILS

3.75" wide x 250' roll (9.5 cm x 76.2 m)



# NO-COAT® PRO MACHINE

The NO-COAT PRO machine is the first and only automated system for custom cutting corners of any length or angle. Its lightweight portability makes it easy to move on the jobsite. Used in conjunction with NO-COAT PRO corner, it is simply the fastest and most efficient cornering system available.

### DESCRIPTION

The NO-COAT PRO machine uses NO-COAT PRO CORNER to produce ready-to-install corners with joint compound applied, cut to any length.

### APPLICATIONS

- Outside 90° corners
- Long spans of any angle

### FEATURES/BENEFITS

- Portable size is light-weight and easy to maneuver
- Replaces pre-cut stick lengths and roll products with one simple 250' (76.2 m) roll
- Easy-to-use keypad simplifies operation and stores custom measurements
- 5 gallon (19 L) hopper is easy-to-fill, clean and cap for overnight mud storage



# NO-COAT® PRO AUTOMATED CORNERS

The NO-COAT PRO machine uses NO-COAT PRO Corner to produce ready-to-install corners with joint compound applied, cut to any length.



Comes with handy remote control

Easy-to-use trilingual keypad simplifies operation and stores custom measurements

Replaces pre-cut stick lengths and roll products with one simple 250' (76.2 m) roll.

5 gallon (19 L) hopper is easy-to-fill, clean and cap for overnight mud storage




Powered by convenient 110 volts



35 lb without the hopper. Fits in a gang box.



INSIDE 90



OUTSIDE 90



OFF-ANGLES

# AQUABEAD® CORNERS

Water-activated AquaBead offers fast, easy installation and outstanding performance, every time. An easy-to-apply, self-adhesive drywall corner that won't blister, bubble or edge crack. Perforations allow compound to adhere to the drywall surface.

## AquaBead®

### AQUABEAD® OUTSIDE 90



#### DESCRIPTION

AQUABEAD OUTSIDE 90° has a specially engineered beaded nose to create the perfect corner.

#### APPLICATIONS


- Outside 90° corners

#### FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

#### PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m) 50 sticks/box.



### AQUABEAD® 1/2" L-TRIM



#### DESCRIPTION

AQUABEAD L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

#### APPLICATIONS


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

#### FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

#### PRODUCT DETAILS

4.5" wide x 100' roll (11.4 cm x 30.5 m)  
4 rolls/carton.



### AQUABEAD® 5/8" L-TRIM



#### DESCRIPTION

AQUABEAD L-TRIM corners are perfect for trimming ceiling, window, or door jamb corners.

#### APPLICATIONS


- Window Returns
- Door Enclosures
- Drop Ceilings
- Protective Edging

#### FEATURES/BENEFITS

- Water activated adhesive
- Simple to apply
- Won't rust or crack
- Impact resistant
- Pre-cut to standard lengths

#### PRODUCT DETAILS

10' (3 m) lengths. Custom lengths available.  
50 sticks/box.



# AQUABEAD® CORNERS

**AquaBead®**

## AQUABEAD® BULLNOSE



### DESCRIPTION

AQUABEAD BULLNOSE corners allow you to create a more stylish professional looking corner.

### APPLICATIONS


- Outside corners

### FEATURES/BENEFITS

- No masking required
- Strong enough to float 3/4" (2 cm) past end of drywall
- Large flange works on gaps up to 1" (2.5 cm)
- SLAM corner design ensures strength, durability, labor savings, and eliminates costly callbacks

### PRODUCT DETAILS

8', 9', 10', stick lengths (2.4 m, 2.7 m, 3 m). 50 sticks/box.



## AQUABEAD® TRIM



### DESCRIPTION

AQUABEAD TRIM, with the beadless nose, offers a durable no-mess outside corner in less time.

### APPLICATIONS


- 90° outside corners

### FEATURES/BENEFITS

- Perfect ridgeless radius
- Eliminates transition angles and bead ridges for superior aesthetic result
- Will not dent - handles severe impacts
- SLAM corner design ensures strength, durability, labor savings and eliminates costly callbacks

### PRODUCT DETAILS

8', 9', 10', 12' stick lengths (2.4 m, 2.7 m, 3 m, 3.7 m) 50 sticks/box.



# LEVELLINE® FLEXIBLE CORNER

LEVELLINE flexible rolls are ideal for off-angle applications, both short and long runs. Wide flange covers large gaps and poor framing. Built-in flexible hinge fits any inside or outside corner angle and creates crisp, straight lines.



## LEVELLINE® FLEXIBLE CORNER



### DESCRIPTION

LEVELLINE FLEXIBLE CORNER flexes to any inside or outside corner angle, making finishing fast and easy. Narrower flange width is ideal for shorter off-angle spans.

### APPLICATIONS


- Short runs of less than 10' (3 m)
- Vertical off angle applications, stand ups
- 90° inside/outside corners

### FEATURES/BENEFITS

- Finishes short run off-angles of any length with straight, precise lines
- Built-in flexible hinge forms to any inside or outside corner angle
- Flange width hides irregular framing

### PRODUCT DETAILS

2.75" wide x 100' roll (7 cm x 30.5 m)  
12 rolls/carton.



# LEVELLINE® OUTSIDE 90 STICK

LEVELLINE Outside 90 sticks are easy-to-install and deliver perfect corners in record time. Apply with CertainTeed tools for high speed installations and flawless results.

## LEVELLINE® OUTSIDE 90



### DESCRIPTION

A brand new addition to our Levelline family, Levelline Outside 90 corners are easy to handle and install, better than metal – no memory, less waste, less dents, no rust – creating crisp, straight corners.

### APPLICATIONS


- 90° outside corners

### FEATURES/BENEFITS

- Pre-cut to standard lengths
- Fast and efficient installs

### PRODUCT DETAILS

6" 10', 8', 9', 10', 12' stick lengths (1.8, 2.4 m, 2.7 m, 3 m, 3.7 m) 50 sticks/box.







# CORNER APPLICATION MATRIX

CertainTeed offers a complete drywall corner system for all profiles and applications. Please refer to the matrix below for recommended applications.

## CORNER APPLICATION MATRIX

|                                    | Off Angles | Inside Corners | Outside Corners | Archways | Industrial Applications | Large Gaps | Vaults, Soffits | Window Returns, Door Jamb, Drop Ceilings, etc. | Long Spans Over 10' (3 m) | Short Spans Under 10' (3 m) |
|------------------------------------|------------|----------------|-----------------|----------|-------------------------|------------|-----------------|--|---------------------------|-----------------------------|
| <b>NO-COAT</b>                     |            |                |                 |          |                         |            |                 |  |                           |                             |
| Flexible Corner 325                | ■          | ■              | ■               |          |                         | ■          | ■               |  |                           | ■                           |
| Flexible Corner 450                | ■          | ■              | ■               |          | ■                       | ■          | ■               |  | ■                         |                             |
| Inside 90                          | ■          | ■              |                 |          |                         |            |                 |  |                           |                             |
| Outside 90                         | ■          |                | ■               |          |                         |            |                 |  |                           |                             |
| L-Trim – 1/2", 5/8"                |            |                |                 |          | ■                       |            |                 | ■  |                           |                             |
| Bullnose – 3/8", 3/4"              |            |                | ■               |          | ■                       |            |                 |  |                           |                             |
| Arch – Outside 90<br>3/4" Bullnose |            |                | ■               | ■        |                         |            |                 |  |                           |                             |
| NO-COAT PRO Corner                 | ■          | ■              | ■               |          | ■                       | ■          | ■               |  | ■                         |                             |
| <b>AQUABEAD</b>                    |            |                |                 |          |                         |            |                 |  |                           |                             |
| Outside 90                         | ■          |                | ■               |          |                         |            |                 |  |                           |                             |
| L-Trim – 1/2", 5/8"                |            |                |                 |          |                         |            |                 | ■  |                           |                             |
| Bullnose – 3/4"                    |            |                | ■               |          |                         |            |                 |  |                           |                             |
| Outside 90 Trim                    | ■          |                | ■               |          |                         |            |                 |  |                           |                             |
| <b>LEVELLINE</b>                   |            |                |                 |          |                         |            |                 |  |                           |                             |
| Flexible Corner                    | ■          | ■              | ■               |          |                         | ■          | ■               |  |                           | ■                           |
| Outside 90                         |            |                | ■               |          |                         |            |                 |  |                           |                             |

# DOUBLE BARREL HOPPER®

The Double Barrel Hopper is set up for all angles, all the time. Install off-angles, inside and outside 90s or bullnose, in record time. No time-consuming adjustments or extra hardware necessary.

## DOUBLE BARREL HOPPER®



### DESCRIPTION

CertainTeed has perfected this standard industry tool to accommodate all inside and outside angles without time-consuming part changeovers and reconfiguration.

### APPLICATIONS


- NO-COAT inside, outside, and bullnose corners
- Flexible Corner 450 and 325

### FEATURES/BENEFITS

- Eliminates part changes or reconfiguration – handles both inside and outside angles
- Ensures a uniform and high-speed installation
- Single piece gates with ergonomic hand knob allow for fast and easy adjustments

### PRODUCT DETAILS

- High density polyurethane tank and gate controllers
- Stainless steel reservoir trough and gates



Stainless steel gates accommodate off-angles, inside 90s, bullnose, and outside 90s



# ROLLERS

CertainTeed rollers press corners firmly and accurately into place, creating an absolute bond to the drywall. Ensures high speed, accurate installations, and delivers bottom-line savings on labor and mud.



## NO-COAT® OUTSIDE 90 ROLLER



### APPLICATIONS

- NO-COAT Outside 90 corners

### FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable, corrosion resistant, stainless steel

### PRODUCT DETAILS

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

## NO-COAT® BULLNOSE ROLLER



### APPLICATIONS

- NO-COAT 3/8" and 3/4" BULLNOSE corners

### FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable, corrosion resistant, stainless steel

### PRODUCT DETAILS

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

## NO-COAT® INSIDE 90 ROLLER



### APPLICATIONS

- NO-COAT Inside 90 corners and Flexible 325 off angles

### FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable, corrosion resistant, stainless steel

### PRODUCT DETAILS

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

## NO-COAT® ONE-SIDED ROLLER



### APPLICATIONS

- NO-COAT and AquaBead L-TRIM corners and Flexible off angles

### FEATURES/BENEFITS

- Squeezes out excess mud
- Removable hex handle for handheld convenience
- Highly durable, corrosion resistant, stainless steel

### PRODUCT DETAILS

- Stainless steel rollers with Nylatron and brass bushings
- Stainless steel frame and hardware

# ROLLERS

CertainTee rollers press corners firmly and accurately into place, creating an absolute bond to the drywall. Ensures high speed, accurate installations, and delivers bottom-line savings on labor and mud.



## NO-COAT® PRO ROLLER



### APPLICATIONS

- NO-COAT PRO Corner


### FEATURES/BENEFITS

- Squeezes out excess mud
- Removable hex handle for handheld convenience
- Highly durable, corrosion resistant, stainless steel

### PRODUCT DETAILS

- Durable thermoplastic roller wheels
- Stainless steel frame and hardware

## AQUABEAD® OUTSIDE 90 ROLLER



### APPLICATIONS

- AquaBead Outside 90 corners

### FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable.

### PRODUCT DETAILS

- Pliable red 90° roller wheels

## AQUABEAD® BULLNOSE ROLLER



### APPLICATIONS

- AquaBead Bullnose corners

### FEATURES/BENEFITS

- Squeezes out excess mud
- Taper matches corner profile for the maximum bond with the minimum amount of mud
- Highly durable

### PRODUCT DETAILS

- Pliable blue roller wheels



# STRAIT-FLEX® STICK CORNER BEADS - PAPER-FACED COMPOSITE



Strait-Flex® is the best choice for fast, strong, straight corners that deliver a significant savings on joint compound usage. The smooth nose provides clean, square, and low-profile corners and uses up to 50% less joint compound when compared to standard corner beads. Finishing compound is not required over the laminated area, just use a light skim coat over the outer edges. Composite structural backing provides strength and durability for a superior bond to the drywall surface. Diamond-punched paper edging provides maximum adhesion to the drywall surface and a flat, even lay-down of the paper edge. Installs with all-purpose joint compound.

## STRAIT-FLEX® OS-300



### DESCRIPTION

OS-300's smooth nose creates low-fill outside corners that use up to 50% less joint compound and provide superior adhesion when compared with other corner beads. Composite structural backing quickly produces a durable and straight corner, every time.

### APPLICATIONS

- For 90° outside corners

### FEATURES/BENEFITS

- 3" paper-faced composite outside corner bead
- Nose resists dents and damage
- Paper will not fuzz-up during finish sanding
- Available in 8 ft., 9 ft., 10 ft. and 12 ft. lengths

## STRAIT-FLEX® OS-400



### DESCRIPTION

OS-400 is designed to span large gaps in drywall and straighten framing irregularities on outside corners. Create a perfect finish with less joint compound and less effort due to the diamond-embossed paper edging, which allows for easier feathering and an even lay-down of the paper edge.


### APPLICATIONS

- For 90° outside corners

### FEATURES/BENEFITS

- 4" paper-faced composite outside corner bead
- Smooth nose provides clean, square, low-profile/low-fill corners and resists damage
- Ideal for double 5/8" drywall applications
- Paper will not fuzz-up during finish sanding
- Available in 8 ft., 9 ft., 10 ft. and 12 ft. lengths

## STRAIT-FLEX® IS-300



### DESCRIPTION

IS-300 is designed for speed and strength. It spans large gaps in drywall and straightens common framing irregularities on inside corners. Because joint compound is only required on the edges, not in the center, inside corners are now faster and easier than ever to finish. paper edge.

### APPLICATIONS

- For 90° inside corners.

### FEATURES/BENEFITS

- 3" paper-faced composite inside corner bead
- Joint compound is only required on the edges, keeps compound out of the corner for a cleaner, easier finish
- Paper surface is pre-treated to accept paint
- Available in 8 ft., 9 ft., 10 ft. and 12 ft. lengths.




# STRAIT-FLEX® STICK CORNER BEADS - COMPOSITE



The superior choice for fast, strong, and straight corners. Full composite construction (no paper) allows the first finishing coat to be applied immediately after the bed-coat with no delayed shrinkage. An impact-resistant, beaded nose absorbs energy from forceful blows and is finished from nose-to-wall, just like a traditional corner bead. The composite fiber surface provides exceptional durability and a superior bond to the drywall surface. Installs with all-purpose joint compound.

## STRAIT-FLEX® BIG-STICK



### DESCRIPTION

Designed with an impact-resistant nose for use in high-traffic/high-abuse environments, Big-Stick is the easiest corner bead on the market to install and repair. The first finishing coat of compound can be applied immediately, with no threat of delayed shrinkage or edge cracking – saving you time and money.


### APPLICATIONS

- For 90° outside corners

### FEATURES/BENEFITS

- 3" full composite corner bead
- Beaded nose, finishes from nose-to-wall, just like a traditional corner bead
- The perfect corner bead for jobs that require high-abuse gypsum board
- Available in 8 ft., 9 ft., 10 ft. and 12 ft. lengths

## STRAIT-FLEX® ARCH-STICK



### DESCRIPTION

Designed with a wire in the nose to create perfect radiuses with no kinks and no flat spots, Arch-Stick is the easiest arch corner bead on the market to install. Use Arch-Stick for arched doorways, windows, curved walls, ceilings, soffits, staircases and any free-form, custom drywall application where a seamless curved installation is required.


### APPLICATIONS

- For all curved applications on 90° outside corners.

### FEATURES/BENEFITS

- 3-3/8" full composite corner bead
- Mud-on arch corner bead, no staples or spray adhesive required to get perfect arches
- Tear strips on the edge of flanges make unnoticeable curved-to-straight transitions
- Available in 8 ft. and 10 ft. lengths

## STRAIT-FLEX® WET-STICK



### DESCRIPTION

Wet-Stick features a water-activated adhesive for installation without fasteners, joint compound or spray adhesive. Wet-Stick is fast-drying and will not delaminate, crack, or shrink.

### APPLICATIONS

- For 90° outside corners.

### FEATURES/BENEFITS

- 3" full composite corner bead
- Water-activated adhesive for installation to drywall, no fasteners or compound required
- Impact-resistant nose for use in high-traffic areas
- Available in 8 ft., 9 ft., 10 ft. and 12 ft. lengths

# STRAIT-FLEX® FLEXIBLE CORNER BEADS - PAPER-FACED COMPOSITE



Strait-Flex® flexible, paper-faced composite corner beads adjust to any angle to create perfect inside and outside 90° and off-angle corners. The composite structural backing provides strength for durability and a superior bond to the drywall surface. The heavyweight, diamond-punched paper provides maximum adhesion for an even lay-down of the paper edge and will not fuzz-up during finish sanding.

Strait-Flex® paper-faced composite construction delivers a significant savings on joint compound usage by using up to 50% less joint compound when compared to standard corner beads. Finishing compound is not required over the laminated area of the bead, just use a light skim coat on the outer edges. The paper surface is pre-treated to accept primer or paint.

Available in three widths, our flexible, paper-faced composite corner beads can meet any drywall finishing challenge. Installs with all-purpose joint compound. Available in 100 ft. rolls that can be cut to length in the field to minimize scrap loss.

## STRAIT-FLEX® GOLD



### FEATURES/BENEFITS

- 2-1/2" flexible paper-faced composite corner bead
- For inside and outside 90° and off-angle corners
- Inside and outside corners where common gaps in drywall are present
- Inside 90° corners where a large fill or straightening is required, no backfilling needed
- Great for everyday use and for vaulted, coffered and tray ceilings, bay windows

## STRAIT-FLEX® MID-FLEX



### FEATURES/BENEFITS

- 3" flexible paper-faced composite corner bead
- For inside and outside 90° and off-angle corners
- Outside corners where common gaps in drywall are present
- Outside corners where a large fill or straightening is required, no backfilling needed
- Great for vaulted, coffered and tray ceilings, bay windows

## STRAIT-FLEX® WIDE-FLEX



### FEATURES/BENEFITS

- 4" flexible paper-faced composite corner bead
- For inside and outside 90° and off-angle corners
- Outside corners where large gaps in drywall are present
- Hard to straighten outside corners due to framing irregularities
- Double 5/8" drywall applications
- Great for vaulted, coffered, tray and cathedral ceilings

# STRAIT-FLEX® FLEXIBLE CORNER BEADS - COMPOSITE



Strait-Flex® flexible, composite corner beads adjust to any angle to create perfect inside and outside 90° and off-angle corners. The composite fiber backing embeds into joint compound to provide a superior bond to the drywall surface. Strait-Flex® full-composite (no-paper) construction allows the first finishing coat of compound to be applied immediately after the bed coat with no delayed shrinkage and no edge cracking. Resists dents, damage, and common cracking problems. Strait-Flex® flexible composite corner beads install with all-purpose joint compound. Available in 100 ft. rolls that can be cut to the length in the field to minimize scrap loss.

## STRAIT-FLEX® ORIGINAL



### FEATURES/BENEFITS

- 2-3/8" flexible composite corner bead
- For inside and outside 90° and off-angle corners
- Replaces standard corner bead and uses half the compound
- Spans common gaps in drywall, no backfilling required
- Will not fuzz-up when sanded
- Great for coffered and tray ceilings, bay windows

## STRAIT-FLEX® MEDIUM



### FEATURES/BENEFITS

- 2-1/4" flexible composite corner bead
- For inside 90° and off-angle corners
- Twice as strong and twice as fast as conventional paper or mesh tapes
- Fixes corners where a small fill or minor straightening is required, no backfilling needed
- Slightly thinner than Strait-Flex® Original
- Great for vertical and wall-to-ceiling inside corners, inside angles of bay windows

## STRAIT-FLEX® AMMO-FLEX



### DESCRIPTION

Ammo-Flex is designed to work through a Bazooka® automatic drywall taper. Reinforced paper backing provides strength and rigidity that spans small gaps in drywall with no need for backfilling. Diamond-punched paper edging provides maximum adhesion to the drywall surface for an even lay-down. The paper surface is pre-treated to accept primer or paint, so only the edges of the paper require a finish coat of compound.

### FEATURES/BENEFITS

- 4-1/4" x 10' galvanized steel
- Eliminates cracks in ceiling corner joints
- Hinged backbone flexes to any angle for perfectly straight corner joints in ceilings
- Greatly reduces call-backs for ceiling corner cracks
- Sold in cases of 10 pcs, 4-1/4" x 10' per piece



# STRAIT-FLEX® FLEXIBLE CORNER BEADS - COMPOSITE



## STRAIT-FLEX® CRACK-TAPE



### DESCRIPTION

Crack-Tape is designed to repair stress cracks in corners and on flat surfaces. The composite fiber backing embeds into joint compound to provide a superior bond to the drywall surface. Our full-composite (no-paper) construction allows the first finishing coat of compound to be applied immediately after the bed coat with no delayed shrinkage or edge cracking..

### FEATURES/BENEFITS

- 2" composite drywall repair tape
- Two times stronger than regular paper tape
- Great for repairing cracks in vaulted ceilings caused by truss uplift
- Sold in 100 ft. rolls

## STRAIT-FLEX® X-CRACK



### DESCRIPTION

X-Crack is designed to eliminate cracks in ceilings by holding the drywall stationary while allowing for structural movement of the truss framing members. The rigid, galvanized steel design with a hinged backbone and flexible tabs corrects uneven framing members and provides perfectly straight inside and outside corners in ceilings. Great for vaulted and cathedral ceilings as well as inside 90° corners in flat ceilings.

### FEATURES/BENEFITS

- 4-1/4" x 10' galvanized steel
- Eliminates cracks in ceiling corner joints
- Hinged backbone flexes to any angle for perfectly straight corner joints in ceilings
- Greatly reduces call-backs for ceiling corner cracks
- Sold in cases of 10 pcs, 4-1/4" x 10' per piece



# STRAIT-FLEX® APPLICATION CHART



## THE RIGHT PRODUCT FOR THE RIGHT APPLICATION

|                         |   |         | Product Total Width | Gaps Filled | in Drywall | Outside 90° Corners | Inside 90° Corners | Off-Angle Corners | Vaults | Seams | Butt-Joints | Cracks | Wet Areas | Curves, 90° Corners | Free-Form Curves | Veneer Plaster | Double 5/8" 90° Corners | Repairs Metal Corner Bead | High Traffic Areas | Mold-Resistant | Full Composite | Paper-Faced Composite | Paper-Faced Cellulose Laminate |  |
|-------------------------|---|---------|---------------------|-------------|------------|---------------------|--------------------|-------------------|--------|-------|-------------|--------|-----------|---------------------|------------------|----------------|-------------------------|---------------------------|--------------------|----------------|----------------|-----------------------|--------------------------------|--|
| <b>rolled products</b>  |   |         |                     |             |            |                     |                    |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                |                |                       |                                |  |
| Tuff-Tape               | Use where paper tapes has failed            | 2"      | Small               | ✓           |            |                     |                    |                   | ✓      |       |             |        |           |                     |                  |                |                         |                           |                    | ✓              |                |                       |                                |  |
| Crack-Tape              | Persistent cracks                           | 2"      | Reg                 | ✓           |            |                     |                    |                   | ✓      |       | ✓           |        |           |                     | ✓                |                |                         |                           |                    | ✓              |                |                       |                                |  |
| Edge-Tape               | Finishes edges of drywall                   | 2"      | Reg                 |             |            |                     |                    |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                |                | ✓                     |                                |  |
| Perfect-90°             | Faster and stronger than paper tape         | 2 1/16" | Small               | ✓           | ✓          |                     |                    |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                |                |                       | ✓                              |  |
| Ammo-Flex               | Bazooka® applications                       | 2 1/16" | Small               | ✓           | ✓          |                     |                    |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                |                |                       | ✓                              |  |
| Butt-Tape               | Fast, flat butt-joints                      | 2 1/16" | Small               |             |            |                     |                    |                   | ✓      | ✓     |             |        |           |                     |                  |                |                         |                           |                    |                |                |                       | ✓                              |  |
| Medium                  | Inside corners and off-angle corners        | 2 1/4"  | Small               |             | ✓          | ✓                   |                    |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                | ✓              |                       |                                |  |
| Tile-Tape               | Wet areas, Mold-proof                       | 2 1/4"  | Reg                 | ✓           | ✓          | ✓                   |                    |                   | ✓      |       |             | ✓      |           |                     |                  |                |                         |                           |                    | ✓              | ✓              | ✓                     |                                |  |
| Uno-Bead <sup>222</sup> | Drywall, plaster                            | 2 1/4"  | Reg                 | ✓           | ✓          | ✓                   |                    |                   |        |       |             |        |           |                     | ✓                |                | ✓                       | ✓                         |                    | ✓              | ✓              | ✓                     |                                |  |
| L-Bead                  | Finishes edges of drywall                   | 2 1/4"  | Reg                 |             |            |                     |                    |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                | ✓              | ✓                     | ✓                              |  |
| Original                | Most versatile, multi-purpose               | 2 3/8"  | Reg                 | ✓           | ✓          | ✓                   |                    |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                | ✓              | ✓                     | ✓                              |  |
| Gold                    | Inside & outside 90° and off-angle corners  | 2 1/2"  | Reg                 | ✓           | ✓          | ✓                   | ✓                  |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                |                | ✓                     | ✓                              |  |
| Mid-Flex                | Inside & outside 90° and off-angle corners  | 3"      | Reg                 | ✓           | ✓          | ✓                   | ✓                  |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                |                | ✓                     | ✓                              |  |
| Wet-Flex                | Outside corners, vaults, water activated    | 3"      | Large               | ✓           |            | ✓                   |                    |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                |                | ✓                     | ✓                              |  |
| Arch-Flex               | Compound arches, double curves applications | 3 3/8"  | Reg                 |             |            |                     |                    |                   |        |       |             |        | ✓         | ✓                   |                  |                |                         |                           |                    |                |                | ✓                     | ✓                              |  |
| Wide-Flex               | Inside & outside 90° and off-angle corners  | 4"      | Large               | ✓           | ✓          | ✓                   | ✓                  |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                |                | ✓                     | ✓                              |  |

|                       |  |        | Product Total Width | Gaps Filled | in Drywall | Outside 90° Corners | Inside 90° Corners | Off-Angle Corners | Vaults | Seams | Butt-Joints | Cracks | Wet Areas | Curves, 90° Corners | Free-Form Curves | Veneer Plaster | Double 5/8" 90° Corners | Repairs Metal Corner Bead | High Traffic Areas | Mold-Resistant | Full Composite | Paper-Faced Composite | Paper-Faced Cellulose Laminate |  |
|-----------------------|--|--------|---------------------|-------------|------------|---------------------|--------------------|-------------------|--------|-------|-------------|--------|-----------|---------------------|------------------|----------------|-------------------------|---------------------------|--------------------|----------------|----------------|-----------------------|--------------------------------|--|
| <b>stick products</b> |  |        |                     |             |            |                     |                    |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                |                |                       |                                |  |
| IS-300                | Inside 90°, straightens large irregularities   | 3"     | Large               |             | ✓          |                     |                    |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                |                | ✓                     |                                |  |
| Big-Stick             | Outside 90°, straightens common irregularities | 3"     | Reg                 | ✓           |            |                     |                    |                   |        |       |             |        |           |                     |                  |                |                         | ✓                         |                    |                | ✓              | ✓                     |                                |  |
| Wet-Stick             | Outside 90°, water-activated                   | 3"     | Reg                 | ✓           |            |                     |                    |                   |        |       |             |        |           |                     |                  |                |                         | ✓                         |                    |                | ✓              | ✓                     |                                |  |
| OS-300                | Outside 90°, straightens common irregularities | 3"     | Reg                 | ✓           |            |                     |                    |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                |                | ✓                     | ✓                              |  |
| Arch-Stick            | Outside 90° arched corners                     | 3 3/8" | Reg                 | ✓           |            |                     |                    |                   |        |       |             |        | ✓         | ✓                   |                  |                |                         |                           |                    |                |                | ✓                     | ✓                              |  |
| OS-400                | Outside 90°, straightens large irregularities  | 4"     | Large               | ✓           |            |                     |                    |                   |        |       |             |        |           |                     |                  |                |                         |                           |                    |                |                | ✓                     | ✓                              |  |



# MUD-PRO<sup>2</sup>



## MUD-PRO<sup>2</sup>



### DESCRIPTION

The fastest, cleanest, and most durable compound applicator on the market.

Designed to apply precise amounts of compound to inside and outside 90° corner beads, flex tapes, and outside bull-nose and chamfer corner beads.

### FEATURES/BENEFITS

- Mix and store compound in same bucket.
- Five gallon compound capacity
- No daily clean-up. Just fold legs; drop into 6" of water.
- Stainless steel construction for long-life.
- Includes Mud-Pro2 mounted to bucket, and second bucket


## MUD-PRO<sup>2</sup> COMPOUND APPLICATOR



### SPECIFICATIONS

- Item No. MP2
- Case Pack: 1
- Item Weight: 14 lb. (6.35kg)
- Item UPC: 6-56690-83247-8

## INSIDE ROLLING TOOLS



### FEATURES/BENEFITS

- Speeds application time.
- Squares up corner beads on walls.
- For use with all inside corner products (excl. Wide-Flex)
- Attaches to common extension poles.

### DESIGNED FOR

- Original
- Medium
- Uno-Bead222
- IS-300
- Gold
- Mid-Flex
- Perfect-90°


### SPECIFICATIONS

- Item No. ISR
- Item Size: 8" x 17/8" x 17/8"
- Case Pack: 1
- Case Weight: 1.2 lb.
- Item UPC: 6-56690-89110-9

# MUD-PRO<sup>2</sup>



## OUTSIDE ROLLING TOOLS



### FEATURES/BENEFITS

- Speeds application time.
- Squares up corner beads on walls.
- For use with all outside corner products.)
- Attaches to common extension poles.

### DESIGNED FOR

- Original
- Medium
- Uno-Bead222

### SPECIFICATIONS

#### ORIGINAL OUTSIDE TOOL

- Item No. OSR
- Case Pack: 1
- Case Weight: 1.2 lb.
- Item UPC: 6-56690-12358-3

#### BSR-300 TOOL

- Item No. BSR300
- Case Pack: 1
- Case Weight: 1.2 lb.
- Item UPC: 6-56690-89135-2

#### BSR-300 TOOL

- Item No. BSR300
- Case Pack: 1
- Case Weight: 1.2 lb.
- Item UPC: 6-56690-89135-2


#### OSR-400 TOOL

- Item No. OSR400
- Case Pack: 1
- Case Weight: 1.2 lb.
- Item UPC: 6-56690-89130-7

#### WET-STICK TOOL

- Item No. WSR
- Case Pack: 1
- Case Weight: 1.2 lb.
- Item UPC: 6-56690-89111-6

## BSR-300 ROLLING TOOL




### DESIGNED FOR

- Big
- Big-Stick
- Arch-Flex
- Arch-Stick

# MUD-PRO<sup>2</sup>




## OSR-300 ROLLING TOOL



### DESIGNED FOR

- Gold
- Mid-Flex
- OS-300


## OSR-400 ROLLING TOOL



### DESIGNED FOR

- Huge
- Wide-Flex
- OS-400

## WET-STICK ROLLING TOOL




### DESIGNED FOR

- Wet-Stick
- Wet-Flex



# DRYWALL TAPE

## SPARK PERFORATED DRYWALL TAPE



### DESCRIPTION

Grabber Drywall Joint Tape is spark perforated allowing joint compound easy pass-through eliminating air bubbles.

| PART NO. | DESCRIPTION   |
|----------|---|
| JT250    | 2" X 250', HIGH TENSILE STRENGTH SPARK PERFORATED PAPER TAPE - 20, 250' ROLLS EACH CASE |
| JT500    | 2" X 500', HIGH TENSILE STRENGTH SPARK PERFORATED PAPER TAPE - 10, 500' ROLLS EACH CASE |

## PROFESSIONAL SELF ADHESIVE FIBERGLASS DRYWALL TAPE



### DESCRIPTION

Grabber's Multi-Purpose Self-Adhesive Drywall Mesh Tape is ideal for use in finishing drywall and cement board. Grabber's mesh tape is designed to cover drywall joints, cracks, and holes on smooth, textured, stucco and popcorn finishes. Packaged in 300-foot rolls.

Grabber's self-adhesive fiberglass mesh tape, meets the highest standards for quality. Specially primed adhesive provides additional holding ability, especially in higher heat and humidity environments where other competing products may fail. Customer feedback has shown superior bond ratings versus our competition.


### FEATURES/BENEFITS

- Faster to Apply
- More Efficient
- No Shrinking
- No Stapling
- No Pre-pasting
- Easier to Use
- Available in 2-in and 2-1/2-in widths

| PART NO. | DESCRIPTION  |
|----------|--|
| GMT200B  | 2" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, BLUE     |
| GMT200Y  | 2" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, YELLOW   |
| GMT200   | 2" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, WHITE    |
| GMT250B  | 2.5" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, BLUE   |
| GMT250Y  | 2.5" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, YELLOW |
| GMT250   | 2.5" X 300', MULTI-PURPOSE FIBERGLASS SELF-ADHESIVE MESH TAPE - 24, 300' ROLLS EACH CASE, WHITE  |



# GRABBER BRANCH LOCATIONS



## WEST REGION

**Grabber San Diego**  
858.292.6022  
9466 Chesapeake Drive  
San Diego CA 92123-1353

**Grabber Salt Lake**  
801.266.4151  
4273 South 590 West  
Murray UT 84123-3615

**Grabber Portland**  
503.467.5001  
15031 NE Airport Way Ste 300  
Portland OR 97230-8333

**Grabber L.A.**  
562.696.5122  
8319 Allport Ave  
Santa Fe Springs CA 90670-2107

**Grabber NorCal**  
925.687.6606  
2241 Carion Court  
Pittsburg CA 94565-4029

## SOUTH REGION

**Grabber Memphis**  
662.895.9300  
6045 E Shelby Drive Ste 1  
Memphis TN 38141-7601

**Grabber Dallas**  
972.470.9044  
10990 Petal Street Ste 400  
Dallas TX 75238-2487

**Grabber Houston**  
713.545.6424  
2121 Britmoore Road Ste 1600  
Houston TX 77043-2230

## MIDWEST REGION

**Grabber Cincinnati**  
513.874.9027  
4325 Mulhauser Road Ste 8  
Fairfield OH 45014-2266

**Grabber Maumee**  
419.794.8212  
370 W Dussel Drive Ste 5  
Maumee OH 43537-1604

**Grabber Kansas City**  
816.931.8816  
805 Liberty Street  
Kansas City MO 64102-1009

## NORTHEAST REGION

**Grabber DC**  
301.808.5100  
850 B Hampton Park Blvd  
Capitol Heights MD 20743-4917

**Grabber New England**  
860.623.3600  
120 Newberry Road  
East Windsor CT 06088-9544

**Grabber Jersey**  
856.662.2525  
1125 Thomas Busch Memorial Hwy  
Pennsauken NJ 08110-2310

**Grabber Baltimore**  
410.789.0655  
717A North Hammonds Ferry Rd  
Linthicum MD 21090-1238

**Grabber Virginia**  
703.631.8770  
14801 Willard Road Ste 700  
Chantilly VA 20151-3719

## SOUTHEAST REGION

**Grabber Conover**  
828.267.6245  
1136 Industrial Dr SW  
Conover NC 28613-2753

**Grabber Miami**  
305.820.0975  
5717 NW 158th Street  
Hialeah FL 33014-6719

**Grabber Ft. Myers**  
239.278.1888  
12570 Metro Pkwy  
Fort Myers FL 33966-8356

**Grabber Tampa**  
813.249.2281  
5835 Barry Road  
Tampa FL 33634-3020

**Grabber Pompano**  
954.971.4730  
1857 SW 3rd Street  
Pompano FL 33069-3105

**Grabber Orlando**  
407.297.7278  
3714 Silver Star Road  
Orlando FL 32808-6605

**Grabber Jacksonville**  
904.739.2760  
5913 Saint Augustine Rd Ste 7  
Jacksonville FL 32207-8000

**Grabber Atlanta**  
770.813.1332  
2605 N Berkeley Lake Rd NW  
Ste 500  
Duluth GA 30096-3099

# CORNERS AND TRIMS PRODUCT GUIDE

---



**STRAIT-FLEX®**



***AquaBead®***

**GRABBER®**  
CONSTRUCTION PRODUCTS

---

## Discover the Grabber Difference

Grabber products are trusted to perform at the highest levels so you can do more, better. Since 1967, contractors have relied on the quality, value, consistency and performance of Grabber products, box after box. In a post-pandemic environment, you can count on Grabber to start boosting your productivity and profitability even before you reach the jobsite with easy purchasing options and valuable advice.

Visit [www.grabberpro.com](http://www.grabberpro.com) or call 800-477-8876  
to find a dealer near you.

