

Henry®

A CARLISLE COMPANY



Total weather protection

Prevent leaks, mold and costly call-backs in 3 easy steps.



Building Confidence®

Residential and light commercial weatherproofing: The industry's most complete system and warranty.

The Henry® 1-2-3 Moisture Control System™ Warranty



When you use the Henry 1-2-3 Moisture Control System you get products proven to be among the best on the market. And with this system, you get the added protection of the Henry 1-2-3

Moisture Control System Warranty, offering 15 years of coverage backed by a company that's been in business for over 80 years.



In the unlikely event of a leak caused by product failure, the repairs are covered for both materials AND labor with a single point of contact.

No complicated claim process.

No digging through files to find

your original purchase receipt. No reduction in reimbursement value based on how long the product has been installed. The protection provided by this warranty is unsurpassed on the market.

Customize your system using each step below:

1

Weather resistive barriers

First, choose a weather-resistive barrier that fits your needs from our extensive line.

- **Blueskin® VP100**
- **WeatherSmart® Drainable**
- **WeatherSmart® Commercial**
- **WeatherSmart®**
- **Weathersmart® Rainscreen**
- **Super Jumbo Tex® 60 Minute**
- **Jumbo Tex®**
- **2 Ply Super Jumbo Tex® 60 Minute**
- **2 Ply Jumbo Tex®**
- **Hydro Tex™**



2

Flashing

Next, select the flashing(s) that works for your application. We have mechanically attached and self-adhesive products to choose from:

- **Blueskin® ZeroFlash™**
- **FortiFlash®**
- **FortiFlash® Fusion™**
- **Moistop® E-Z Seal**
- **FortiFlex® Butyl**
- **Moistop® neXT**
- **Moistop® PF**
- **Moistop® Corner Shield**
- **Air-Bloc® LF**



3

Sealant

Lastly, use **Moistop® Sealant** to provide long lasting protection against moisture intrusion.



Note: Use Henry 212 Crystal Clear Sealant to seal reverse laps in Blueskin VP100.

Best in class coverage	Henry® 1-2-3 Moisture Control System™ warranty	Other warranties
15-year coverage	✓	✗
Covers material AND labor for any repairs	✓	✗
Value is not pro-rated	✓	✗
Is transferable to any owner even if no original purchase receipt	✓	✗

* Comparison includes a variety of competitors. Not all competitors are “no” for all categories, but all are “no” for some categories.

See www.henry.com for product data sheets, installation guides and complete warranty details.



Ask us today about other Henry® solutions that help manage the flow of water, air, vapor and energy.

Henry®

Building Envelope Systems®

Wall & Window | Roof | Foundation

csfhenry@henry.com | 1-800-773-4777
henry.com

© 2022 Henry Company. All rights reserved.
 Printed in U.S.A. 100.2US.E413 (09/23)