




KH-EZ 1/2"	$h_1^*$	$h_{nom1}$ = 2.25" $t_{fix1 \max}$	$h_{nom2}$ = 3" $t_{fix2 \max}$	$h_{nom3}$ = 4.25" $t_{fix3 \max}$	$h_{nom4}$ = 5.5" $t_{fix4 \max}$
1/2" x 2 1/2"	2 7/8" - $t_{fix}$	1/4"	-	-	-
1/2" x 3"	3 3/8" - $t_{fix}$	3/4"	-	-	-
1/2" x 3 1/2"	3 7/8" - $t_{fix}$	1 1/4"	1/2"	-	-
1/2" x 4"	4 3/8" - $t_{fix}$	1 3/4"	1"	-	-
1/2" x 4 1/2"	4 7/8" - $t_{fix}$	2 1/4"	1 1/2"	1/4"	-
1/2" x 5"	5 3/8" - $t_{fix}$	2 3/4"	2"	3/4"	-
1/2" x 6"	6 3/8" - $t_{fix}$	3 3/4"	3"	1 3/4"	1/2"
1/2" x 7"	7 3/8" - $t_{fix}$	4 3/4"	4"	2 3/4"	1 1/2"
1/2" x 8"	8 3/8" - $t_{fix}$	5 3/4"	5"	3 3/4"	2 1/2"

		$h_{nom} \leq 3"$	$h_{nom} > 3"$	$h_{nom} \leq 3"$	$h_{nom} > 3"$
	Nuron SID 4-22	✓	✓	✗	✗
	Nuron SID 6-22			✗	✗
	Nuron SIW 4-22				
	Nuron SIW 6-22	✗		✗	✗
	CPC SIW 22/18-A	✓	✗	✓	✗
	CPC SIW 22/18-TA	✗	✓	✗	✓
		45 ft-lb	45 ft-lb	25 ft-lb	25 ft-lb



\*For non-hole cleaning installation (step 1a), make sure to drill deep enough to achieve  $h_1$ , taking into account the depth of debris remaining in the hole.