

## 1. Identification

Product Identifier: **Stainless Steel Flashing Product**

Manufacturer:

Hohmann & Barnard, Inc.  
30 Rasons Court  
Hauppauge, NY 11788  
(631) 234-0600  
www.h-b.com

Telephone Numbers

During normal business hours call: (800) 645-0616  
24-hour emergency call Chemtrec: (800) 255-3924

## 2. Hazards Identification

This laminate has not been tested as a whole but has been analyzed for chemical composition. Avoid inhalation of metallic dust and any fumes generated at extremely elevated temperatures or when the product is ignited.

### POTENTIAL HEALTH EFFECTS:

**Skin:** May cause irritation to sensitive skin. Molten material will cause thermal burns.

**Eyes:** Particles may cause irritation. Molten material will cause thermal burns.

**Carcinogenicity:** Not listed

GHS Ratings:

**Skin Sensitisation:** 1B

**Eye Irritation:** 2

GHS Hazards:

**H317** May cause an allergic skin reaction

**H319** Causes serious eye irritation

GHS Precautions:

**P261** Avoid breathing dust/fume/gas/mist/vapours/spray.

**P264** Wash hands thoroughly after handling.

**P272** Contaminated work clothing should not be allowed out of the workplace.

**P280** Wear protective gloves/protective clothing/eye protection/face protection.

**P321** Specific treatment (see section 4).

**P363** Wash contaminated clothing before reuse.

**P302+P352**

IF ON SKIN: wash with plenty of soap and water.

**P333+P313**

IF SKIN irritation or rash occurs: Get medical advice/attention.

**P337+P313**

IF eye irritation persists: Get medical advice/attention.

**P305+P351+P338**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**P501** Dispose of contents/container to local, state, and federal regulation

**Signal Word:** Warning



### 3. Composition/Information on Ingredients

#### STAINLESS STEEL PRODUCT FLASHING

Stainless Steel	<85 wt. %
Polymer Non-Woven	<10 wt. %
Hot Melt Adhesive	<5 wt. %
Polypropylene	<10 wt. %

### 4. First-Aid Measures

**Inhalation:** Remove to fresh air; if condition continues, consult physician.

**Eye Contact:** Immediately flush well with running water to remove particulate; get medical attention.

**Skin Contact:** If irritation develops, remove clothing and wash well with soap and water. If condition persists, seek medical attention.

**Ingestion:** If significant amounts of metal are ingested, seek medical attention.

### 5. Fire-fighting measures

**FLASH POINT:** NA

**EXTINGUISHING MEDIA:** Dry sand or metal extinguishing powders.

**HAZARDOUS COMBUSTION PRODUCTS:** Steel products in their natural state do not present a fire or explosion hazard.

**FIRE FIGHTING PROCEDURES:** Wear NIOSH/MSHA approved SCBA & full protective equipment (FP N). Standard procedures for Class-A fires.

### 6. Accidental release measures

**STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:** Use good housekeeping practices to prevent accumulation of dust and to keep airborne dust to a minimum, Avoid breathing metal fumes or dust.

**WASTE DISPOSAL METHODS:** Dust, etc. – follow federal, state, and local regulations regarding disposal.

**CLEAN WATER ACT REQUIREMENTS:** No data found.

**RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) REQUIREMENTS:** No data found.

### 7. Handling and storage

No data found.

### 8. Exposure controls/personal protection

**ENGINEERING CONTROLS:** No data found.

**ADMINISTRATIVE CONTROLS:** No data found.

#### PERSONAL PROTECTIVE EQUIPMENT

**RESPIRATORY PROTECTION:** NIOSH approved dust/mist/fume respirator should be used during welding or burning if OSHA PEL or TLV is exceeded.

**HANDS, ARMS AND BODY:** Use appropriate clothing such as welder's aprons & gloves when welding or burning. Check local codes.

**EYES AND FACE:** Safety glasses should always be worn when grinding or cutting; face shields should be worn when welding or burning.

**OTHER CLOTHING AND EQUIPMENT:** As required for protection depending on the operation and safety codes.

#### VENTILATION

No data found.

### 9. Physical and chemical properties

**Boiling Point:** N/A

**Specific Gravity:** ≈8 (H<sub>2</sub>O=1)

**Evaporation Rate:** N/A

**Solubility in Water:** Insoluble

**Appearance:** Laminate assumes color of reinforcement material: black, gray, red, or tan.

**Reactivity in Water:** N/A

**Melting Point:** 2700°F

**Vapor Pressure:** N/A

**Vapor Density:** N/A

**Odor:** Odorless

### 10. Stability and reactivity

**STABILITY:** Stable

**HAZARDOUS DECOMPOSITION:** Metallic oxides, Carbon monoxide, carbon dioxide

**HAZARDOUS POLYMERIZATION:** Will not occur.

**CONDITIONS TO AVOID:** Do not store near strong oxidizers or open flames. Do not heat above 400°F when processing. Avoid generation of airborne dust and fumes and non-ventilated areas when cutting,

welding, burning or brazing. **Keep Area Well Ventilated**

**INCOMPATIBLE MATERIALS:** Stable under normal conditions to use, storage and transport. Reacts with strong acids to form hydrogen gas. At temperatures above melting point, metallic oxide fumes may be liberated.

**11. Toxicological information**

**ROUTES OF ENTRY:** Skin, Eyes

**TARGET ORGANS:** N/A

**OVEREXPOSURE:** None

**CARCINOGENICITY:** None

**12. Ecological Information**

No data found.

**13. Disposal Considerations**

Follow federal, state, and local regulations regarding disposal.

**14. Transport information**

Not regulated.

**15. Regulatory Information**

No data found.

**16. Other information**

Issue Date: May 31, 2015

Revision Date: May 31, 2015

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process. This information is taken from sources or based upon data believed to be reliable; however, Hohmann & Barnard, Inc. disclaims any warranty, express or implied, as to the absolute correctness or sufficiency of any of the foregoing or that additional or other measures may be required under particular conditions.

The information contained herein is based on current knowledge and experience; no responsibility is accepted and that the information is sufficient or correct in all cases. Users should consider this data only as a supplement to other information. Users should make independent determinations of suitability and completeness of information from all sources to assure proper use and disposal of these materials, the safety and health of employees and customer, and the protection of the environment.