

SAFETY DATA SHEET

Issue Date 27-May-2015

Revision Date 03-Jul-2019

Version 4

1. IDENTIFICATION

Product identifier

Product Name

Wolmanized® Outdoor® Wood (MCA-C)

Other means of identification

Product Code

23453

Synonyms

Copper Azole Treated Wood

Recommended use of the chemical and restrictions on use

Recommended Use

Treated Wood.

Details of the supplier of the safety data sheet

Supplier Address

Customers and Licensees of:
Arch Treatment Technologies, Inc - A
Lonza Company
3941 Bonsal Road
Conley, GA 30288

Manufacturer Address

Hoover Treated Wood Products,
Inc
154 Wire Road
Thomson, GA 30824

Emergency telephone number

Company Phone Number

706-595-5058

24 Hour Emergency Phone Number :

706-595-7355

Emergency Telephone

1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| | |
|--|-------------|
| Skin corrosion/irritation | Category 3 |
| Serious eye damage/eye irritation | Category 2B |
| Respiratory sensitization | Category 1 |
| Skin sensitization | Category 1 |
| Carcinogenicity | Category 1A |
| Specific target organ toxicity (single exposure) | Category 3 |

Label elements

Emergency Overview

Danger

Hazard statements

May cause cancer
Causes eye irritation

May cause allergy or asthma symptoms or breathing difficulties if inhaled
 May cause an allergic skin reaction
 May cause respiratory irritation
 Causes mild skin irritation



Physical state Solid

Odor No information available

Precautionary Statements - Prevention

Obtain special instructions before use
 Do not handle until all safety precautions have been read and understood
 Use personal protective equipment as required
 Wash face, hands and any exposed skin thoroughly after handling
 Avoid breathing dust/fume/gas/mist/vapors/spray
 Use only outdoors or in a well-ventilated area

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 If eye irritation persists: Get medical advice/attention
 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Precautionary Statements - Disposal

Dispose of contents/ container to an approved landfill

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Causes mild skin irritation

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Synonyms

Copper Azole Treated Wood.

| Chemical Name | CAS No. | Weight-% | Trade Secret |
|---|--------------|----------|--------------|
| Wood and Wood Dust | NOT ASSIGNED | 95 - 100 | |
| (Copper (II) carbonate--copper(II) hydroxide (1:1)) | 12069-69-1 | 0.1 - 1 | |
| Propiconazole | 60207-90-1 | <0.1 | |
| Tebuconazole | 107534-96-3 | <0.1 | |

4. FIRST AID MEASURES

Description of first aid measures

| | |
|-----------------------|--|
| General advice | In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). |
| Eye contact | Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not rub affected area. |
| Skin contact | IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| Inhalation | Remove to fresh air. Call a physician immediately. If not breathing, give artificial respiration. |
| Ingestion | If swallowed, call a poison control center or physician immediately. If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label. |

Most important symptoms and effects, both acute and delayed

| | |
|-----------------|--|
| Symptoms | See Section 11: TOXICOLOGICAL INFORMATION. |
|-----------------|--|

Indication of any immediate medical attention and special treatment needed

| | |
|---------------------------|------------------------|
| Note to physicians | Treat symptomatically. |
|---------------------------|------------------------|

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO₂). Water spray or fog.

Unsuitable extinguishing media Do not use a solid water stream as it may scatter and spread fire.

Specific hazards arising from the chemical

No information available.

Hazardous combustion products Carbon monoxide. Carbon dioxide (CO₂). Nitrogen oxides (NO_x).

Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|--|
| Personal precautions | Ensure adequate ventilation, especially in confined areas. |
|-----------------------------|--|

For emergency responders Use personal protection recommended in Section 8.

Environmental precautions

Environmental precautions See Section 12: ECOLOGICAL INFORMATION.

Methods and material for containment and cleaning up

Methods for containment Cover powder spill with plastic sheet or tarp to minimize spreading.

Methods for cleaning up Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly. Take precautionary measures against static discharges.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Do not burn treated wood. Do not use pressure treated chips or sawdust as mulch. Use with local exhaust ventilation. Avoid generation of dust. May form combustible dust concentrations in air. Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Do not breathe dust/mist/vapors/spray.

Conditions for safe storage, including any incompatibilities

Storage Conditions Avoid generation of dust.

Incompatible materials None known based on information supplied.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|--|--|--|---|
| Wood and Wood Dust NOT ASSIGNED | 1.0 mg/m ³ Inhalable, 0.5 mg/m ³ Inhalable Western Red Cedar | 15 mg/m ³ Total Dust 5.0 mg/m ³ Respirable Fraction | - |
| (Copper (II) carbonate--copper(II) hydroxide (1:1)) 12069-69-1 | TWA: 1 mg/m ³ Cu dust and mist | - | IDLH: 100 mg/m ³ Cu dust and mist TWA: 1 mg/m ³ Cu dust and mist |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers. Eyewash stations. Ventilation: Saw, cut or machine wood outdoors or in well ventilated areas. Due to the explosive potential of dust when suspended in air, precautions should be taken when sawing, sanding, or machining wood or wood products to prevent sparks or other ignition sources. If required, use wet methods and/or explosion suppression systems to reduce generation of dust. Local exhaust ventilation is

recommended when sawing, sanding, or machining this product. General dilution ventilation is recommended in processing and storage areas.

Individual protection measures, such as personal protective equipment

| | |
|---------------------------------------|---|
| Eye/face protection | Use safety glasses with side shields or chemical goggles when sawing or cutting treated or untreated wood. |
| Skin and body protection | Wear leather gloves. Wear long sleeve shirt, pants, and steel-toed shoes when handling treated or untreated wood. |
| Respiratory protection | None normally required. When sawing or cutting treated or untreated wood, wear a NIOSH approved N95 or better dust mask. |
| General Hygiene Considerations | Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Avoid contact with skin, eyes or clothing. Wash face, hands and any exposed skin thoroughly after handling. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|-----------------------|--------------------------|-----------------------|--------------------------|
| Physical state | Solid | Odor | No information available |
| Appearance | No information available | Odor threshold | No information available |
| Color | light green | | |

| <u>Property</u> | <u>Values</u> | <u>Remarks • Method</u> |
|---------------------------------------|--------------------------|--------------------------------|
| pH | No information available | |
| Melting point / freezing point | No information available | |
| Boiling point / boiling range | No information available | |
| Flash point | | |
| Evaporation rate | No information available | |
| Flammability (solid, gas) | No information available | |
| Flammability Limit in Air | | |
| Upper flammability limit: | No information available | |
| Lower flammability limit: | No information available | |
| Vapor pressure | No information available | |
| Vapor density | No information available | |
| Relative density | No information available | |
| Water solubility | No information available | |
| Solubility in other solvents | No information available | |
| Partition coefficient | No information available | |
| Autoignition temperature | No information available | |
| Decomposition temperature | No information available | |
| Kinematic viscosity | No information available | |
| Dynamic viscosity | No information available | |
| Explosive properties | No information available | |
| Oxidizing properties | No information available | |

Other Information

| | |
|-------------------------|--------------------------|
| Softening point | No information available |
| Molecular weight | No information available |
| VOC Content (%) | No information available |

Density No information available
Bulk density No information available

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

Inhalation WOOD and WOOD DUST :. May cause cancer. May cause sensitization by inhalation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Eye contact WOOD and WOOD DUST :. Irritating to eyes.

Skin contact WOOD and WOOD DUST :. May cause irritation. May cause allergic skin reaction.

Ingestion WOOD and WOOD DUST :. Harmful if swallowed.

| Chemical Name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|---|-------------------|-------------------|-------------------------|
| (Copper (II) carbonate--copper(II) hydroxide (1:1)) 12069-69-1 | = 1350 mg/kg (RT) | >2000 mg/kg (RT) | 1.03 - 5.2 mg/L (RT) 4h |
| Propiconazole 60207-90-1 | = 1517 mg/kg (RT) | > 4000 mg/kg (RT) | >5.8 mg/L (RT) 4h |
| Tebuconazole 107534-96-3 | >1700 mg/kg (RT) | > 2000 mg/kg (RT) | > 5.0 mg/L (RT) 4h |

Note:
 RT = Rat
 RBT = Rabbit
 MSE = Mouse
 GP = Guinea Pig
 V = Vapour

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure**Carcinogenicity**

The table below indicates whether each agency has listed any ingredient as a carcinogen. This product contains one or more substances which are classified by IARC as carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B).

| Chemical Name | ACGIH | IARC | NTP | OSHA |
|------------------------------------|-------|---------|-----|------|
| Wood and Wood Dust NOT ASSIGNED | X | Group 1 | X | X |

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Numerical measures of toxicity - Product Information

ATEmix (oral)

ATEmix (dermal)

ATEmix (inhalation-gas)

ATEmix (inhalation-dust/mist)

ATEmix (inhalation-vapor)

Numerical measures of toxicity**12. ECOLOGICAL INFORMATION****Ecotoxicity**

| Chemical Name | Algae/aquatic plants | Fish | Crustacea |
|---|--|--|-------------------------------------|
| (Copper (II) carbonate--copper(II) hydroxide (1:1)) 12069-69-1 | 0.043 mg/L EC50 96h (Desmodesmus suspicatus) | 0.087 mg/L LC50 96h (Oncorhynchus mykiss) | 0.042 mg/L EC50 48h (Daphnia magna) |
| Propiconazole 60207-90-1 | 0.76 mg/L EC50 (Desmodesmus subspicatus) | 4.3 mg/L LC50 96h (Oncorhynchus mykiss) | 10.2 mg/L EC50 48h (Daphnia magna) |
| Tebuconazole 107534-96-3 | 3.8 mg/L EC50 72h (Pseudokirchneriella subcapitata) | 4.4 mg/L LC50 48h (Oncorhynchus mykiss) | 2.79 mg/L EC50 48h (Daphnia magna) |

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS**Waste treatment methods****Disposal of wastes**

This material, as supplied, is not a hazardous waste according to state and federal regulations (40 CFR 261). Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging No information available.

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical Name | California Hazardous Waste Status |
|---|-----------------------------------|
| (Copper (II) carbonate--copper(II) hydroxide (1:1)) 12069-69-1 | Toxic |

14. TRANSPORT INFORMATION

DOT Not regulated

15. REGULATORY INFORMATION

International Inventories

| | |
|----------------------|----------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Complies |
| ENCS | Complies |
| IECSC | Complies |
| KECL | Complies |
| PICCS | Complies |
| AICS | Complies |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

| | |
|--|-----|
| Acute health hazard | Yes |
| Chronic Health Hazard | Yes |
| Fire hazard | Yes |
| Sudden release of pressure hazard | No |
| Reactive Hazard | No |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------|-----------------------------|------------------------|---------------------------|----------------------------|
| (Copper (II)) | - | X | - | - |

| | | | | |
|--|--|--|--|--|
| carbonate--copper(II) hydroxide (1:1) 12069-69-1 | | | | |
|--|--|--|--|--|

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical Name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|-----------------------------|--------------------------|----------------|--------------------------|
| Propiconazole 60207-90-1 | - | X | - |

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals

| Chemical Name | California Proposition 65 |
|-----------------------------------|---------------------------|
| Wood and Wood Dust - NOT ASSIGNED | Carcinogen |
| Formaldehyde - 50-00-0 | Carcinogen |
| Naphthalene - 91-20-3 | Carcinogen |

Warning: This wood contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

U.S. State Right-to-Know Regulations

| Chemical Name | New Jersey | Massachusetts | Pennsylvania |
|-----------------------------|------------|---------------|--------------|
| Sodium sulfate 7757-82-6 | - | X | X |
| Formaldehyde 50-00-0 | X | X | X |
| Naphthalene 91-20-3 | X | X | X |

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

| | | | | |
|-------------|------------------|----------------|--------------------|------------------------------------|
| NFPA | Health hazards 2 | Flammability 1 | Instability 0 | Physical and Chemical Properties - |
| HMIS | Health hazards 2 | Flammability 1 | Physical hazards 0 | Personal protection X |

Issue Date 27-May-2015

Revision Date 03-Jul-2019

Revision Note

No information available

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet