



# BITUMINOUS

PRODUCT REFERENCE GUIDE

# TABLE OF CONTENTS

<p><b>SBS</b></p> <p><b>HOT/COLD APPLIED</b></p> <p><b>BASE SHEET</b></p> <p>DynaBase® DynaBase® PR DynaLastic® 180 S DynaLastic® 250 S DynaPly® T1</p> <p style="text-align: right;"><b>4</b></p>	<p><b>HEAT-WELDED</b></p> <p><b>BASE SHEET</b></p> <p>DynaBase® HW DynaWeld™ Base DynaWeld™ 180 S</p> <p style="text-align: right;"><b>9</b></p>	<p><b>APP</b></p> <p><b>BASE SHEET</b></p> <p>APPeX® 4S JM APP™ Base Sheet TRICOR™ S BICOR S JM APP™ Base Plus</p> <p style="text-align: right;"><b>16</b></p>
<p><b>CAP SHEET</b></p> <p>DynaGlas® DynaGlas® FR DynaGlas® FR CR G DynaLastic® 180 DynaLastic® 180 FR DynaLastic® 180 FR CR G</p> <p style="text-align: right;"><b>5</b></p>	<p><b>CAP SHEET</b></p> <p>DynaWeld™ Cap DynaWeld™ Cap FR DynaWeld™ Cap FR CR G DynaWeld™ Cap 180 DynaWeld™ Cap 180 FR DynaWeld™ Cap 180 FR CR G</p> <p style="text-align: right;"><b>10</b></p>	<p><b>CAP SHEET</b></p> <p>APPeX® 4.5M APPeX® 4.5M FR APPeX® 4.5M CR G APPeX® 4.5M FR CR G</p> <p style="text-align: right;"><b>17</b></p>
<p>DynaLastic® 250 DynaLastic® 250 FR DynaLastic® 250 FR CR G DynaKap® T1 DynaKap® FR T1 DynaKap® FR T1 CR G</p> <p style="text-align: right;"><b>6</b></p>	<p>DynaWeld™ Cap 250 DynaWeld™ Cap 250 FR DynaWeld™ Cap 250 FR CR G DynaKap® FR T1 HW DynaKap® FR T1 HW CR G</p> <p style="text-align: right;"><b>11</b></p>	<p>TRICOR™ M FR TRICOR™ M FR CR G BICOR M FR</p> <p style="text-align: right;"><b>18</b></p>
<p><b>FLASHING</b></p> <p>DynaFlex® DynaFlex® CR G DynaClad®</p> <p style="text-align: right;"><b>7</b></p>	<p><b>SELF-ADHERED</b></p> <p><b>BASE SHEET</b></p> <p>DynaGrip® Base SA/SA DynaGrip® Base SD/SA DynaGrip® Base PR SD/SA DynaGrip® Base PR SA/SA DynaGrip® Base PR P/SA</p> <p style="text-align: right;"><b>12</b></p>	<p><b>BUILT-UP ROOFING</b></p> <p>PermaPly® 28 GasPly® IV GasPly® Premier GlasBase® Plus Ventsulation® Felt GlasTite® Flexible</p> <p style="text-align: right;"><b>20</b></p>
<p><b>MECHANICALLY FASTENED</b></p> <p><b>BASE SHEET</b></p> <p>DynaFast® 180 S DynaFast® 180 HW DynaFast® 250 HW</p> <p style="text-align: right;"><b>8</b></p>	<p><b>CAP SHEET</b></p> <p>DynaGrip® Cap DynaGrip® Cap PR</p> <p style="text-align: right;"><b>13</b></p>	<p>GlasKap® GlasKap® Plus GlasKap® CR G</p> <p style="text-align: right;"><b>21</b></p>
	<p><b>VAPOR RETARDERS</b></p> <p>JM Vapor Barrier SA JM Vapor Barrier SAR</p> <p style="text-align: right;"><b>14</b></p>	<p><b>ACCESSORIES</b></p> <p>MBR® Bonding Adhesive Activator MBR® Bonding Adhesive Base MBR® Cold Application Adhesive DynaSet 1K Adhesive Asphalt Primer</p> <p style="text-align: right;"><b>23</b></p> <p>DynaTred® Roof Walkway DynaTred® Plus Roof Walkway PermaFlash® System 1-Part PermaFlash® CR G Granules Granules</p> <p style="text-align: right;"><b>24</b></p>





# SBS

**styrene-butadiene-styrene modified bitumen** With over three decades of experience producing modified bitumen, we understand the science of formulating systems that last. Our SBS is a premium modified bitumen engineered specifically for elasticity and high performance. It is made to withstand even the harshest environments. Multi-ply SBS systems are the most customizable of our low slope commercial roofing offerings, with glass, polyester and composite reinforcements. It can be installed with the widest variety of application methods, including cold applied, heat weld, self-adhered, mechanically fastened and hot applied applications.

# HOT/COLD APPLIED SBS BASE SHEET



**Component**  
**M**  
Membrane  
Multi-Ply  
Single Ply  
**Type**  
**BS**  
Base Sheet  
**PS**  
Ply Sheet

**DynaBase®**



Fiber glass-reinforced SBS base or ply sheet.

ASTM D 6163, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90001280



**Component**  
**M**  
Membrane  
Multi-Ply  
Single Ply  
**Type**  
**BS**  
Base Sheet  
**PS**  
Ply Sheet

**DynaBase® PR**



Polyester-reinforced SBS base or ply sheet.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90001284



**Component**  
**M**  
Membrane  
Multi-Ply  
Single Ply  
**Type**  
**BS**  
Base Sheet  
**PS**  
Ply Sheet

**DynaLastic® 180 S**



Polyester-reinforced SBS base or ply sheet.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001364



**Component**  
**M**  
Membrane  
Multi-Ply  
Single Ply  
**Type**  
**BS**  
Base Sheet  
**FL**  
Flashing  
**PS**  
Ply Sheet

**DynaLastic® 250 S**



Premium, heavy-duty polyester-reinforced SBS base or ply sheet.

ASTM D 6164, Type II, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001366



**Component**  
**M**  
Membrane  
Multi-Ply  
Single Ply  
**Type**  
**BS**  
Base Sheet  
**PS**  
Ply Sheet

**DynaPly® T1**



Premium fiber glass/polyester combination reinforced SBS base or ply sheet.

ASTM D 6162, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001382



# HOT/COLD APPLIED SBS CAP SHEET



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**CS**  
 Cap Sheet

**DynaGlas®**



Fiber glass-reinforced, SBS mineral-surfaced cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001306



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**CS**  
 Cap Sheet


**DynaGlas® FR**



Fire-retardant, fiber glass-reinforced, SBS, mineral-surfaced cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001337



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**CS**  
 Cap Sheet

**DynaGlas® FR CR G**



Fire-retardant, fiber glass-reinforced, SBS reflective mineral-surfaced, cool roof cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90038714



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**CS**  
 Cap Sheet  
**FL**  
 Flashing

**DynaLastic® 180**



Polyester-reinforced, SBS, mineral-surfaced cap or flashing sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001314



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**CS**  
 Cap Sheet  
**FL**  
 Flashing


**DynaLastic® 180  
FR**



Fire-retardant, polyester-reinforced, SBS, mineral-surfaced cap or flashing sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001352



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**CS**  
 Cap Sheet  
**FL**  
 Flashing

**DynaLastic® 180  
FR CR G**




Fire-retardant, polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90038718

# HOT/COLD APPLIED SBS CAP SHEET



**Component**  
**M**  
Membrane  
Multi-Ply  
**Type**  
**CS**  
Cap Sheet  
**FL**  
Flashing

## DynaLastic® 250



Premium, heavy-duty polyester-reinforced, mineral-surfaced cap or flashing sheet.

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001317



**Component**  
**M**  
Membrane  
Multi-Ply  
**Type**  
**CS**  
Cap Sheet  
**FL**  
Flashing


## DynaLastic® 250 FR



Fire-retardant, premium, heavy-duty polyester-reinforced mineral-surfaced cap or flashing sheet

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001354



**Component**  
**M**  
Membrane  
Multi-Ply  
**Type**  
**CS**  
Cap Sheet  
**FL**  
Flashing

## DynaLastic® 250 FR CR G



Fire-retardant, premium, heavy-duty polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90038719



**Component**  
**M**  
Membrane  
Multi-Ply  
**Type**  
**CS**  
Cap Sheet  
**FL**  
Flashing

## DynaKap® T1



Premium fiber glass/polyester combination-reinforced, SBS, mineral-surfaced cap sheet.


ASTM D 6162, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001302



**Component**  
**M**  
Membrane  
Multi-Ply  
**Type**  
**CS**  
Cap Sheet  
**FL**  
Flashing


## DynaKap® FR T1



Fire-retardant, premium fiber glass/polyester combination-reinforced, SBS, mineral-surfaced cap sheet.

ASTM D 6162, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001333



**Component**  
**M**  
Membrane  
Multi-Ply  
**Type**  
**CS**  
Cap Sheet  
**FL**  
Flashing

## DynaKap® FR T1 CR G




Fire-retardant, premium fiber glass/polyester combination-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6162, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90038716





**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**FL**  
 Flashing

**DynaFlex®**



Composite-reinforced, SBS mineral-surfaced flashing sheet.

ASTM D 6221, Type I

SIZE	SKU
36" × 25' (0.91 m × 7.62 m)	90001373



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**FL**  
 Flashing


**DynaFlex® CR G**



Composite-reinforced, SBS reflective mineral-surfaced, cool roof flashing sheet.

ASTM D 6221, Type I

SIZE	SKU
36" × 25' (0.91 m × 7.62 m)	90038726



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**CS**  
 Cap Sheet  
**FL**  
 Flashing

**DynaClad®**



Fiber glass-reinforced, SBS aluminum foil-surfaced cap or flashing sheet.

ASTM D 6298

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	70000336

# MECHANICALLY FASTENED SBS BASE SHEET



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Single Ply  
**Type**  
**BS**  
 Base Sheet  
**FL**  
 Flashing  
**PS**  
 Ply Sheet

**DynaFast® 180 S**



Polyester reinforced SBS base sheet for use in mechanically fastened systems.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90015888



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**BS**  
 Base Sheet  
**PS**  
 Ply Sheet

**DynaFast® 180 HW**



Polyester-reinforced SBS base or ply sheet for use in mechanically fastened systems.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 15 m)	90015889



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Single Ply  
**Type**  
**BS**  
 Base Sheet  
**PS**  
 Ply Sheet

**DynaFast® 250 HW**




Premium, heavy-duty polyester-reinforced SBS base or ply sheet for use in mechanically fastened systems.

ASTM D 6164, Type II, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90015890





**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**BS**  
 Base Sheet  
**PS**  
 Ply Sheet


**DynaBase® HW**



Fiber glass-reinforced SBS base or ply sheet.

ASTM D 6163, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90012352



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**BS**  
 Base Sheet  
**FL**  
 Flashing  
**PS**  
 Ply Sheet

**DynaWeld™ Base**



Fiber glass-reinforced SBS base or ply sheet.

ASTM D 6163, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001282



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**BS**  
 Base Sheet  
**PS**  
 Ply Sheet

**DynaWeld™ 180 S**



Polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001363



- Component**
- M**  
Membrane
  - Multi-Ply
  - Type
  - CS**  
Cap Sheet
  - FL**  
Flashing

## DynaWeld™ Cap



Fiber glass-reinforced SBS mineral-surfaced cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001311



- Component**
- M**  
Membrane
  - Multi-Ply
  - Type
  - CS**  
Cap Sheet
  - FL**  
Flashing

## DynaWeld™ Cap FR



Fire-retardant, fiber glass-reinforced SBS mineral-surfaced cap sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001345



- Component**
- M**  
Membrane
  - Multi-Ply
  - Type
  - CS**  
Cap Sheet
  - FL**  
Flashing

## DynaWeld™ Cap FR CR G



Fire-retardant, fiber glass-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6163, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90038724



- Component**
- M**  
Membrane
  - Multi-Ply
  - Type
  - CS**  
Cap Sheet
  - FL**  
Flashing

## DynaWeld™ Cap 180



Polyester-reinforced SBS mineral-surfaced cap sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001278



- Component**
- M**  
Membrane
  - Multi-Ply
  - Type
  - CS**  
Cap Sheet
  - FL**  
Flashing

## DynaWeld™ Cap 180 FR



Fire-retardant, polyester-reinforced, SBS mineral-surfaced cap sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001349



- Component**
- M**  
Membrane
  - Multi-Ply
  - Type
  - CS**  
Cap Sheet
  - FL**  
Flashing

## DynaWeld™ Cap 180 FR CR G



Fire-retardant, polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90038722





- Component**
- M**  
Membrane
  - Multi-Ply
  - Type**
  - CS**  
Cap Sheet
  - FL**  
Flashing

## DynaWeld™ Cap 250



Premium, heavy-duty polyester-reinforced SBS mineral-surfaced cap sheet.

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001445



- Component**
- M**  
Membrane
  - Multi-Ply
  - Type**
  - CS**  
Cap Sheet
  - FL**  
Flashing


## DynaWeld™ Cap 250 FR



Fire-retardant, premium, heavy-duty polyester-reinforced, SBS mineral-surfaced cap sheet.

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001348



- Component**
- M**  
Membrane
  - Multi-Ply
  - Type**
  - CS**  
Cap Sheet
  - FL**  
Flashing

## DynaWeld™ Cap 250 FR CR G



Fire-retardant, premium, heavy-duty polyester-reinforced, SBS reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 6164, Type II, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90038723



- Component**
- M**  
Membrane
  - Multi-Ply
  - Type**
  - CS**  
Cap Sheet
  - FL**  
Flashing

## DynaKap® FR T1 HW



Premium fiber glass/polyester combination-reinforced, SBS, mineral-surfaced cap sheet.

ASTM D 6162, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90001944



- Component**
- M**  
Membrane
  - Multi-Ply
  - Type**
  - CS**  
Cap Sheet
  - FL**  
Flashing


## DynaKap® FR T1 HW CR G



Premium fiber glass/polyester combination-reinforced mineral-surfaced cap sheet in a variety of multi-ply roofing systems.

ASTM D 6162, Type I, Grade G

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10 m)	90038717



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**BS**  
 Base Sheet


## DynaGrip® Base SA/SA



Self-adhering fiber glass-reinforced SBS base sheet for use with self-adhering cap products.

ASTM D 4601

SIZE	SKU
39 3/8" × 65' 7" (1 m × 19.99 m)	90001286



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**BS**  
 Base Sheet


## DynaGrip® Base SD/SA



Self-adhering, fiber glass-reinforced SBS base sheet.

ASTM D 4601

SIZE	SKU
39 3/8" × 65' 7" (1 m × 19.99 m)	90001287



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**BS**  
 Base Sheet


## DynaGrip® Base PR SD/SA



Self-adhering, polyester-reinforced, SBS base sheet.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90029379



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**BS**  
 Base Sheet

## DynaGrip® Base PR SA/SA



Self-adhering polyester-reinforced, SBS base sheet for use with self-adhering cap products.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90029380



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**BS**  
 Base Sheet

## DynaGrip® Base PR P/SA



Polyolefin burn-off film, top/self-adhering bottom, polyester-reinforced, SBS base sheet.

ASTM D 6164, Type I, Grade S

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90029381



Component

**M**

Membrane

Multi-Ply

Type

**CS**

Cap Sheet

**DynaGrip® Cap**



Self-adhering, fiber glass-reinforced SBS mineral-surfaced cap sheet.

**SIZE**

39 3/8" × 32' 10" (1 m × 10.01 m)

**SKU**

90001324



Component

**M**

Membrane

Multi-Ply

Type

**CS**

Cap Sheet

**DynaGrip® Cap PR**




Self-adhering, polyester-reinforced, SBS mineral-surfaced cap sheet.

**SIZE**

39 3/8" × 32' 10" (1 m × 10.01 m)

**SKU**

90029382



Component

**M**

Membrane

Multi-Ply

Type

**PT**

Protection



## JM Vapor Barrier SA

Polyethylene-surfaced, self-adhering SBS vapor barrier.

SIZE

45" × 134' (1 m × 40.8 m)

SKU

70001673



Component

**M**

Membrane

Multi-Ply

Type

**PT**

Protection



## JM Vapor Barrier SAR

Fiber glass-reinforced, polyethylene-surfaced, self-adhering SBS vapor barrier.

SIZE

39 3/8" × 105' (1 m × 32 m)

SKU

90029573






# APP

---

**atactic polypropylene modified bitumen** APP is tough and economical like a thermoplastic, with the proven waterproofing of asphalt. Our APP is formulated with a premium-grade asphalt with nonwoven polyester, glass fiber or combination reinforcements, exhibiting tremendous strength and weatherability. Choose from a selection of color options so that you can have a long-lasting, beautiful roof.



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**CS**  
 Cap Sheet  
**FL**  
 Flashing  
**PS**  
 Ply Sheet


## APPeX<sup>®</sup> 4S



Premium polyester-reinforced, APP smooth-surfaced cap or ply sheet.

ASTM D 6222, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90023440



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**BS**  
 Base Sheet  
**PS**  
 Ply Sheet


## JM APP<sup>™</sup> Base Sheet



Fiber glass-reinforced APP base or ply sheet.

ASTM D 6509

SIZE	SKU
39 3/8" × 49' 3" (1 m × 15 m)	90001210



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**BS**  
 Base Sheet  
**PS**  
 Ply Sheet


## TRICOR<sup>™</sup> S



Premium fiber glass/polyester combination-reinforced APP smooth-surfaced base or ply sheet.

ASTM D 6223, Type II, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001253



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**BS**  
 Base Sheet  
**PS**  
 Ply Sheet


## BICOR S



Premium, fiber glass/polyester combination-reinforced, APP smooth base or ply sheet.

ASTM D 6223, Type I, Grade S

SIZE	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	90001252



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**BS**  
 Base Sheet  
**PS**  
 Ply Sheet

## JM APP<sup>™</sup> Base Plus



Premium fiber glass-reinforced, APP base or ply sheet.

ASTM D 6509

SIZE	SKU
39 3/8" × 49' 3" (1 m × 15 m)	90012656



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**CS**  
 Cap Sheet  
**FL**  
 Flashing

## APPeX® 4.5M



Premium polyester-reinforced, APP mineral-surfaced cap or flashing sheet.

ASTM D 6222, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90001222
39 3/8" × 32' 10" (1 m × 10.01 m)	Black	90001217



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**CS**  
 Cap Sheet  
**FL**  
 Flashing

## APPeX® 4.5M FR



Premium fire-retardant, polyester-reinforced, APP mineral-surfaced cap or flashing sheet.

ASTM D 6222, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90001238



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**CS**  
 Cap Sheet  
**FL**  
 Flashing

## APPeX® 4.5M CR G



Premium polyester-reinforced, APP reflective mineral-surfaced cool roof cap or flashing sheet.

ASTM D 6222, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90038728



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**CS**  
 Cap Sheet  
**FL**  
 Flashing

## APPeX® 4.5M FR CR G



Premium fire-retardant, polyester-reinforced, APP reflective mineral-surfaced cool roof cap or flashing sheet.

ASTM D 6222, Type I, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90038728



**Component**  
**M**  
Membrane  
Multi-Ply  
**Type**  
**CS**  
Cap Sheet  
**FL**  
Flashing


**TRICOR™  
M FR**



Premium fire-retardant, fiber glass/polyester combination-reinforced, APP mineral-surfaced cap or flashing sheet.

ASTM D 6223, Type II, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90001244



**Component**  
**M**  
Membrane  
Multi-Ply  
**Type**  
**CS**  
Cap Sheet  
**FL**  
Flashing

**TRICOR™  
M FR CR G**



Premium, fire-retardant, fiber glass/polyester combination-reinforced, APP reflective mineral-surfaced cool roof cap or flashing sheet.

ASTM D 6223, Type II, Grade G

SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90038734



**Component**  
**M**  
Membrane  
Multi-Ply  
**Type**  
**CS**  
Cap Sheet  
**FL**  
Flashing

**BICOR M FR**



Fire-retardant, fiber glass/polyester-reinforced, APP mineral-surfaced cap or flashing sheet.

ASTM D 6223, Type I, Grade G


SIZE	COLOR	SKU
39 3/8" × 32' 10" (1 m × 10.01 m)	White	90001245





# BUILT-UP ROOFING

We pioneered built-up roofing systems in America more than 165 years ago. Our highly reliable waterproof membrane is field-fabricated with layers of bitumen, alternating with plies of reinforcing felts to give you a proven, redundant system.



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Single Ply  
**Type**  
**BS**  
 Base Sheet  
**PS**  
 Ply Sheet

## PermaPly® 28



Fiber glass-reinforced, asphalt-coated lightweight base sheet.

ASTM D 4601, Type II

SIZE	SKU
36" × 106' (914 mm × 32.31 m)	90001258



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Single Ply  
**Type**  
**PS**  
 Ply Sheet

## GlasPly® IV



Fiber glass-reinforced, asphalt-coated ply sheet IV.

ASTM D 2178, Type IV

SIZE	SKU
36" × 177' (914 mm × 53.95 m)	90001269



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Single Ply  
**Type**  
**PS**  
 Ply Sheet

## GlasPly® Premier



Premium fiber glass-reinforced, asphalt-coated ply sheet VI.

ASTM D 2178, Type VI

SIZE	SKU
36" × 177' (914 mm × 53.95 m)	90001270



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Single Ply  
**Type**  
**BS**  
 Base Sheet  
**PS**  
 Ply Sheet

## GlasBase® Plus



Fiber glass-reinforced, SBS modified bitumen base or ply sheet.

ASTM D 4601, Type II

SIZE	SKU
39 3/8" × 49' 2" (1 m × 14.99 m)	90001259



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**BS**  
 Base Sheet

## Ventsulation® Felt



Fiber glass-reinforced, asphalt-coated venting base sheet.


ASTM D 4897, Type II

SIZE	SKU
36" × 36' (914 mm × 10.97 m)	90001257



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**BS**  
 Base Sheet  
**FL**  
 Flashing  
**PS**  
 Ply Sheet

## GlasTite® Flexible



Polyester/fiber glass-reinforced, asphalt-coated base, ply or flashing sheet.

ASTM D 4601, Type II

SIZE	SKU
36" × 50' (914 mm × 15.24 m)	90001268



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**CS**  
 Cap Sheet


**GlasKap®**



Fiber glass-reinforced, mineral-surfaced cap sheet.


ASTM D 3909

SIZE	SKU
36" × 36' (914 mm × 10.97 m)	90001266



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**CS**  
 Cap Sheet


**GlasKap® Plus**



Fiber glass-reinforced, SBS modified bitumen, mineral-surfaced cap sheet.

ASTM D 3909

SIZE	SKU
36" × 36' (914 mm × 10.97 m)	90001267



**Component**  
**M**  
 Membrane  
 Multi-Ply  
**Type**  
**CS**  
 Cap Sheet  
**FL**  
 Flashing

**GlasKap® CR G**



Fiber glass-reinforced, BUR reflective mineral-surfaced, cool roof cap or flashing sheet.

ASTM D 3909

SIZE	SKU
36" × 36' (914 mm × 10.97 m)	90029432



# ACCESSORIES

---






**Component**  
**AD**  
 Adhesive  
 Multi-Ply  
 Single-Ply  
**Type**  
**M**  
 Membrane  
**B** **I**  
 Cover Board Insulation

## MBR® Bonding Adhesive Activator



Two-part, solvent-free, elastomeric cold-application adhesive for installing SBS modified bitumen roof membranes.

SIZE	SKU
0.6 gal (2.3 L) jug	70004395



**Component**  
**AD**  
 Adhesive  
 Multi-Ply  
 Single-Ply  
**Type**  
**M**  
 Membrane  
**B** **I**  
 Cover Board Insulation

## MBR® Bonding Adhesive Base



Two-part, solvent-free, elastomeric cold-application adhesive for installing SBS modified bitumen roof membranes.

SIZE	SKU
4.4 gal (16.7 L) pail	70000028



**Component**  
**AD**  
 Adhesive  
 Multi-Ply  
**Type**  
**M**  
 Membrane

## MBR® Cold Application Adhesive




Elastomeric cold-application adhesive for installing SBS and APP modified bitumen membranes.

ASTM D 3019, Type III, Grade 2	
SIZE	SKU
4.7 gal (17.8 L) pail	70000015



**Component**  
**AD**  
 Adhesive  
 Multi-Ply  
**Type**  
**M**  
 Membrane

## DynaSet 1K Adhesive



DynaSet 1K is a one-part, solvent-free, moisture-curing adhesive designed to install JM SBS membranes.

SIZE	SKU
5 gal (18.9 L) pail	70008101



**Component**  
**PR**  
 Primer  
 Multi-Ply  
**Type**  
**SU**  
 Substrate

## Asphalt Primer



One-part, specification-grade, penetrating priming solution for multiple substrates prior to the application of a bituminous roofing system.

ASTM D 41, Type II	
SIZE	SKU
4.75 gal (17.9 L) pail	70000810




**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**PT**  
 Protection

## DynaTred® Roof Walkway



Preformed, skid-resistant roof protection pads consisting of modified asphalt, reinforcements and fillers with a ceramic granule surface on both sides. They are durable, resilient and maintenance-free.

SIZE	COLOR	THICKNESS	SKU
32" × 32" (81.3 cm × 81.3 cm)	Black / White	1/4"	90000657
32" × 32" (81.3 cm × 81.3 cm)	White / White	1/4"	90000658



**Component**  
**M**  
 Membrane  
 Multi-Ply  
 Type  
**PT**  
 Protection

## DynaTred® Plus Roof Walkway




Preformed, skid-resistant roof protection pads consisting of modified asphalt, reinforcements and fillers with a ceramic granule surface on both sides. They are durable, resilient and maintenance-free.

SIZE	COLOR	THICKNESS	SKU
32" × 32" (81.3 cm × 81.3 cm)	Black / White	1/3"	90000656



**Component**  
**L**  
 Liquid  
 Multi-Ply  
 Type  
**FL**  
 Flashing

## PermaFlash® System



Liquid-applied system that can accommodate the most challenging penetration shapes.

SIZE	SKU
4 - 28.7 oz gal (848.8 ml) cartridges 1 roll - 12' (305 mm) × 20' (6.09 m) scrim 1 - 32 oz (946 ml) bottle of primer	70004152



**Component**  
**L**  
 Liquid  
 Multi-Ply  
 Type  
**FL**  
 Flashing

## 1-Part PermaFlash®



1-Part PermaFlash is a one-part, elastomeric, liquid-applied flashing material designed for flashing penetrations on granulated JM bituminous membranes.

SIZE	SKU
2 - 1 gal (3.8 l) pails	70008208
5 gal (19 l) pail	70008209



**Component**  
**ST**  
 Surface  
 Treatment  
 Multi-Ply  
 Type  
**PT**  
 Protection

## CR G Granules



Reflective Roofing Granules: Bright white granules specifically designed for high reflectivity and durability.

SIZE	COLOR	SKU
41 lb (18.6 kg) bag	White	90038737



**Component**  
**ST**  
 Surface  
 Treatment  
 Multi-Ply  
 Type  
**PT**  
 Protection

## Granules



Ceramic-Coated Roofing Granules: Specifically engineered for optimal embedment in the bitumen. These granules are colored with durable pigments, bonded in a ceramic matrix and treated to promote excellent long-term adhesion.

SIZE	COLOR	SKU
50 lb (22.68 kg) bag	White	90029701
50 lb (22.68 kg) bag	Black	90029702



717 17th St.  
Denver, CO 80202  
(800) 922-5922  
[www.jm.com/roofing](http://www.jm.com/roofing)

@JohnsManvilleRoofing



@JMRoofingSystem



JohnsManvilleRoofingSystems



Johns Manville Commercial  
Roofing Systems



Above It All

