MARINO\WARE PART # WSC600

| MATERIAL: | See Table |
|-----------|---------------------------------|
| FINISH: | Galvanized – G90 |
| SCREWS: | #14 Shouldered screws included. |

| Part No. | Ga/Mil | Material | Finish | Size |
|----------|-----------|----------|--------|-------------------|
| WSC362 | 14ga (68) | 50 KSI | G-90 | 4" x 1.5" x 3.5" |
| WSC600 | 14ga (68) | 50 KSI | G-90 | 4" x 1.5" x 5.5" |
| WSC800 | 14ga (68) | 50 KSI | G-90 | 4" x 1.5" x 7.5" |
| WSC1000 | 14ga (68) | 50 KSI | G-90 | 4" x 1.5" x 9.5" |
| WSC1200 | 14ga (68) | 50 KSI | G-90 | 4" x 1.5" x 11.5" |

WSC600 WSC600 (4 slots)

WSC APPLICATION

CONCENTRIC TENSION (lbs.)

| | CFS Member | | | |
|----------|------------|--------|--------|--------|
| # Screws | 33 mil | 43 mil | 54 mil | 68 mil |
| 2 | 376 | 560 | 652 | 652 |
| 3 | 564 | 840 | 978 | 978 |
| 4 | 752 | 1120 | 1304 | 1304 |
| 5 | 940 | 1400 | 1559 | 1559 |

ECCENTRIC TENSION (lbs.)


| | | CFS Member | | | |
|-----|-------|------------|--------|--------|--------|
| # S | crews | 33 mil | 43 mil | 54 mil | 68 mil |
| | 2 | 376 | 560 | 652 | 652 |
| | 3 | 564 | 840 | 978 | 978 |
| | 4 | 752 | 1120 | 1304 | 1304 |
| | 5 | 940 | 1400 | 1315 | 1315 |

CONCENTRIC COMPRESSION (lbs.)

| | CFS Member | | | |
|----------|------------|--------|--------|--------|
| # Screws | 33 mil | 43 mil | 54 mil | 68 mil |
| 2 | 376 | 560 | 652 | 652 |
| 3 | 564 | 840 | 966 | 966 |
| 4 | 752 | 966 | 966 | 966 |
| 5 | 940 | 966 | 966 | 966 |

ECCENTRIC COMPRESSION (lbs.)

| | CFS Member | | | |
|----------|------------|--------|--------|--------|
| # Screws | 33 mil | 43 mil | 54 mil | 68 mil |
| 2 | 376 | 560 | 652 | 652 |
| 3 | 564 | 788 | 788 | 788 |
| 4 | 752 | 788 | 788 | 788 |
| 5 | 788 | 788 | 788 | 788 |



#14 Shouldered Screws

NOTES

1. Allowable loads have not been increased for wind or seismic.

- 2. Attachment of WSC clip to main structure should be engineered by a design professional for steel or concrete base materials.
- 3. Allowable loads are based on attachment to main structure through pilot holes with #10-24 cap screws with a head diameter of 0.29".
- 4. Safety factor, Ω , determined in accordance with the provision of section F1.2 of the NASPEC with statistical data specified in AC261 and from test data.
- 5. The serviceability limit of 1/8" deflection between the stud and supporting structure did not govern in testing.
- 6. Eccentric tension and compression values represent clip capacity after structure deflects +/- 1-1/2" up or down from center of the clip.

CODES & STANDARDS

- Steel meets ASTM A1003
- Coating meets ASTM A1003, A653
- ICC ES ESR-3578

GREEN INFO

- LEED v4 credits available
- Contact Technical Services for more information





For more information, please contact Marino\WARE Technical Services at 866-545-1545.

This technical information reflects the most current information available and supersedes any and all publications, effective 10/1/2021. © Copyright 2021 by Ware Industries, Inc. All rights reserved