

Version 2.0	Revision Date: 08/10/2023		DS Number: 0000261358	Date of last issue: 01/07/2021 Date of first issue: 05/26/2020		
SECTION 1	. IDENTIFICATION					
Produc	t name	:	SikaEmaco 425 G	Gel Patch Formerly MEmaco N 425		
Produc	t code	:	0000000005167	0000000051676154		
Manuf	acturer or supplier's	deta	ails			
Compa	iny name of supplier	:	Sika MBCC US L	LC		
Addres	S	:	201 POLITO AVE Lyndhurst NJ 070			
Emerg	ency telephone	:	ChemTel: +1-813	-248-0585		
Recon	nmended use of the c	hen	nical and restriction	ons on use		
Recom	mended use	:	Product for constr	ruction chemicals		
Restric	tions on use	:	Reserved for indu	strial and professional use.		

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation	:	Category 2
Serious eye damage	:	Category 1
Carcinogenicity (Inhalation)	:	Category 1A
Specific target organ toxicity - single exposure	:	Category 3 (Respiratory system)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 1 (Lungs)
Specific target organ toxicity - repeated exposure (Inhala- tion)	:	Category 2 (Kidney, Immune system)
Short-term (acute) aquatic hazard	:	Category 3

GHS label elements



Version 2.0	Revision Date: 08/10/2023	SDS Number: 000000261358	Date of last issue: 01/07/2021 Date of first issue: 05/26/2020
Haza	rd pictograms		
Signa	al Word	Danger	
Haza	rd Statements	H335 May caus H350 May caus H372 Causes of repeated expos H373 May caus	serious eye damage. se respiratory irritation. se cancer by inhalation. damage to organs (Lungs) through prolonged or sure if inhaled. se damage to organs (Kidney, Immune system) ged or repeated exposure if inhaled.
Preca	autionary Statements	P202 Do not ha and understood P260 Do not br P264 Wash ski P270 Do not ea P271 Use only P273 Avoid rel	reathe dust. in thoroughly after handling. at, drink or smoke when using this product. outdoors or in a well-ventilated area. ease to the environment. otective gloves/ protective clothing/ eye protection/
		P304 + P340 + and keep comf doctor if you fe P305 + P351 + water for sever and easy to do CENTER/ doct P308 + P313 If attention. P332 + P313 If tion.	P338 + P310 IF IN EYES: Rinse cautiously with al minutes. Remove contact lenses, if present . Continue rinsing. Immediately call a POISON
		Storage: P403 + P233 S tightly closed. P405 Store loc Disposal:	Store in a well-ventilated place. Keep container



Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
2.0	08/10/2023	00000261358	Date of first issue: 05/26/2020

Other hazards

In combination with water, repeated or prolonged dermal exposure can cause moderate to severe alkali burns.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical nature

: modified cement mortar

Components

Chemical name	CAS-No.	Concentration (% w/w)
crystalline silica	14808-60-7	>= 30 - < 50
Cement, portland, chemicals	65997-15-1	>= 20 - < 30
Cement, alumina, chemicals	65997-16-2	>= 1 - < 5
Limestone	1317-65-3	>= 1 - < 5
Synthetic amorphous silica	7631-86-9	>= 1 - < 5
Gypsum (Ca(SO4).2H2O)	13397-24-5	>= 1 - < 5
Actual concentration is withhold a	a a trada agarat	

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice	:	First aid personnel should pay attention to their own safety. Remove contaminated clothing.
If inhaled	:	After inhalation of dust. Keep patient calm, remove to fresh air. If difficulties occur: Seek medical attention.
In case of skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
In case of eye contact	:	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Keep eye wide open while rinsing. Remove contact lenses. Seek medical advice. If eye irritation persists, consult a specialist.
If swallowed	:	Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting unless told to by a poison control cen- ter or doctor.
Most important symptoms and effects, both acute and delayed	:	Causes serious eye damage. Causes skin irritation. May cause respiratory irritation. May cause cancer by inhalation. Causes damage to organs through prolonged or repeated exposure if inhaled.



Versio 2.0	n Revision Date: 08/10/2023	-	DS Number: 00000261358	Date of last issue: 01/07/2021 Date of first issue: 05/26/2020
			posure can caus	rith water, repeated or prolonged dermal ex- e moderate to severe alkali burns. reated inhalation of respirable crystalline silica ult in silicosis.
N	otes to physician	:	Treat symptoma	tically.
SECTI	ON 5. FIRE-FIGHTING	G MEAS	JRES	
Si	uitable extinguishing m	nedia :		CO2) non-combustible. Only the packaging materi- e. The extinguishing agents normally used are
	nsuitable extinguishing edia) :	water jet	
	pecific hazards during thing the second s	fire :	Product is not co	mbustible or explosive.
	azardous combustion p cts	prod- :	harmful vapours	
Fu	urther information	:	surrounding area The degree of ris the fire condition Dispose of fire d	non-combustible; fire extinguishing method of as must be considered. sk is governed by the burning substance and s. ebris and contaminated extinguishing water in official regulations.
	pecial protective equip r fire-fighters	ment :	Wear self-contain protective clothin	ned breathing apparatus and chemical- Ig.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid dust formation. Avoid contact with skin and eyes. Do not inhale dusts. Use personal protective clothing. Wear appropriate respiratory protection. Handle in accordance with good building materials hygiene and safety practice.
Environmental precautions	:	Do not discharge into drains/surface waters/groundwater.
Methods and materials for containment and cleaning up	:	Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Keep in suitable, closed containers for disposal. Rinse with plenty of water.



Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
2.0	08/10/2023	00000261358	Date of first issue: 05/26/2020

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	No special precautions necessary.
Advice on safe handling	:	 Avoid dust formation. Do NOT breathe dust because it is hazardous to respiratory system. Avoid contact with skin and eyes. The Cement contained in this product reacts alkaline when in contact with water or humidity. This may cause severe irritation of skin or mucous membranes. The humidity of the skin or mucous membranes is enough for this reaction. Prolonged direct contact to the dry product should be avoided therefore. Pour downwind and allow as little free fall as possible while emptying bags into equipment. Breathing must be protected when large quantities are decanted without local exhaust ventilation.
Conditions for safe storage	:	Containers should be stored tightly sealed in a dry place.
Materials to avoid	:	Keep away from water. Segregate from metals. Segregate from acids and bases. Segregate from oxidants. Segregate from foods and animal feeds.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
crystalline silica	14808-60-7	TWA (Res- pirable dust)	0.05 mg/m3	OSHA Z-1
		TWA (respir- able)	10 mg/m3 / %SiO2+2	OSHA Z-3
		TWA (respir- able)	250 mppcf / %SiO2+5	OSHA Z-3
		TWA (respir- able dust fraction)	0.1 mg/m3	OSHA P0
		TWA (Res- pirable par- ticulate mat- ter)	0.025 mg/m3 (Silica)	ACGIH
		TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
Cement, portland, chemicals	65997-15-1	TWA (Res- pirable par-	1 mg/m3	ACGIH



ersion)	Revision Date: 08/10/2023	SDS Number: 000000261358		t issue: 01/07/2021 t issue: 05/26/2020	
			ticulate mat- ter)		
			TWA (Res- pirable)	5 mg/m3	NIOSH REL
			TWA (total)	10 mg/m3	NIOSH REL
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	10 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
			TWA (Dust)	50 Million parti- cles per cubic foot	OSHA Z-3
Limes	stone	1317-65-3	TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	15 mg/m3	OSHA P0
			TWA (respir- able dust fraction)	5 mg/m3	OSHA P0
			TWA (Res- pirable)	5 mg/m3 (Calcium car- bonate)	NIOSH REL
			TWA (total)	10 mg/m3 (Calcium car- bonate)	NIOSH REL
Synth	etic amorphous silica	7631-86-9	TWA (Dust)	20 Million parti- cles per cubic foot (Silica)	OSHA Z-3
			TWA (Dust)	80 mg/m3 / %SiO2 (Silica)	OSHA Z-3
			TWA (Res- pirable dust)	0.05 mg/m3 (Silica)	NIOSH REL
			TWA	6 mg/m3 (Silica)	NIOSH REL
Gypsi	um (Ca(SO4).2H2O)	13397-24-5	TWA (Res- pirable)	5 mg/m3	NIOSH REL
			TWA (total)	10 mg/m3	NIOSH REL
			TWA (total dust)	15 mg/m3	OSHA Z-1
			TWA (respir- able fraction)	5 mg/m3	OSHA Z-1
			TWA (Total dust)	15 mg/m3	OSHA P0
			TWA (respir- able dust	5 mg/m3	OSHA P0



Vers 2.0	sion	Revision Date: 08/10/2023		DS Number:Date of last issue: 01/07/20210000261358Date of first issue: 05/26/2020
-				fraction)Fraction)TWA (Inhal- able particu- late matter)10 mg/m3 (Calcium)
	Engin	eering measures	:	Provide local exhaust ventilation to maintain recommended P.E.L.
		nal protective equip ratory protection	ment :	Wear appropriate certified respirator when exposure limits may be exceeded. Wear a NIOSH-certified (or equivalent) particulate respirator.
	Hand	protection		
	Re	marks	:	Chemical resistant protective gloves. Manufacturer's direc- tions for use should be observed because of great diversity of types.
	Eye pi	rotection	:	Tightly fitting safety goggles (chemical goggles).
	Skin a	nd body protection	:	Body protection must be chosen based on level of activity and exposure.
	Protec	tive measures	:	Do not inhale vapours or dust. Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Handle in accordance with good building materials hygiene and safety practice.
	Hygiei	ne measures	:	When using, do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift. At the end of the shift the skin should be cleaned and skin- care agents applied. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing immediately and clean before re-use or dispose it if necessary.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	powder
Color	:	gray
Odor	:	odorless



Ver 2.0	sion	Revision Date: 08/10/2023		S Number: 0000261358	Date of last issue: 01/07/2021 Date of first issue: 05/26/2020
	Odor T	hreshold	:	Not applicable	
	рН		:	No data available	9
	Melting) point	:	Not applicable	
	Boiling	point	:	Not applicable	
	Flash p	point	:	Not applicable	
	Evapor	ation rate	:	Not applicable	
	Flamm	ability (solid, gas)	:	Not classified as	a flammability hazard
		explosion limit / Upper ability limit	:	knowledge of its	r experience with this product and our composition we do not expect any hazard as uct is used appropriately and in accordance l use.
		explosion limit / Lower ability limit	:	knowledge of its	r experience with this product and our composition we do not expect any hazard as uct is used appropriately and in accordance I use.
	Vapor	pressure	:	Not applicable	
	Relativ	e vapor density	:	Not applicable	
	Relativ	e density	:	2.1	
	Density	/	:	Not applicable	
	Bulk de	ensity	:	1,130 - 1,330 kg/	/m3
	Solubil Wat	ity(ies) ter solubility	:	soluble	
	Solu	ubility in other solvents	:	No data available	9
	Partitio octano	n coefficient: n- I/water	:	not applicable for	r mixtures
	Autoigr	nition temperature	:	Not applicable	
	Decom	position temperature	:	No decompositio scribed/indicated	n if stored and handled as pre- l.
	Viscosi Visc	ity cosity, dynamic	:	Not applicable	
	Viso	cosity, kinematic	:	Not applicable	
	Explos	ive properties	:	Not explosive	





Vers 2.0	sion	Revision Date: 08/10/2023		S Number:)000261358	Date of last issue: 01/07/2021 Date of first issue: 05/26/2020		
	Oxidizing properties		:	not fire-propagat	ng		
	Sublim	ation point	:	No data available			
	Molecular weight		:	Not applicable			
	Particle	e size	:	No data available)		
SEC	SECTION 10. STABILITY AND REACTIVITY						
	Reactiv	vity	:	No hazardous re scribed/indicated	actions if stored and handled as pre-		
	Chemi	cal stability	:	The product is st scribed/indicated	able if stored and handled as pre-		
	Possib tions	ility of hazardous reac-	:		formed on the addition of water. able if stored and handled as pre-		
	Condit	ions to avoid	:	Avoid dust forma Avoid humidity.	tion.		
	Incomp	patible materials	:	Strong bases Strong acids			
	Hazaro produc	dous decomposition ts	:	No hazardous de as prescribed/inc	composition products if stored and handled licated.		

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Not classified based on available information.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitization

Skin sensitization

Not classified based on available information.

Respiratory sensitization

Not classified based on available information.

:

Product:

Remarks

Chromate in this product has been reduced. Sensitization due to chromate within stated shelf-live is unlikely.



Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
2.0	08/10/2023	00000261358	Date of first issue: 05/26/2020

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

May cause car IARC	ncer by inhalation. Group 1: Carcinogenic to humans crystalline silica (Silica dust, crystalline)	14808-60-7
NTP	Known to be human carcinogen crystalline silica (Silica, Crystalline (Respirable Size))	14808-60-7

Reproductive toxicity

Not classified based on available information.

STOT-single exposure

May cause respiratory irritation.

STOT-repeated exposure

Causes damage to organs (Lungs) through prolonged or repeated exposure if inhaled. May cause damage to organs (Kidney, Immune system) through prolonged or repeated exposure if inhaled.

Aspiration toxicity

Not classified based on available information.

Experience with human exposure

Product:

Skin contact : Remarks: In combination with water, repeated or prolonged dermal exposure can cause moderate to severe alkali burns.

Further information

Product:

Remarks

: Health injuries are not known or expected under normal use. The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : Harmful to aquatic life.



Vers 2.0	ion	Revision Date: 08/10/2023	-	OS Number: 0000261358	Date of last issue: 01/07/2021 Date of first issue: 05/26/2020
	Persis	stence and degradabil	ity		
	<u>Produ</u>	ict:			
	Biodeg	gradability	:	Remarks: Not app	blicable for inorganic substances.
	Bioac	cumulative potential			
	<u>Produ</u>	ict:			
	Bioaco	cumulation	:		oduct will not be readily bioavailable due to ad insolubility in water.
	Mobili	ity in soil			
	<u>Produ</u>	ict:			
		ution among environ- I compartments	:	particles is probal is not expected.	ng exposure to soil, adsorption to solid soil ole, therefore contamination of groundwater Il not evaporate into the atmosphere from
	Other	adverse effects			
	<u>Produ</u>	ict:			
	Additic matior	onal ecological infor- า	:	The product has r	product into the environment without control. not been tested. The statements on ecotoxi- derived from the properties of the individual
SEC	TION '	13. DISPOSAL CONSI	DER	ATIONS	
	Dispo	sal methods			

Disposal methous			
Waste from residues	:	Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regula- tions.	
Contaminated packaging	:	Completely emptied packagings can be given for recycling. Packs that cannot be cleaned should be disposed of in the same manner as the contents.	

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG Not permitted for transport

IATA-DGR

Not regulated as a dangerous good

IMDG-Code



Version	Revision Date:	SDS Number:	Date of last issue:
2.0	08/10/2023	00000261358	Date of first issue:

01/07/2021 05/26/2020

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

Domestic regulation

49 CFR

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

US State Regulations

Pennsylvania Right To Know

crystalline silica Cement, portland, chemicals Limestone Synthetic amorphous silica Gypsum (Ca(SO4).2H2O) sodium nitrite	14808-60-7 65997-15-1 1317-65-3 7631-86-9 13397-24-5 7632-00-0
New Jersey Right To Know	
crystalline silica	14808-60-7
Cement, portland, chemicals	65997-15-1
Limestone	1317-65-3
Gypsum (Ca(SO4).2H2O)	13397-24-5
lithium carbonate	554-13-2

California Prop. 65

WARNING: This product can expose you to chemicals including crystalline silica, which is/are known to the State of California to cause cancer, and

lithium carbonate, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The ingredients of	f this product a	re reported in the	e following inventories:

TSCA	:	All substances listed as active on the TSCA inventory
DSL	:	All components of this product are on the Canadian DSL

TSCA list

The following substance(s) is/are subject to a Significant New Use Rule: sodium nitrite 7632-00-0

SECTION 16. OTHER INFORMATION

Further information

425





Version Revision Date: SDS Number: Date of last issue: 01/07/2021 2.0 08/10/2023 00000261358 Date of first issue: 05/26/2020 NFPA 704: HMIS® IV: Flammability HEALTH FLAMMABILITY Health Instability 3 0 PHYSICAL HAZARD HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. The "*" represents Special hazard a chronic hazard, while the "/" represents the absence of a chronic hazard.

Full text of other abbreviations

:	USA. ACGIH Threshold Limit Values (TLV)
:	USA. NIOSH Recommended Exposure Limits
:	USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Lim- its for Air Contaminants
:	USA. Occupational Exposure Limits (OSHA) - Table Z-3 Mineral Dusts
:	8-hour, time-weighted average
:	Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
:	8-hour time weighted average
:	8-hour time weighted average
:	8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System: IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI -Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International



Version	Revision Date:	SDS Number:	Date of last issue: 01/07/2021
2.0	08/10/2023	00000261358	Date of first issue: 05/26/2020

Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ -Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Revision Date

: 08/10/2023

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN