# **DEXcell® Glass Mat Roof Board** by Gold Bond Building Products, LLC provided by National Gypsum Company

**Health Product** Declaration v2.3

created via: HPDC Online Builder

**HPD UNIQUE IDENTIFIER: 30828** 

CLASSIFICATION: 07 50 00 Membrane Roofing

PRODUCT DESCRIPTION: DEXcell® Glass Mat Roof Boards have coated fiberglass facers and an enhanced mold-resistant gypsum core. This mold- and moisture-resistant gypsum panel is a substrate board, thermal barrier and/or coverboard for commercial roofing applications. It scores and cuts easily, and is specially coated on the front, back and sides for easy handling. Use it for a wide variety of roofing systems, including mechanically attached and ballasted single-ply membranes, thermal barriers and metal roofing. This HPD covers 1/4", 1/2" and 5/8" DEXcell® Glass Mat Roof Boards. National Gypsum Company is the exclusive service provider for products manufactured by Gold Bond Building Products, LLC, PermaBASE Building Products, LLC and ProForm Finishing Products, LLC.



# Section 1: Summary

# **Nested Method / Product Threshold**

#### **CONTENT INVENTORY**

**Inventory Reporting Format** 

Nested Materials Method

C Basic Method

**Threshold Disclosed Per** 

Material

Product

Threshold Level

C 100 ppm

⊙ 1,000 ppm C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed in 2 of 2 Materials

Explanation(s) provided for Residuals/Impurities?

Yes O No

For all contents above the threshold, the manufacturer has: Yes ○ No

Characterized

Provided weight and role.

 Yes ○ No Screened

Provided screening results using HPDC-approved

methods.

Identified Yes No

Provided name and CAS RN or other identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR

**GREENSCREEN SCORE | HAZARD TYPE** 

DEXCELL GYPSUM CORE [ GYPSUM BM-3dg SILOXANES AND SILICONES, DI-ME, POLYMERS WITH 3-MERCAPTOPROPYL SILSESQUIOXANES LT-UNK POLIGNATE SODIUM LT-UNK CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK POTASSIUM SULFATE LT-UNK BORIC ACID LT-1 | END | REP | DEV | MUL | EYE | MAM | SKI SODIUM POLYNAPHTHALENESULFONATE LT-P1 | PBT 2-PYRIDINETHIOL, 1-OXIDE, SODIUM SALT LT-P1 | MUL | MAM ] COATED FIBERGLASS MAT [ CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK UNDISCLOSED LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Substances not "Identified" are those considered proprietary to suppliers.

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Certified

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes No

PREPARER: Elixir Environmental

VERIFIER:

**VERIFICATION #:** 

**SCREENING DATE: 2022-12-14 PUBLISHED DATE: 2022-12-14** EXPIRY DATE: 2025-12-14

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

DEXCELL GYPSUM CORE	%: 94.0000 - 96.0000	
PRODUCT THRESHOLD: 1000	RESIDUALS AND IMPURITIES EVALUATION COMPLETED:	MATERIAL TYPE: Geologically Derived
ррт	Yes	Material

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present in this material at or above the Content Inventory Threshold indicated that return a GS score of BM-1, LT-1, LT-P1 or NoGS based on batch testing, supplier documentation, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material and substances reported as ranges to account for formulation variations between manufacturing facilities.

GYPSUM				ID: <b>13397-24-5</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DAT	E: 2022-12-14 13:56:22
%: 95.5000 - 99.5000	GreenScreen: BM-3dg	RC: PreC	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No w	varnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N .
None found			1	No listings found on Additional Hazard Lists

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-3dg was provided by the HPD Builder Tool. The use of preconsumer recycled content gypsum, or FGD gypsum, varies by manufacturing location. Please contact manufacturer if more information is required.

# SILOXANES AND SILICONES, DI-ME, POLYMERS WITH 3-MERCAPTOPROPYL SILSESQUIOXANES

ID: 108775-26-4

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2		2022-12-14 13:56:23
%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES:

POLIGNATE SODIUM ID: 8061-51-6

Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2022-12-14 13:56:23
GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Dispersant
LIST NAME AND SOURCE		WARNINGS	
		No warr	nings found on HPD Priority Hazard Lists
LIST NAME AND SOURCE		NOTIFICATION	
•	ency (US	US EPA - DfE SC	CIL
LFA)		Green Circle - Ve	erified Low Concern
	GreenScreen: LT-UNK  LIST NAME AND SOURCE  LIST NAME AND SOURCE	GreenScreen: LT-UNK RC: None  LIST NAME AND SOURCE  LIST NAME AND SOURCE  US Environmental Protection Agency (US	GreenScreen: LT-UNK RC: None NANO: No  LIST NAME AND SOURCE WARNINGS  No warr  LIST NAME AND SOURCE NOTIFICATION  US Environmental Protection Agency (US EPA - DfE SO EPA)

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

CONTINUOUS FILAMENT	GLASS FIBER, NON-RESPIRABLE				ID: 65997-17-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	: 2022-12-14 13:56:24	
%: 0.1000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Stre	ucture component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No wai	rnings found on HPD Pri	iority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
POSITIVE LIST	US Environmental Protection Ag	jency (US	US EPA - DfE S	SCIL .	
	EPA)		Green Circle - \	Verified Low Concern	

	,		Green Circle - Ve	erified Low Concern
POSITIVE LIST	US Environmental Protection Ag	ency (US	US EPA - DfE SC	CIL
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No warr	nings found on HPD Priority Hazard Lists
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
%: 0.0000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Water resistance
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-14 13:56:24
POTASSIUM SULFATE				ID: 7778-80-

BORIC ACID ID: 10043-35-3

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-12-14 13:56:22

SUBSTANCE NOTES:

%: 0.0000 - 0.4000	GreenScreen: LT-1	RC: None	NANO: <b>No</b>	SUBSTANCE ROLE: Buffer	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
END	TEDX - Potential Endocrine Disrup	tors	Potential Endocrine Disruptor		
REP	EU - SVHC Authorisation List		Toxic to reproduction	on - Candidate list	
DEV	MAK		Pregnancy Risk Gro	oup B	
REP	EU - Annex VI CMRs		Reproductive Toxic	ity - Category 1B	
MUL	ChemSec - SIN List		CMR - Carcinogen, Toxicant	Mutagen &/or Reproductive	
REP	EU - SVHC Authorisation List		Toxic to reproduction	on - Prioritized for listing	
END	EU - Priority Endocrine Disruptors		Category 1 - In vivo Activity	evidence of Endocrine Disruption	
REP	GHS - Japan		H360 - May damage reproduction - Cate	e fertility or the unborn child [Toxic to gory 1B]	
REP	GHS - Australia		•	age fertility. May damage the unborn toxicity - Category 1A or 1B]	
REP	EU - GHS (H-Statements) Annex 6	Table 3-1		age fertility. May damage the unborn toxicity - Category 1A or 1B]	
EYE	GHS - New Zealand		Eye irritation catego	ory 2	
MAM	GHS - Japan			age to organs [Specific target xicity following single exposure -	
SKI	GHS - Japan		H315 - Causes skin Category 2]	irritation [Skin corrosion / irritation -	
REP	GHS - New Zealand		Reproductive toxici	ty category 2	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Cradle to Cradle Products Innovati Institute (C2CPII)	on		oduct Standard Restricted SL) - Effective July 1, 2022	
			Biological and Envir	ronmentally Released Materials	
RESTRICTED LIST	Cradle to Cradle Products Innovati Institute (C2CPII)	on		oduct Standard Restricted SL) - Effective July 1, 2022	
			Children's Products		
RESTRICTED LIST	Cradle to Cradle Products Innovati Institute (C2CPII)	on		oduct Standard Restricted SL) - Effective July 1, 2022	
			Cosmetics & Persor	nal Care Products	
RESTRICTED LIST	Green Science Policy Institute (GS	PI)	GSPI - Six Classes	of Problematic Chemicals	
			Antimicrobials		

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

SODIUM POLYNAPHTHALENESULFONATE

ID: 9084-06-4

HAZARD DATA SOURCE: Pha	aros Chemical and Materials Library	HAZARD SO	CREENING DATE: 2	2022-12-14 13:56:23	
%: 0.0000 - 0.3000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Dispersant	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
РВТ	EC - CEPA DSL		Persistent, Bioacc (PBiTH) to human	cumulative and inherently Toxic s	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	International Living Future Institu	ute (ILFI)	Living Building Ch Chemicals	nallenge 4.0 - Red List of Materials &	
			Red List substand Challenge V4.0 pr	es to avoid in Living Building ojects	

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

## 2-PYRIDINETHIOL, 1-OXIDE, SODIUM SALT

ID: 3811-73-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE: 2022-12-14 13:56:23
%: 0.0100 - 0.1100	GreenScreen: LT-P1	RC: None	NANO: No SUBSTANCE ROLE: Antimicrobial Pesticide
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS
MUL	German FEA - Substances Haza Waters	rdous to	Class 2 - Hazard to Waters
MAM	GHS - Australia		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
			Cosmetics & Personal Care Products
RESTRICTED LIST	Green Science Policy Institute (C	GSPI)	GSPI - Six Classes of Problematic Chemicals
			Antimicrobials

SUBSTANCE NOTES:

COATED FIBERGLASS MAT %: 4.0000 - 6.0000

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present in this material at or above the Content Inventory Threshold indicated that return a GS score of BM-1, LT-1, LT-P1 or NoGS based on batch testing, supplier documentation, and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material and substances reported as ranges to account for formulation variations between manufacturing facilities and supplier disclosure preference.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2022-12-14 13:56:24			
%: 70.0000 - 75.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No v	warnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN	
POSITIVE LIST	US Environmental Protection Ag	jency (US	US EPA - Df	ESCIL	
	EPA)		Green Circle	- Verified Low Concern	
SUBSTANCE NOTES:					

L	JNDISCLOSED				ID: U	<b>Jndisclosed</b>
ŀ	HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2022-12-14 13:56:24	
q	%: <b>25.0000 - 30.0000</b>	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Bin	ıder
	HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
	None found			No warı	nings found on HPD Priority H	azard Lists
	ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
	None found			No	listings found on Additional H	azard Lists

SUBSTANCE NOTES: Supplier has shared substance identity under the terms of a non-disclosure agreement with third-party preparer; substance to remain proprietary to supplier. Substance has been screened against HPD Priority Lists using the HPD Builder with results disclosed.



This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

#### **UL/GreenGuard Certified**

CERTIFYING PARTY: Third Party

ISSUE DATE: 2019-03-10

CERTIFIER OR LAB: UL

APPLICABLE FACILITIES: Baltimore, MD; Medicine

EXPIRY DATE: 2023-12-28

Environment

Lodge, KS; Phoenix, AZ; Richmond, CA; Savannah, GA; Waukegan, IL; Wilmington, NC

CERTIFICATE URL: https://tinyurl.com/m428wtrr

CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: 145192-410. UL 2818 - 2013 Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Building materials are determined compliant in accordance with an Office environment with an air change of 0.68 hr -1 and a loading of 11.10 m2. Products tested in accordance with UL 2821 test method to show compliance to emission limits in UL 2818, Section 7.1.



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

Residuals and Impurities have been considered as stated in the Material Notes for each disclosed material.

#### MANUFACTURER INFORMATION

MANUFACTURER: Gold Bond Building Products, LLC provided by

National Gypsum Company
ADDRESS: 2001 Rexford Road
Charlotte NC 28211, USA

WEBSITE: https://www.goldbondbuilding.com

CONTACT NAME: Amy Hockett

TITLE: Manager - Architectural Services & Sustainability

PHONE: 704-365-7931

EMAIL: AmyH@NationalGypsum.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

**KEY** 

**AQU** Aquatic toxicity

CAN Cancer

**Hazard Types** 

**DEV** Developmental toxicity **END** Endocrine activity

EYE Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple
NEU Neurotoxicity

NF Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

#### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)
LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

### **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

# Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this