# Gold Bond® XP® Gypsum Board by Gold Bond Building Products, LLC provided by National Gypsum Company

# Health Product Declaration v2.3

created via: HPDC Online Builder

## HPD UNIQUE IDENTIFIER: 1635399680

CLASSIFICATION: 09 29 00 Gypsum Board

PRODUCT DESCRIPTION: Gold Bond® XP® Gypsum Board was designed to provide extra protection against mold and mildew compared to standard gypsum board products. The face paper is folded around the long edges to reinforce and protect the core, and the ends are square-cut and finished. Scores and snaps easily, with no special handling requirements, and features GridMarX guide marks on the board to allow for faster and more accurate installation. This HPD covers 1/2" Gold Bond® XP® Gypsum Board. National Gypsum Company is the exclusive service provider for products manufactured by Gold Bond Building Products, LLC; PermaBASE Building Products, LLC; and ProForm Finishing Products, LLC.

# Section 1: Summary

### **CONTENT INVENTORY**

- **Inventory Reporting Format**
- Nested Materials Method
- C Basic Method
- Threshold Disclosed Per
- C Material
- O Product

Threshold Level
100 ppm
1,000 ppm
Per GHS SDS

O Other

Residuals/Impurities Evaluation Completed in 2 of 2 Materials

Explanation(s) provided for Residuals/Impurities? • Yes O No

# **Nested Method / Product Threshold**

For all contents above the threshold, the	he manufacturer has:
Characterized	⊙ Yes ⊖ No
Provided weight and role.	
Screened	⊙ Yes ⊖ No
Provided screening results using HPD methods.	C-approved
Identified	⊙ Yes ⊖ No
Provided name and CAS RN or other	identifier.

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

### **NESTED MATERIAL | MATERIAL OR SUBSTANCE |** *RESIDUAL OR IMPURITY*

### GREENSCREEN SCORE | HAZARD TYPE

GYPSUM CORE [ GYPSUM BM-3dg | MAM STARCH LT-UNK PARAFFIN LT-UNK | MAM SILOXANES AND SILICONES, DI-ME, POLYMERS WITH 3-MERCAPTOPROPYL SILSESQUIOXANES LT-UNK POTASSIUM SULFATE LT-UNK POLIGNATE SODIUM LT-UNK DEXTROSE BM-3 SODIUM POLYNAPHTHALENESULFONATE LT-P1 PBT SILANETRIOL, 1-METHYL-, POTASSIUM SALT LT-UNK METAPHOSPHORIC ACID (H3P3O9), TRISODIUM SALT LT-UNK BORIC ACID LT-1 | END | DEV | REP | MUL | MAM | EYE | SKI PORTLAND CEMENT LT-P1 | CAN | END | MAM MONTAN WAX LT-UNK POLYVINYL ALCOHOL LT-UNK GLASS / MINERAL FIBER LT-UNK POLY(OXY-1,2-ETHANEDIYL), ALPHA-SULFO-OMEGA-HYDROXY-, C8-10-ALKYL ETHERS, AMMONIUM SALTS LT-UNK POLY(OXY-1,2-ETHANEDIYL), ALPHA-SULFO-OMEGA-HYDROXY-, C9-11-ALKYL ETHERS, SODIUM SALTS NoGS GLYCERIN LT-UNK PROTEIN HYDROLYSATE NoGS SODIUM SULFATE ANHYDROUS LT-UNK | MAM ] PAPER FACING [ RECYCLED PAPER STARCH NoGS 2,5-FURANDIONE, DIHYDRO-, MONO-C15-20-ALKENYL DERIVS. LT-UNK ]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, LT-1

Nanomaterial ... No

### INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional listings.

VOC emissions: UL/GreenGuard Gold Certified

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1. Third Party Verified?

⊙ Yes ⊙ No PREPARER: Elixir Environmental VERIFIER: VERIFICATION #: SCREENING DATE: 2024-06-27 PUBLISHED DATE: 2024-06-27 EXPIRY DATE: 2027-06-27 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

YPSUM CORE	%: 92.5000 - 95.0000				
RODUCT THRESHOLD: 100 pm	RESIDUALS AND IMPURITIES EV Yes	ALUATION CO	OMPLETED:	MATERIAL TYPE: Geo Material	logically Derived
dicated that have a GS score nemistry (Pharos CML).	S NOTES: No residuals or impurities are keep of BM-1, LT-1, LT-P1 or NoGS based on Percent by weight of material and substance	information pr	ovided in supplie	er disclosures and as pre	dicted by process
GYPSUM					ID: <b>13397-24</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAF	RD SCREENING DATE:	2024-06-27 11:04:
%: 92.5000 - 99.5000	GreenScreen: BM-3dg	RC: PreC	NANO: No	SUBSTANCE ROLE: S	Structure compone
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
МАМ	GHS - Japan		-	ause respiratory irritation - Single exposure - Cate	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN	
None found				No listings found on Ac	ditional Hazard List
	enScreen Benchmark® assessment score gypsum, or FGD gypsum, in this product v	-			-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAF	RD SCREENING DATE:	2024-06-27 11:04:
%: 0.2000 - 1.4000	GreenScreen: LT-UNK	RC: None	NANO: N	O SUBSTANCE F	ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No	warnings found on HPD	Priority Hazard List
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N	

1AZARD DATA SOURCE: F	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-06-27 11:04:1
%: <b>0.0000 - 0.9000</b>	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - Japan			use respiratory irritation [Specific target Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	l
None found				No listings found on Additional Hazard Lists
SILOXANES AND SILICONE	S, DI-ME, POLYMERS WITH 3-			ID: <b>108775-26</b> -
	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-06-27 11:04:1
6: <b>0.0000 - 0.8000</b>	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No w	varnings found on HPD Priority Hazard Lists
	LIST NAME AND SOURCE		NOTIFICATION	I
ADDITIONAL LISTINGS	LIST MAINE AND SOURCE			
ADDITIONAL LISTINGS	LIST NAME AND SOURCE			No listings found on Additional Hazard Lists
None found	tance not used in all manufacturing plants	s; please conta		
None found		s; please conta		
None found SUBSTANCE NOTES: Subs		s; please conta	act manufacturer i	f more information is required. ID: <b>7778-80-</b>
None found SUBSTANCE NOTES: Subs	tance not used in all manufacturing plants	s; please conta	act manufacturer i	f more information is required.
None found SUBSTANCE NOTES: Subs POTASSIUM SULFATE	etance not used in all manufacturing plants		act manufacturer i	f more information is required. ID: 7778-80- D SCREENING DATE: 2024-06-27 11:04:2
None found SUBSTANCE NOTES: Subs POTASSIUM SULFATE HAZARD DATA SOURCE: F 6: 0.0000 - 0.6000	Pharos Chemical and Materials Library GreenScreen: LT-UNK		act manufacturer i HAZARE NANO: <b>No</b> WARNINGS	f more information is required. ID: 7778-80- D SCREENING DATE: 2024-06-27 11:04:2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE:	2024-06-27 11:04:19
%: <b>0.0000 - 0.5000</b>	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE RC	LE: Dispersant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No wa	arnings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			Ν	lo listings found on Ad	ditional Hazard Lists
DEXTROSE					ID: <b>50-99-</b>
	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE:	
%: <b>0.0500 - 0.5000</b>	GreenScreen: BM-3	RC: None	NANO: No S	UBSTANCE ROLE: P	rocessing regulato
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No wa	arnings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Con EC)	nmission (EU	EU - REACH Exe	emptions	
	,		Exempted from F safety	REACH Annex IV listir	ig due to intrinsic
SUBSTANCE NOTES: Gr	eenScreen Benchmark® assessment score	of BM-3 was p	provided by the HP	D Builder Tool.	
SODIUM POLYNAPHTHA	LENESULFONATE				ID: <b>9084-06-</b> 4
	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE:	2024-06-27 11:04:1
HAZAND DATA SOUNCE.		RC: None	NANO: No	SUBSTANCE RC	LE: Dispersant
	GreenScreen: LT-P1				
<ul><li>HAZARD DATA SOURCE.</li><li>%: 0.0000 - 0.3000</li><li>HAZARD TYPE</li></ul>	LIST NAME AND SOURCE		WARNINGS		

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024
		Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: Declare Program Exception available for this substance: RL-009b Formaldehyde. GREENGUARD Gold Certification confirms that emissions levels in the final product comply with the thresholds required by Declare 2.0. Suppliers confirm free formaldehyde present at less than 0.05% in the dispersant product, which equates to less than 0.001% in the gypsum core. May also include CASRN 37293-74-6. Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

SILANETRIOL, 1-METHYL-, POTASSIUM SALT ID: 31795-24-1				
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-06-27 11:04:20
%: 0.0000 - 0.3000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No w	varnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	1
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	у	HAZAF	RD SCREENING DATE: 2024-06-27 11:04:22
%: 0.0000 - 0.2000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Sub	ostance not used in all manufacturing plan	its; please conta	act manufacture	r if more information is required.
BORIC ACID				ID: <b>10043-35-</b>

%: 0.0000 - 0.2000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Buffer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Dis	ruptors	Potential Endocrine	Disruptor
DEV	МАК		Pregnancy Risk Gro	pup B
REP	EU - Annex VI CMRs		Reproductive Toxic	ity - Category 1B
MUL	ChemSec - SIN List		CMR - Carcinogen,	Mutagen &/or Reproductive Toxicant
END	EU - Priority Endocrine Disrupto	ors	Category 1 - In vivo Activity	evidence of Endocrine Disruption
REP	GHS - Japan		H360 - May damage reproduction - Cate	e fertility or the unborn child [Toxic to gory 1B]
REP	GHS - Australia		-	age fertility. May damage the unborn toxicity - Category 1A or 1B]
REP	EU - GHS (H-Statements) Anne	ex 6 Table 3-1		age fertility. May damage the unborn toxicity - Category 1A or 1B]
МАМ	GHS - Japan		-	respiratory irritation [Specific target gle exposure - Category 3]
EYE	GHS - New Zealand		Eye irritation catego	pry 2
MAM	GHS - Japan			nage to organs [Specific target kicity following single exposure -
SKI	GHS - Japan		H315 - Causes skin Category 2]	irritation [Skin corrosion / irritation -
REP	GHS - New Zealand		Reproductive toxicit	ty category 2
REP	EU - SVHC List		Toxic to reproduction	on - Candidate list
REP	EU - SVHC List		Toxic to reproduction	on - Prioritized for listing
REP	EU - REACH Annex XVII CMRs	;	Reproductive toxica	ants: Category 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

## PORTLAND CEMENT

ID: 65997-15-1

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-06-27 11:04:		
6: <b>0.0000 - 0.2000</b>	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Buffer
HAZARD TYPE	LIST NAME AND SOURCI	Ξ	WARNINGS	
CAN	МАК		Carcinogen Group but not sufficient fo	3B - Evidence of carcinogenic effects or classification
END	TEDX - Potential Endocrine	TEDX - Potential Endocrine Disruptors		e Disruptor
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
МАМ	GHS - Japan		repeated exposure	mage to organs through prolonged or [Specific target organs/systemic toxicite exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCI	Ē	NOTIFICATION	
None found			No	listings found on Additional Hazard List
SUBSTANCE NOTES: Subst	ance not used in all manufacturing	plants: please conta	act manufacturer if me	ore information is required.

## MONTAN WAX

ID: 8002-53-7

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-06-27 11:04:22

%: 0.0000 - 0.2000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIC	N
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Su	bstance not used in all manufacturing plants	; please conta	act manufacturer	if more information is required.
POLYVINYL ALCOHOL				ID: <b>9002-89-5</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAR	D SCREENING DATE: 2024-06-27 11:04:23
%: 0.0000 - 0.2000	GreenScreen: LT-UNK	RC: None	NANO: NC	SUBSTANCE ROLE: Stabilizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIC	N
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES: Su	bstance not used in all manufacturing plants	; please conta	act manufacturer	if more information is required.
GLASS / MINERAL FIBER				ID: <b>65997-17-3</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAF	D SCREENING DATE: 2024-06-27 11:04:23
%: 0.0000 - 0.2000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions
		Exempted from REACH Annex V listing due to intrinsic safety

## POLY(OXY-1,2-ETHANEDIYL), ALPHA-SULFO-OMEGA-HYDROXY-, C8-10-ALKYL ETHERS, AMMONIUM SALTS

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-06-27 11:04:22

ID: 68891-29-2

HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No wa	rnings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			N	o listings found on Ac	ditional Hazard Lists
SUBSTANCE NOTES: Subs	stance not used in all manufacturing plants	s; please conta	act manufacturer if r	nore information is re	quired.
POLY(OXY-1,2-ETHANEDIY HYDROXY-, C9-11-ALKYL E	'L), ALPHA-SULFO-OMEGA- ETHERS, SODIUM SALTS				ID: 96130-61
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD S	SCREENING DATE:	2024-06-27 11:04:2
%: <b>0.0000 - 0.0600</b>	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE R	OLE: Surfactant
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No wa	rnings found on HPD	Priority Hazard List
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found SUBSTANCE NOTES: Subs	stance not used in all manufacturing plants	s; please conta		o listings found on Ad	
SUBSTANCE NOTES: Subs	stance not used in all manufacturing plants	s; please conta			
SUBSTANCE NOTES: Subs	stance not used in all manufacturing plants	s; please conta	ict manufacturer if r		quired. ID: <b>56-81</b>
SUBSTANCE NOTES: Subs SLYCERIN		s; please conta	act manufacturer if r	nore information is re	equired. ID: 56-81 2024-06-27 11:04:
SUBSTANCE NOTES: Subs SLYCERIN IAZARD DATA SOURCE: I 6: 0.0000 - 0.0600	Pharos Chemical and Materials Library		act manufacturer if r	nore information is re	equired. ID: 56-81 2024-06-27 11:04:
SUBSTANCE NOTES: Subs SLYCERIN IAZARD DATA SOURCE: I 6: 0.0000 - 0.0600 HAZARD TYPE	Pharos Chemical and Materials Library GreenScreen: LT-UNK		ACT MANUFACTURER IF R HAZARD S NANO: <b>No</b> SI WARNINGS	nore information is re	equired. ID: 56-81 2024-06-27 11:04: Processing regulate
SUBSTANCE NOTES: Subs SLYCERIN IAZARD DATA SOURCE: I 6: 0.0000 - 0.0600 HAZARD TYPE None found	Pharos Chemical and Materials Library GreenScreen: LT-UNK		ACT MANUFACTURER IF R HAZARD S NANO: <b>No</b> SI WARNINGS	nore information is re SCREENING DATE: UBSTANCE ROLE: F	equired. ID: 56-81 2024-06-27 11:04: Processing regulate
SUBSTANCE NOTES: Subs SLYCERIN HAZARD DATA SOURCE: I 6: 0.0000 - 0.0600 HAZARD TYPE None found ADDITIONAL LISTINGS	Pharos Chemical and Materials Library GreenScreen: LT-UNK LIST NAME AND SOURCE	RC: None	ACT MANUFACTURER IF R HAZARD S NANO: <b>No</b> SI WARNINGS No wa NOTIFICATION	nore information is re SCREENING DATE: UBSTANCE ROLE: F	Priority Hazard List
SUBSTANCE NOTES: Subs ALYCERIN IAZARD DATA SOURCE: I 6: 0.0000 - 0.0600 HAZARD TYPE None found ADDITIONAL LISTINGS	Pharos Chemical and Materials Library GreenScreen: LT-UNK LIST NAME AND SOURCE LIST NAME AND SOURCE	RC: None	ACT MANUFACTURER IF R HAZARD S NANO: <b>No</b> SI WARNINGS No wa NOTIFICATION	nore information is re SCREENING DATE: UBSTANCE ROLE: F	ID: 56-81 2024-06-27 11:04: Processing regulate
SUBSTANCE NOTES: Subs ALYCERIN AZARD DATA SOURCE: I 6: 0.0000 - 0.0600 HAZARD TYPE None found ADDITIONAL LISTINGS RESTRICTED LIST	Pharos Chemical and Materials Library GreenScreen: LT-UNK LIST NAME AND SOURCE LIST NAME AND SOURCE	RC: None	HAZARD S NANO: <b>No</b> SI WARNINGS No wa NOTIFICATION GSPI - Six Classe Some Solvents	nore information is re SCREENING DATE: UBSTANCE ROLE: F rnings found on HPD es Precautionary List	Priority Hazard List
SUBSTANCE NOTES: Subs GLYCERIN HAZARD DATA SOURCE: I %: 0.0000 - 0.0600 HAZARD TYPE None found ADDITIONAL LISTINGS RESTRICTED LIST	Pharos Chemical and Materials Library GreenScreen: LT-UNK LIST NAME AND SOURCE LIST NAME AND SOURCE Green Science Policy Institute (G	RC: None	HAZARD S NANO: <b>No</b> SI WARNINGS No wa NOTIFICATION GSPI - Six Classe Some Solvents	nore information is re SCREENING DATE: UBSTANCE ROLE: F rnings found on HPD es Precautionary List	Priority Hazard Lists

%: 0.0000 - 0.0200	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Processing regulator
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
None found				No listings found on Additional Hazard Lists

## SODIUM SULFATE ANHYDROUS

ID: 7757-82-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library			HAZARD SCREENING DATE: 2024-06-27 11:04:23		
%: 0.0000 - 0.0200	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Accelerator	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
МАМ	M GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			N	lo listings found on Additional Hazard Lists	

SUBSTANCE NOTES: Substance not used in all manufacturing plants; please contact manufacturer if more information is required.

## PAPER FACING

%: 5.0000 - 7.5000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Paper or Cardboard

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are known or expected to be present at or above the Content Inventory Threshold indicated that have a GS score of BM-1, LT-1, LT-P1 or NoGS based on information provided in supplier disclosures and as predicted by process chemistry (Pharos CML).

OTHER MATERIAL NOTES: Percent by weight of material and substances reported as ranges to account for possible formulation variations between manufacturing facilities.

RECYCLED PAPER ID: Biological				
HPDC Special Conditions Polic	су			
GreenScreen: Not Required	RC: PostC	NANO: No	MATERIAL ROLE: Structure component	
AGENCY AND LIST TIT	TLES	WARNINGS	;	
Hazard Screening	is not applicable to	o this Special Cond	ition	
S CATEGORY: Tree-based materia	als			
ION: 65996-61-4				
	GreenScreen: Not Required AGENCY AND LIST TI Hazard Screening S CATEGORY: Tree-based materi	AGENCY AND LIST TITLES Hazard Screening is not applicable to S CATEGORY: Tree-based materials	GreenScreen: Not Required RC: PostC NANO: No AGENCY AND LIST TITLES WARNINGS Hazard Screening is not applicable to this Special Cond S CATEGORY: Tree-based materials	

MATERIAL CONTENT NOTES: 100% of our gypsum board face and back paper is produced with post-consumer recycled content. The company's three paper mills produce paper from discarded cardboard and magazines.

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

STARCH					ID: 9005-25-8
HAZARD DATA SOURCE: F	Pharos Chemical and Materials Libra	ary	HAZARD S	CREENING DATE:	2024-06-27 11:04:23
%: <b>0.2000 - 0.5000</b>	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE F	ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No war	nings found on HPD	Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European (	Commission (EU	EU - REACH Exer	nptions	
	EC)		Exempted from RE safety	EACH Annex IV listir	ng due to intrinsic

SUBSTANCE NOTES:

2,5-FURANDIONE, DIHYDRO-, MONO-C15-20-ALKENYL DERIVS. ID: 68784-12-3					
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	/	HAZARD	SCREENING DATE: 2024-06-27 11:04:22	
%: 0.2000 - 0.5000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Sizing agent	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No wa	rnings found on HPD Priority Hazard Lists	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			N	o listings found on Additional Hazard Lists	

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

# VOC EMISSIONS

### **UL/GreenGuard Gold Certified**

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All facilities that manufacture Gold Bond® XP® Gypsum Board. ISSUE DATE: 2008-12-31 00:00:00 EXPIRY DATE: 2024-12-28 00:00:00 CERTIFIER OR LAB: UL Environment

CERTIFICATE URL: http://tinyurl.com/devy8bew CERTIFICATION AND COMPLIANCE NOTES: Certificate Number: 5888-420. UL 2818 - 2022 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Building products and interior finishes are determined compliant in accordance with California Department of Public Health (CDPH) Standard Method V1.2-2017 using an Office and Classroom Environment. Product tested in accordance with UL 2821 test method to show compliance to emission limits on UL 2818. Section 7.1 and 7.2.

# 🖶 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### PAPER JOINT TAPE PER ASTM C475

MANUFACTURER (OR GENERIC): Generic

### HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Finish gypsum board with either paper tape and ready mix joint compound; or fiberglass mesh or paper tape and setting compound. Refer to paper joint tape manufacturer for HPD information.

### **READY MIX JOINT COMPOUNDS PER ASTM C475**

MANUFACTURER (OR GENERIC): Generic

### HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Finish gypsum board with either paper tape and ready mix joint compound, fiberglass mesh, or paper tape and setting compound. Refer to ready mix joint compound manufacturer for HPD information.

# SETTING TYPE JOINT COMPOUNDS PER ASTM C475

MANUFACTURER (OR GENERIC): Generic

### HPD URL: No HPD Available

ACCESSORY TYPE: Installation Accessory

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Finish gypsum board with either paper tape and ready mix joint compound, fiberglass mesh, or paper tape and setting compound. Refer to setting type compound manufacturer for HPD information.

# Section 5: General Notes

### MANUFACTURER INFORMATION

MANUFACTURER: Gold Bond Building Products, LLC provided by National Gypsum Company ADDRESS: 2001 Rexford Road Charlotte, NC 28211 COUNTRY: USA WEBSITE: https://www.goldbondbuilding.com CONTACT NAME: Amy Hockett TITLE: Manager - Architectural Services & Sustainability PHONE: 704-365-7931 EMAIL: AmyH@NationalGypsum.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

## Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive)
REP Reproductive
RES Respiratory sensitization
SKI Skin sensitization/irritation/corrosivity
UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

### **Recycled Types**

GreenScreen (GS)

PreC Pre-consumer recycled content
 PostC Post-consumer recycled content
 UNK Inclusion of recycled content is unknown
 None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes) **BM-1** Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

#### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### **Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product **Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator<sup>TM</sup>, and when available, full GreenScreen<sup>®</sup> assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

#### Gold Bond XP Gypsum Board

for compliance with the HPD standard noted.