



chemical solutions to concrete problems

# NOX-CARB LIGHT BASE 350 COMPONENT A

# Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation (HPR)* (WHMIS 2015)

## Section 1. Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product Form** Mixture  
**Trade Name** NOX-CARB LIGHT BASE 350 COMPONENT A  
**Product Code** NCLB350A

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Industrial. For professional use only.

### 1.2.2 Uses Advised Against

No additional information available

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer

NOX-CRETE, INC.  
1444 SOUTH 20<sup>TH</sup> STREET  
OMAHA, NE 68108  
Tel: 402-341-2080  
Fax: 402-341-9752  
E-Mail: [corporate@nox-crete.com](mailto:corporate@nox-crete.com)  
Web Site: [www.nox-crete.com](http://www.nox-crete.com)

### 1.4 Emergency telephone number

**Emergency Number** Chemtrec (800) 424-9300  
Chemtrec Outside of U.S. 703-527-3887

## Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

Flam Liq. 2	H225
Acute Tox. 4 (inhalation)	H332
STOT SE 3 resp. irrit.	H335
STOT SE 3 drowsiness	H336
Carc. 2	H351

Full text of H phrases see section 16

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2 Label elements

Hazard pictograms



### Signal word

### Hazard statements

Danger  
H225 - Highly flammable liquid and vapor  
H332 - Harmful if inhaled.  
H335 - May cause respiratory irritation  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer



chemical solutions to concrete problems

# NOX-CARB LIGHT BASE 350 COMPONENT A

# Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

## Precautionary statements

### Prevention:

- P201 - Obtain special instructions before use
- P202 - Do not handle until all safety precautions have been read and understood
- P210 - Keep away from heat/sparks/open flames/hot surfaces-No smoking
- P233 - Keep container tightly closed
- P240 - Ground/bond container and receiving equipment
- P241 - Use explosion-proof electrical/ventilating/light/equipment
- P242 - Use only non-sparking tools
- P243 - Take precautionary measures against static discharge
- P260 - Do not breathe dust/fume/gas/mist/vapors/spray
- P271 - Use only outdoors or in a well-ventilated area
- P280 - Wear protective gloves/protective clothing/eye protection/face protection

### Response:

- P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician
- P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower
- P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- P308+P313 - IF exposed or concerned: Get medical advice/attention
- P331 - Do NOT induce vomiting
- P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction

### Storage:

P403+P405+P235+P233 - Store locked up in a cool well-ventilated place. Keep cool.

### Disposal:

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

## 2.3 Other hazards

Full text of H and P phrases: see section 16

## Section 3. Composition / information on ingredients

### 3.1 Substances

Not applicable

### 3.2 Mixture

Name	Product identifier	%
Xylene	1330-20-7	< 1.0
Solvent Naphtha	Trade Secret	Trade Secret
Ethylbenzene	100-41-4	< 0.1
1,2,4- Trimethylbenzene	95-63-6	< 4.0
Exempt Solvent	Trade Secret	Trade Secret
Cumene	98-82-8	< 0.2



chemical solutions to concrete problems

# NOX-CARB LIGHT BASE 350 COMPONENT A

# Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

## Section 4. First aid measures

### 4.1 Description of first aid measures

#### First-aid measures general

Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.

#### First-aid measures after inhalation

If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a Poison Center or doctor/physician.

#### First-aid measures after skin contact

If skin irritation persists, seek medical attention. Remove or take off immediately all contaminated clothing. Rinse skin with water or shower. Wash off immediately with soap and plenty of water.

#### First-aid measure after eye contact

When contact lenses are worn, remove if possible. In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes while holding eyelids apart. Get medical attention immediately.

#### First-aid measures after ingestion

Rinse mouth. DO NOT induce vomiting. Get medical attention immediately.

### 4.2 Most important symptoms and effects, acute and delayed

#### Symptoms/injuries after inhalation

May cause irritation to the respiratory tract. Overexposure to vapors may result in headache, nausea, drowsiness or dizziness.

#### Symptoms/injuries after skin contact

May cause skin irritation or burning sensation

#### Symptoms/injuries after eye contact

May cause eye irritation or injury

#### Symptoms/injuries after ingestion

May cause severe irritation or burns to the mucous membrane of the mouth, throat, esophagus and stomach

### 4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

## Section 5. Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Dry chemical, foam, carbon dioxide

#### Unsuitable extinguishing media

Do not use heavy water stream

### 5.2 Special hazards arising from the substance or mixture

#### Reactivity

Thermal decomposition products may cause a health hazard.

### 5.3 Advice for firefighters

#### Firefighting instructions

Flammable Liquid! This material releases vapors when heated above ambient temperatures. Vapors can cause a flash fire. Use water spray or fog to cool exposed containers.

#### Protective equipment for firefighters

Firefighters should always wear self-contained breathing apparatus (SCBA) and full protective gear when fighting any chemical fire.

#### Other information

On heating or burning harmful gasses/vapors may be released. This product may cause the floor to become slippery.

## Section 6. Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### General measures

Extremely Flammable. Eliminate any ignition sources. Dike or impound spilled material. Use Non-sparking tools. All equipment must be



chemical solutions to concrete problems

# NOX-CARB LIGHT BASE 350 COMPONENT A

# Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

## 6.11 Protective Equipment

## 6.2 Environmental precautions

## 6.3 Methods and materials for containment and cleaning up

### Methods for cleaning up

grounded. Take proper precautions to ensure your own health and safety before attempting spill control or cleanup.

Equip cleanup crew with proper protective equipment.

Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

Soak up spills with inert solids, such as clay or diatomaceous earth.

Collect into vapor tight containers and dispose of properly.

## Section 7. Handling and storage

### 7.1 Precautions for safe handling

#### Protective measures

Wash hands and other exposed areas with soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers tightly closed. Avoid breathing vapor or mist.

Wash contaminated clothing before reuse.

#### Hygiene measures

### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Store in accordance with local regulations. Store in original container in a cool well-ventilated place away from heat, sparks and open flame.

Keep containers tightly closed until ready for use.

#### Incompatible materials

Strong oxidizing agents

#### Storage temperature

Store in a cool dry environment away from sources of ignition.

## Section 8. Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

Ingredient name	Occupational exposure limits ACGIH TLV (United States)
Xylene	TWA: 100 ppm 8 hours
Cumene	TWA: 50 ppm 8 hours
1,2,4- Trimethylbenzene	TWA: 25 ppm 8 hours
Exempt Solvent	TWA: 50 ppm 8 hours
Solvent Naphtha	TWA: 100 ppm 8 hours
Ethylbenzene	TWA: 20 ppm 8 hours

### 8.2 Exposure controls

#### Appropriate engineering controls

Use with adequate ventilation to keep product vapor concentrations below specified TLV

#### Eye and face protection

Chemical goggles and/or face shields are recommended to prevent potential eye contact, irritation or injury.

#### Skin protection

Wear chemical resistant gloves and appropriate protective clothing and boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered before reuse.

#### Respiratory protection

General room ventilation is normally adequate. Avoid breathing the product mist or vapors. The use of an appropriate respirator is recommended whenever the airborne concentrations exceed the TLV.

## Section 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties



chemical solutions to concrete problems

# NOX-CARB LIGHT BASE 350 COMPONENT A

# Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

<b>Appearance</b>	Milky liquid
<b>Odor</b>	Strong Aromatic Odor
<b>Odor Threshold</b>	No data available
<b>PH</b>	No data available
<b>Melting point</b>	No data available
<b>Freezing point</b>	No data available
<b>Boiling point</b>	> 98 C (>208 F)
<b>Flash point</b>	> 4 C > 39 F PMCC
<b>Relative evaporation rate (butyl acetate=1)</b>	No data available
<b>Flammability (solid, gas)</b>	Flammable liquid and vapor
<b>Upper/lower explosive limits</b>	No data available
<b>Vapor pressure</b>	No data available
<b>Vapor density</b>	No data available
<b>Relative density (Specific gravity)</b>	1.28 Kg per Liter 10.66 Lbs per Gallon
<b>Solubility</b>	Water: Negligible
<b>Partition coefficient n-octanol/water</b>	No data available
<b>Auto-ignition temperature</b>	Not applicable
<b>Viscosity</b>	No data available
<b>VOC content</b>	Less than 350 g/l

## Section 10. Stability and reactivity

<b>10.1 Reactivity</b>	No additional information available
<b>10.2 Chemical stability</b>	Stable under normal conditions
<b>10.3 Possibility of hazardous reactions</b>	Hazardous polymerization will not occur.
<b>10.4 Conditions to avoid</b>	Extreme high or low temperatures.
<b>10.5 Incompatible materials</b>	Strong acids and oxidizers
<b>10.6 Hazardous decomposition products</b>	carbon monoxide, carbon dioxide, various hydrocarbon derivatives

## Section 11. Toxicology information

### 11.1 Information on toxicological effects

<b>Acute toxicity</b>	No adverse effects expected under intended use.
<b>Irritation/Corrosion</b>	May cause skin irritation
<b>Skin</b>	
<b>Eyes</b>	May causes serious eye irritation and damage.
<b>Respiration or skin sensitization</b>	May cause respiratory irritation
<b>Germ cell mutagenicity</b>	No data available

### Carcinogenicity IARC

Xylene	3
Cumene	2B
Ethylbenzene	2B

2B - Limited evidence in humans and less than sufficient evidence in animals.  
3 - Inadequate in humans and inadequate or limited in animals.

<b>Reproductive toxicity</b>	No data available
<b>Specific target organ toxicity</b>	
<b>Single exposure</b>	No data available
<b>Repeated exposure</b>	No data available
<b>Aspiration hazard</b>	May be fatal if swallowed and enters airways



chemical solutions to concrete problems

# NOX-CARB LIGHT BASE 350 COMPONENT A

# Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

## Section 12. Ecological information

<u>12.1 Ecotoxicity</u>	Not established
<u>12.2 Persistence and degradability</u>	Not established
<u>12.3 Bio accumulative potential</u>	Not established
<u>12.4 Mobility in soil</u>	No additional information available
<u>12.5 Other adverse effects</u>	Avoid release to the environment

## SECTION 13. Disposal Considerations

<u>13.1 Waste treatment methods</u>	The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.
-------------------------------------	--

## SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

<u>14.1 UN number</u>	UN1263
<u>14.2 UN proper shipping name</u>	Paint Related Material
<u>14.3 Transport hazard class(es)</u>	3
<u>14.4 Packing group</u>	II
<u>14.5 Environmental hazards</u>	No additional information available
<u>14.6 Special precautions for user</u>	
<u>14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</u>	No additional information available
<u>14.8 Transport in bulk according to CFR 49 173.15</u>	Not applicable

## SECTION 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.2 USA Regulations

##### Section 313

Contains the following ingredients at or above the reporting level requirements of Section 313. This information must be included in all SDS's copied or distributed for this material.

CHEMICAL	CAS #	MAX WEIGHT %
Xylene	1330-20-7	< 0.4
1,2,4- Trimethylbenzene	95-63-6	< 4.0
Cumene	98-82-8	< 0.2
Ethylbenzene	100-41-4	< 0.1

##### TSCA

All ingredients are listed or exempted

##### PROPOSITION 65

**WARNING: NOT FOR SALE IN CALIFORNIA**

#### 15.1.3 Canada Regulations

This SDS has been prepared according to the hazard criteria of the *Hazardous Products Regulation* (HPR) (WHMIS 2015) and the SDS contains all of the information required by the HPR



chemical solutions to concrete problems

# NOX-CARB LIGHT BASE 350 COMPONENT A

# Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

**DSL** All ingredients are listed or exempted

**15.2 Chemical safety assessment** A Chemical Safety Assessment has not been carried out.

## Section 16. Other information

Date of issue 1-25-2024  
Version 3.0  
Number 1026  
Date of previous issue 12-17-2023  
Preparer Nox-Crete, Inc.  
Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete, Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

### Full text of H and P phrases

Flam Liq. 2 H225  
Acute Tox. 4 (inhalation) H332  
STOT SE 3 resp. irrit. H335  
STOT SE 3 drowsiness H336  
Carc. 2 H351

H225 - Highly flammable liquid and vapor  
H332 - Harmful if inhaled.  
H335 - May cause respiratory irritation  
H336 - May cause drowsiness or dizziness  
H351 - Suspected of causing cancer

P201 - Obtain special instructions before use  
P202 - Do not handle until all safety precautions have been read and understood  
P210 - Keep away from heat/sparks/open flames/hot surfaces-No smoking  
P233 - Keep container tightly closed  
P240 - Ground/bond container and receiving equipment  
P241 - Use explosion-proof electrical/ventilating/light/equipment



chemical solutions to concrete problems

## NOX-CARB LIGHT BASE 350 COMPONENT A

## Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), *Hazardous Products Regulation* (HPR) (WHMIS 2015)

---

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower

P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P308+P313 - IF exposed or concerned: Get medical advice/attention

P331 - Do NOT induce vomiting

P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction

P403+P405+P235+P233 - Store locked up in a cool well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.