

## **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

### Section 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product Form Mixture

**Trade Name** STIFEL 40-350 **Product Code** ST40-350

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Use** Industrial. For professional use only.

#### 1.2.2 Uses Advised Against

No additional information available

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer

NOX-CRETE, INC.

1444 SOUTH 20TH STREET

OMAHA, NE 68108 Tel: 402-341-2080 Fax: 402-341-9752

E-Mail: <a href="mailto:corporate@nox-crete.com">corporate@nox-crete.com</a>
Web Site: <a href="mailto:www.nox-crete.com">www.nox-crete.com</a>

#### 1.4 Emergency telephone number

Emergency Number Chemtrec (800) 424-9300

Chemtrec Outside of U.S. 703-527-3887

#### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulations 29CFR 1910.1200, (EC) No. 1272/2008(CLP)(GHS)

Flam Liq. 3 H226 Skin Irrit. 2 H315 Eye Irrit. 2 H319

#### Full text of H phrases see section 16

Adverse physiochemical, human health and environmental effects

No additional information available

#### 2.2 Label elements

Hazard pictograms





Signal word Warning

Hazard statements H226 - Flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eye irritation

EN (English) Page 1 of 7



## **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Precautionary statements

Prevention P210 - Keep away from heat/sparks/open flames/hot surfaces-No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/light/.../equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash exposed area's thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product

Response P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately

all contaminated clothing. Rinse skin with water / shower

P305+P351+P338 -IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so - continue

rinsing.

P332+P313 - If skin irritation occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for

extinction

Storage P403+P235 - Store in a well-ventilated place. Keep cool.

Disposal P501 - Dispose of contents/container in accordance with

local/regional/national/international regulations.

2.3 Other hazards None known

Full text of H and P phrases: see section 16

## Section 3. Composition / information on ingredients

#### 3.1 Substances

Not applicable

### 3.2 Mixture

Name	Product identifier	%
Exempt Solvent	Trade Secret	Trade Secret
Silane	Trade Secret	Trade Secret

Pursuant to 29CFR 1910.1200(i) the specific chemical identity (and / or) concentration may be withheld as Trade Secret, while all health and safety properties and effects are included in the SDS. Balance of other ingredients are non-hazardous or less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers).

#### Section 4. First aid measures

### 4.1 Description of first aid measures

First-aid measures general

Get medical advice/attention if you feel unwell. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation

If the individual experiences nausea, dizziness, has difficulty in breathing seek a healthcare professional immediately. In all cases of doubt, or when symptoms persist, seek medical advice. Remove to fresh air and

EN (English) Page 2 of 7



## **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

keep at rest in a position comfortable for breathing. Immediately call a

Poison Center or doctor/physician.

First-aid measures after skin contact If skin irritation persists, seek medical attention. Remove or take off

immediately all contaminated clothing. Rinse skin with water or shower.

Wash off immediately with soap and plenty of water.

First-aid measure after eye contact When contact lenses are worn, remove if possible. In case of contact with

eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes

while holding eyelids apart. Get medical attention immediately.

Rinse mouth. DO NOT induce vomiting. Get medical attention

immediately.

4.2 Most important symptoms and effects, acute and delayed

Symptoms/injuries after inhalation May cause irritation to the respiratory tract. Overexposure to vapors may

result in headache, nausea, drowsiness or dizziness.

Symptoms/injuries after skin contact

May cause skin irritation or burning sensation May cause eye irritation or injury

Symptoms/injuries after eye contact Symptoms/injuries after ingestion

First-aid measures after ingestion

May cause severe irritation or burns to the mucous membrane of the

mouth, throat, esophagus and stomach

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available

## Section 5. Firefighting measures

5.1 Extinguishing media

Suitable extinguishing mediaDry chemical, foam, carbon dioxideUnsuitable extinguishing mediaDo not use heavy water stream

5.2 Special hazards arising from the substance or mixture

**Reactivity** Thermal decomposition products may cause a health hazard.

5.3 Advice for firefighters

Other information

Firefighting instructions Highly Flammable Liquid! This material releases vapors when heated

above ambient temperatures. Vapors can cause a flash fire. Use water

spray or fog to cool exposed containers.

Protective equipment for firefighters Firefighters should always wear self-contained breathing apparatus

(SCBA) and full protective gear when fighting any chemical fire. On heating or burning harmful gasses/vapors may be released.

This product may cause the floor to become slippery.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

General measures Extremely Flammable. Eliminate any ignition sources. Dike or impound

spilled material. Use Non-sparking tools. All equipment must be grounded. Take proper precautions to ensure your own health and

safety before attempting spill control or cleanup.

<u>6.11 Protective Equipment</u> Equip cleanup crew with proper protective equipment.

**6.2 Environmental precautions** Prevent entry to sewers and public waters.

Notify authorities if liquid enters sewers or public waters.

## 6.3 Methods and materials for containment and cleaning up

**Methods for cleaning up**Soak up spills with inert solids, such as clay or diatomaceous earth.

Collect into vapor tight containers and dispose of properly.

## Section 7. Handling and storage

#### 7.1 Precautions for safe handling

EN (English) Page 3 of 7



## Safety Data Sheet

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

Protective measures Wash hands and other exposed areas with soap and water before eating,

> drinking or smoking and when leaving work. Provide good ventilation in work areas to prevent formation of vapor. When not in use keep containers

tightly closed. Avoid breathing vapor or mist.

Hygiene measures Wash contaminated clothing before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions Store in accordance with local regulations. Store in original container in a

cool well-ventilated place away from heat, sparks and open flame. Keep

containers tightly closed until ready for use.

Incompatible materials Strong oxidizing agents

Store in a cool dry environment away from sources of ignition. Storage temperature

## Section 8. Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits If exposure limits exist, they are listed below. If no exposure limits are

displayed, then no values are applicable.

**Exposure controls** 

Appropriate engineering controls Use with adequate ventilation to keep product vapor concentrations

below specified TLV

Eye and face protection Chemical goggles and/or face shields are recommended to prevent

potential eye contact, irritation or injury.

Wear chemical resistant gloves and appropriate protective clothing and Skin protection

> boots as required to prevent skin contact. Wash exposed skin frequently with soap and water. Soiled clothing should be laundered

before reuse.

General room ventilation is normally adequate. Avoid breathing the Respiratory protection

product mist or vapors. The use of an appropriate respirator is

recommended whenever the airborne concentrations exceed the TLV.

## Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**Appearance** Clear liquid

Naphthalene odor Odor No data available **Odor Threshold** No data available PH No data available **Melting point** Freezing point No data available **Boiling point** > 28 C (>140 F)

Flash point >43 C 110 F PMCC

Relative evaporation rate (butyl acetate=1) No data available

Flammability (solid, gas) Flammable liquid and vapor

**Upper/lower explosive limits** No data available Vapor pressure No data available Vapor density No data available

Relative density (Specific gravity) 0.910 Kg per Liter 7.58 Lbs per Gallon

Solubility Water: Insoluble Partition coefficient n-octanol/water No data available **Auto-ignition temperature** Not applicable No data available **Viscosity VOC** content Less than 350 g/l

#### Section 10. Stability and reactivity

EN (English) Page 4 of 7



## **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

10.1ReactivityNo additional information available10.2Chemical stabilityStable under normal conditions

**10.3 Possibility of hazardous reactions** Hazardous polymerization will not occur.

**10.4 Conditions to avoid** Extreme high or low temperatures. All sources of ignition.

10.5 Incompatible materials Strong oxidizers

10.6 Hazardous decomposition products carbon monoxide, carbon dioxide, various hydrocarbon derivatives

### Section 11. Toxicology information

11.1 Information on toxicological effects

Acute toxicity

No adverse effects expected under intended use.

Irritation/Corrosion Skin May cause skin irritation

**Eyes** May causes serious eye irritation and damage.

Respiration or skin sensitization May cause respiratory irritation

Germ cell mutagenicity No data available

Carcinogenicity No component of this product present at levels greater than 0.1 % is

identified as a carcinogen by the U.S. National Toxicology Program, the U.S. Occupational Safety and Health Act, or the International Agency on

Research on Cancer (IARC)

Specific target organ toxicity

Single exposure No data available Repeated exposure No data available Aspiration hazard No data available

## Section 12. Ecological information

12.1 EcotoxicityNot established12.2 Persistence and degradabilityNot established12.3 Bioaccumulative potentialNot established

12.4 Mobility in soilNo additional information available12.5 Other adverse effectsAvoid release to the environment

### SECTION 13. Disposal Considerations

#### 13.1 Waste treatment methods

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all applicable local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

#### SECTION 14. Transport information

In accordance with ADR / RID / ADNR / IMDG / ICAO / IATA

**14.1 UN number** UN1263

**14.2 UN proper shipping name** Paint Related Material

14.3 Transport hazard class(es) 3
14.4 Packing group | |

**14.5 Environmental hazards**No additional information available

14.6 Special precautions for user

14.7 Transport in bulk according to

Annex II of MARPOL 73/78 and the IBC Code

No additional information available

14.8 Transport in bulk according to CFR 49 173.15 Not applicable

EN (English) Page 5 of 7



## **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

## SECTION 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.2 USA Regulations

Section 313

Contains the following ingredients at or above the reporting level requirements of Section 313. This information must be included in all

SDS's copied or distributed for this material.

CHEMICAL CAS # MAX WEIGHT %

Methanol 67-56-1 2.0

TSCA All ingredients are listed or exempted

PROPOSITION 65 NOT FOR SALE IN THE STATE OF CALIFORNIA

<u>15.1.3 Canada Regulations</u> This SDS has been prepared according to the hazard criteria of the

Hazardous Products Regulation (HPR) (WHMIS 2015) and the SDS

contains all of the information required by the HPR.

**DSL** All ingredients are listed or exempt.

15.2 Chemical safety assessment A Chemical Safety Assessment has not been carried out.

## Section 16. Other information

Date of issue/revision6-14-2024Version3.0Number1023Date of previous issue/revision12-15-2023PreparerNox-Crete, Inc.

Reference Documentation

The information and recommendations contained herein are, to the best of Nox-Crete, Inc.'s knowledge and belief, accurate and reliable as of the date issued. You can contact Nox-Crete. Inc. to ensure that this document is the most current available from Nox-Crete, Inc. The information and recommendations are offered for the buyer's/user's consideration and examination. It is the buyer's/user's responsibility to satisfy themselves that the product is suitable for the intended use. Appropriate warnings and safe-handling procedures should be provided to all handlers and users. Since conditions for use of the product are not under the control of the manufacturer, it is the buyer's/user's duty to determine the conditions necessary for the safe use of this product. Since the information provided herein may have been obtained in part from independent laboratories or other sources not under our direct supervision, no representation is made that the information is accurate, reliable, complete or representative and buyer/user may rely thereon only at their risk. We have made no effort to censor or to conceal deleterious aspects of this product. Further, since we cannot anticipate or control the many different conditions under which this information or our products may be used, we make no guarantee that the health and/or safety precautions we have suggested will be adequate for all individuals and /or situations involving its handling or use. Likewise, we make no guarantee or warranty of any kind that the use or disposal of this product is in compliance with all federal, state or local laws. It is the obligation of each buyer/user of the product mentioned herein to determine and comply with the requirements of all applicable statutes. If buyer/user repackages this product, it is the buyer's/user's responsibility to ensure proper health, safety and other necessary information is included with and/or on the container. Nox-Crete, Inc. urges each customer or recipient of this SDS to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with this product. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part is not permitted.

#### Full text of H and P phrases

EN (English) Page 6 of 7



## **Safety Data Sheet**

According to Regulation 29 CFR 1910.1200, Regulation (EC) No. 1272/2008 (CLP)(GHS), Hazardous Products Regulation (HPR) (WHMIS 2015)

H226 - Flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eye irritation

Flam Liq. 3 H226 Skin Irrit. 2 H315 Eye Irrit. 2 H319

H226 - Flammable liquid and vapor

H315 - Causes skin irritation

H319 - Causes serious eye irritation

P210 - Keep away from heat/sparks/open flames/hot surfaces-No smoking

P233 - Keep container tightly closed

P240 - Ground/bond container and receiving equipment

P241 - Use explosion-proof electrical/ventilating/light/.../equipment

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash exposed area's thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product

P303+P361+P353 - IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower

P305+P351+P338 -IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so – continue rinsing.

P332+P313 - If skin irritation occurs: Get medical advice/attention

P337+P313 - If eye irritation persists: Get medical advice/attention

P370+P378 - In case of fire: Use Dry chemical, foam, carbon dioxide for extinction

P403+P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.

EN (English) Page 7 of 7