# PABCORE® Shaftliner by PABCO Gypsum

# **Health Product** Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09 29 00 Finishes: Gypsum Board

PRODUCT DESCRIPTION: PABCORE® Shaftliner panels and PABCORE® MOLD CURB® PLUS Shaftliner panels are 1" gypsum panel products manufactured with a proprietary fire-resistant Type X core which has been reinforced with specialty additives to increase its fire-resistance. This core is encased in 100% recycled water-resistant face and back paper, and features a double beveled edge for ease of installation. PABCORE® MOLD CURB® PLUS is engineered with a proprietary mold and water- resistant chemistry to provide the most enhanced mold and water-resistant protection available in gypsum panel products. Both PABCORE® Products are designed for lining elevator, ventilation, and utility shafts as well as stairwell systems and area separation walls. PABCORE® Panels are key components in PABCO® Shaftwall/Stairwell and Area Separation Fire Wall (ASFW) Systems utilizing C-H, C-T Studs or H-Studs. These easy to erect systems provide superior sound attenuation in addition to one or two-hour fire-resistance ratings.



# Section 1: Summary

## **Basic Method / Product Threshold**

~~ \ \ \ \		
( -		ITORY
CON		IIVDI

<b>Inventory Reporting Format</b>
C Nested Materials Method
Basic Method
Threshold Disclosed Per

0	Material	
0	Product	

- C 100 ppm ① 1,000 ppm
- Per GHS SDS C Per OSHA MSDS
- Other

### Residuals/Impurities

- Considered
- C Partially Considered Not Considered
- Explanation(s) provided for Residuals/Impurities?
- Yes 
   No

All Substances Above the Threshold Indicated Are-

Characterized ○ Yes Ex/SC Yes No % weight and role provided for all substances.

○ Yes Ex/SC ○ Yes ○ No **Screened** All substances screened using Priority Hazard Lists with results disclosed.

O Yes Ex/SC O Yes O No Identified All substances disclosed by Name (Specific or Generic) and Identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

**GREENSCREEN SCORE** | HAZARD TYPE

PABCORE® SHAFTLINER [ CALCIUM SULFATE DIHYDRATE LT-UNK CELLULOSE PULP NoGS PARAFFIN LT-UNK VERMICULITE NoGS DEXTROSE LT-UNK STARCH LT-UNK GLASS FIBER LT-UNK | CAN ]

Number of Greenscreen BM-4/BM3 contents ... 0 Contents highest concern GreenScreen

Benchmark or List translator Score ... LT-UNK

Nanomaterial ... No

**INVENTORY AND SCREENING NOTES:** 

### **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) -Residential scenario

**CONSISTENCY WITH OTHER PROGRAMS** 

No pre-checks completed or disclosed.

Third Party Verified?

C Yes No

PREPARER: Self-Prepared VERIFIER:

**VERIFICATION #:** 

SCREENING DATE: 2018-12-28 PUBLISHED DATE: 2019-01-07 EXPIRY DATE: 2021-12-28



# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

#### **PABCORE® SHAFTLINER**

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Raw material obtained from naturally occurring gypsum mineral may contain crystalline silica. Refer to the product SDS for more on the content of silica. The amount of silica that can be reduced to respirable is dependent on many factors and testing has shown that the cut and score method does not produce respirable silica above OSHA Permissible Exposure Limit (PEL).

OTHER PRODUCT NOTES:

**CALCIUM SULFATE DIHYDRATE** ID: 10101-41-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-28		
%: 85.0000 - 95.0000	GS: <b>LT-UNK</b>	RC: PreC	NANO: <b>No</b>	ROLE: Core Substrate
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: Naturally occurring gypsum mineral and recycled Ca(SO4) º 2H2O

**CELLULOSE PULP** ID: 65996-61-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-28			
%: <b>3.0000 - 5.0000</b>	GS: <b>NoGS</b>	RC: Both	nano: <b>No</b>	ROLE: Core Encasing	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES: 100% Recycled Paper

**PARAFFIN** ID: 8002-74-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-28			
	%: 2.0000 - 4.0000	gs: <b>LT-UNK</b>	RC: UNK	nano: <b>No</b>	ROLE: Water Repellent
	HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		

SUBSTANCE NOTES:

VERMICULITE ID: 1318-00-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2018-12-28

Moi 1.0000 - 2.0000

GS: NOGS

RC: None NANO: No ROLE: Improve Fire Resistance

WARNINGS

No hazards found

SUBSTANCE NOTES: N/A

DEXTROSE ID: 9004-53-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-28			
%: 0.0000 - 0.3000	GS: LT-UNK	RC: UNK	NANO: <b>No</b>	ROLE: Drying Additive	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
	No hazards found				

SUBSTANCE NOTES:

STARCH ID: 9005-25-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-28		
%: <b>0.0000 - 0.4000</b>	GS: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Core Adhesive
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: N/A

GLASS FIBER ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-12-28		
%: 0.0000 - 0.4000	gs: LT-UNK	RC: None	nano: <b>No</b>	ROLE: Core Strengthening
HAZARD TYPE	AGENCY AND LIST TITLES	WARNIN	IGS	
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		

SUBSTANCE NOTES: N/A



# **Section 3: Certifications and Compliance**

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

#### **VOC EMISSIONS**

CDPH Standard Method V1.2 (Section 01350/CHPS) - Residential scenario

CERTIFYING PARTY: Third Party

ISSUE DATE: 2018-

EXPIRY DATE:

CERTIFIER OR LAB: Berkeley

Analytical

APPLICABLE FACILITIES: PABCO Gypsum 8000 E Lake 10-19

Mead Blvd. Las Vegas, NV 89115 United States

CERTIFICATE URL:

**CERTIFICATION AND COMPLIANCE NOTES:** 



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

#### STEEL FRAMING

HPD URL: No HPD Available

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Steel J-Track and C-H, C-T Studs or H-Studs shall be selected per building codes, fire design, or acoustical design as specified in the Basis of Design (BOD).



## Section 5: General Notes

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight.

#### MANUFACTURER INFORMATION

MANUFACTURER: PABCO Gypsum

**ADDRESS: PO Box 364329** 

North Las Vegas Nevada 89036, United States

WEBSITE: https://www.pabcogypsum.com

CONTACT NAME: Deborah Callaway

TITLE: Technical Services Manager--Gypsum

PHONE: **866-282-9298** 

EMAIL: deborah.callaway@pabcogypsum.com

#### **KEY**

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Hazard Types** 

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity **END** Endocrine activity

**EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

MAM Mammalian/systemic/organ toxicity

**MUL** Multiple hazards

**NEU** Neurotoxicity

**OZO** Ozone depletion

**PBT** Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

**Recycled Types** 

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

**Both** Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

LT-P1 List Translator Possible Benchmark 1
LT-1 List Translator Likely Benchmark 1

NoGS Unknown (no data on List Translator Lists)

**LT-UNK** List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)

**Other Terms** 

**Inventory Methods:** 

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances
  created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.