Revision Date 06/15/2022



### **SECTION 1. IDENTIFICATION**

Product name	:	Sika® AEA-14
Company name	:	Sika Corporation
		201 Polito Avenue Lyndhurst, NJ 07071 USA www.sikausa.com
Telephone	:	(201) 933-8800
Telefax		(201) 804-1076
E-mail address		ehs@sika-corp.com
Emergency telephone	:	CHEMTREC: 800-424-9300 INTERNATIONAL: +1-703-527-3887
Recommended use of the chemical and restrictions on use	:	For further information, refer to product data sheet.

## **SECTION 2. HAZARDS IDENTIFICATION**

Skin sensitization: Category 1GHS label elements:Hazard pictograms:Signal Word:Hazard Statements:Hazard Statements:Precautionary Statements:Precautionary Statements:Preceutionary Statements:Preceutionary Statements:Preceutionary Statements:Preceutionary Statements:Preceutionary Statements:Preceutionary Statements:Page 1:Preceution::P261 Avoid breathing mist or vapors.P272 Contaminated work clothing must not be allowed out of the workplace.P280 Wear protective gloves.P302 + P352 IF ON SKIN: Wash with plenty of soap and water.P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.P362 + P364 Take off contaminated clothing and wash it before1/9	GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)				
Hazard pictograms:Hazard pictograms:Signal Word:WarningHazard Statements:Hazard Statements:Precautionary Statements:Precautionary Statements:Prevention: P261 Avoid breathing mist or vapors. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves.Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before	•	Category 1			
Signal Word       :       Warning         Hazard Statements       :       H317 May cause an allergic skin reaction.         Precautionary Statements       :       Prevention:         P261 Avoid breathing mist or vapors.       P272 Contaminated work clothing must not be allowed out of the workplace.         P280 Wear protective gloves.       P302 + P352 IF ON SKIN: Wash with plenty of soap and water.         P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.       P362 + P364 Take off contaminated clothing and wash it before	GHS label elements				
Hazard Statements       :       H317 May cause an allergic skin reaction.         Precautionary Statements       :       Prevention:         P261 Avoid breathing mist or vapors.       P272 Contaminated work clothing must not be allowed out of the workplace.         P280 Wear protective gloves.       P280 Wear protective gloves.         Response:       P302 + P352 IF ON SKIN: Wash with plenty of soap and water.         P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.       P362 + P364 Take off contaminated clothing and wash it before	Hazard pictograms :				
Precautionary Statements       :         Prevention:       P261 Avoid breathing mist or vapors.         P272 Contaminated work clothing must not be allowed out of the workplace.       P280 Wear protective gloves.         P280 Wear protective gloves.       P302 + P352 IF ON SKIN: Wash with plenty of soap and water.         P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.       P362 + P364 Take off contaminated clothing and wash it before	Signal Word :	Warning			
Prevention: P261 Avoid breathing mist or vapors. P272 Contaminated work clothing must not be allowed out of the workplace. P280 Wear protective gloves. Response: P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before	Hazard Statements :	H317 May cause an allergic skin reaction.			
P302 + P352 IF ON SKIN: Wash with plenty of soap and water. P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before	Precautionary Statements :	P261 Avoid breathing mist or vapors. P272 Contaminated work clothing must not be allowed out of the workplace.			
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention. P362 + P364 Take off contaminated clothing and wash it before		Response:			
-		P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.			
	-				

Revision Date 06/15/2022



#### reuse.

#### Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

## **Additional Labeling**

There are no ingredients with unknown acute toxicity used in a mixture at a concentration >= 1%.

#### Other hazards

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Mixtures

#### Components

Chemical name	CAS-No.	Classification	Concentra- tion (% w/w)
Tall oil, sodium salt	65997-01-5	Skin Irrit. 2; H315 Eye Irrit. 2A; H319 Skin Sens. 1B; H317 STOT SE 3; H335	>= 5 - < 10

Actual concentration is withheld as a trade secret

## **SECTION 4. FIRST AID MEASURES**

General advice	:	Move out of dangerous area. Consult a physician. Show this material safety data sheet to the doctor in attend- ance.
If inhaled	:	Move to fresh air. Consult a physician after significant exposure.
In case of skin contact	:	Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. If symptoms persist, call a physician.
In case of eye contact	:	Remove contact lenses. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting without medical advice. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	:	sensitizing effects Allergic reactions May cause an allergic skin reaction.



Revision Date 06/15/2022

Notes to physician	: Treat symptomatically.
--------------------	--------------------------

## **SECTION 5. FIRE-FIGHTING MEASURES**

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Further information	:	Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for fire-fighters	:	In the event of fire, wear self-contained breathing apparatus.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Use personal protective equipment. Deny access to unprotected persons.
Environmental precautions	:	Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

## SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion	:	Normal measures for preventive fire protection.
Advice on safe handling	:	<ul> <li>Avoid exceeding the given occupational exposure limits (see section 8).</li> <li>Do not get in eyes, on skin, or on clothing.</li> <li>For personal protection see section 8.</li> <li>Persons with a history of skin sensitization problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.</li> <li>Smoking, eating and drinking should be prohibited in the application area.</li> <li>Follow standard hygiene measures when handling chemical products.</li> </ul>
Conditions for safe storage	:	Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and

Revision Date 06/15/2022



kept upright to prevent leakage. Store in accordance with local regulations.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.			
Engineering measures :	Use of adequate ventilation should be sufficient to control worker exposure to airborne contaminants. If the use of this product generates dust, fumes, gas, vapor or mist, use pro- cess enclosures, local exhaust ventilation or other engineer- ing controls to keep worker exposure below any recommend- ed or statutory limits.		
Personal protective equipment			
Respiratory protection :	Use a properly fitted NIOSH approved air-purifying or air-fed respirator complying with an approved standard if a risk as- sessment indicates this is necessary.		
	The filter class for the respirator must be suitable for the max- imum expected contaminant concentration (gas/vapor/aerosol/particulates) that may arise when han- dling the product. If this concentration is exceeded, self- contained breathing apparatus must be used.		
Hand protection :	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is nec- essary.		
Eye protection :	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary.		
Skin and body protection :	Choose body protection in relation to its type, to the concen- tration and amount of dangerous substances, and to the spe- cific work-place.		
Hygiene measures :	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Remove contaminated clothing and protective equipment before entering eating areas. Wash thoroughly after handling.		

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	liquid
Color	:	dark brown
Odor	:	woody

## Revision Date 06/15/2022



	Odor Threshold	:	No data available
	рН	:	ca. > 10 (73 °F / 23 °C)
	Melting point/range / Freezing	:	No data available
	point Boiling point/boiling range	:	No data available
	Flash point	:	> 212 °F / > 100 °C (Method: closed cup)
	Evaporation rate	:	No data available
	Flammability (solid, gas)	:	No data available
	Upper explosion limit / Upper flammability limit	:	No data available
	Lower explosion limit / Lower flammability limit	:	No data available
	Vapor pressure	:	23 hpa
	Relative vapor density	:	No data available
	Density	:	ca. 1.01 g/cm3 (73 °F / 23 °C)
	Solubility(ies) Water solubility	:	completely soluble
	Solubility in other solvents	:	No data available
	Partition coefficient: n-	:	No data available
	octanol/water Autoignition temperature	:	No data available
	Decomposition temperature	:	No data available
	Viscosity Viscosity, dynamic	:	No data available
	Viscosity, kinematic	:	ca. > 20.5 mm2/s (104 °F / 40 °C)
	Explosive properties	:	No data available
	Oxidizing properties	:	No data available
	Volatile organic compounds (VOC) content	:	Not applicable
-		_	

## SECTION 10. STABILITY AND REACTIVITY

Reactivity

: No dangerous reaction known under conditions of normal use.

Revision Date 06/15/2022



Chemical stability	:	The product is chemically stable.
Possibility of hazardous reac- tions	:	Stable under recommended storage conditions.
Conditions to avoid	:	No data available
Incompatible materials	:	No data available
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

## SECTION 11. TOXICOLOGICAL INFORMATION

Not classified based on available information.

#### Skin corrosion/irritation

Not classified based on available information.

#### Serious eye damage/eye irritation

Not classified based on available information.

## Respiratory or skin sensitization

#### Skin sensitization

May cause an allergic skin reaction.

#### **Respiratory sensitization**

Not classified based on available information.

#### Germ cell mutagenicity

Not classified based on available information.

#### Carcinogenicity

Not classified based on available information. IARC Not applicable

OSHA Not applicable

NTP Not applicable

## **Reproductive toxicity**

Not classified based on available information.

#### STOT-single exposure

Not classified based on available information.

#### STOT-repeated exposure

Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels.

#### Aspiration toxicity

Not classified based on available information.

Revision Date 06/15/2022



#### **SECTION 12. ECOLOGICAL INFORMATION**

Ecotoxicity	
No data available	
<b>Persistence and degradability</b> No data available	
Bioaccumulative potential No data available	
<b>Mobility in soil</b> No data available	
Other adverse effects	
<b>Product:</b> Additional ecological infor- : mation	Do not empty into drains; dispose of this material and its con- tainer in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods		
Waste from residues	:	Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal.

## **SECTION 14. TRANSPORT INFORMATION**

## **International Regulations**

IATA-DGR Not regulated as a dangerous good

IMDG-Code Not regulated as a dangerous good

#### **Domestic regulation**

**49 CFR** Not regulated as a dangerous good

## **SECTION 15. REGULATORY INFORMATION**

**TSCA** list

: All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory

Revision Date 06/15/2022



exemption.

### CERCLA Reportable Quantity

Listed substances in the product are at low enough levels to not be expected to exceed the RQ

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards	:	Respiratory or skin sensitization
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

#### **Clean Air Act**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

#### California Prop. 65

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

#### SECTION 16. OTHER INFORMATION

#### Full text of other abbreviations

#### Notes to Reader

The information contained in this Safety Data Sheet applies only to the actual Sika Corporation ("Sika") product identified and described herein. This information is not intended to address, nor does it address the use or application of the identified Sika product in combination with any other material, product or process. All of the information set forth herein is based on technical data regarding the identified product that Sika believes to be reliable as of the date hereof. Prior to each use of any Sika product, the user must always read and follow the warnings and instructions on the product's current Product Data Sheet, product label and Safety Data Sheet for each Sika product, which are available at web site and/or telephone number listed in Section 1 of this SDS.

SIKA MAKES NO WARRANTIES EXPRESS OR IMPLIED AND ASSUMES NO LIABILITY ARISING FROM THIS INFORMATION OR ITS USE. SIKA SHALL NOT BE LIABLE UNDER ANY LEGAL THEORY FOR SPECIAL OR CONSEQUENTIAL DAMAGES AND SHALL NOT BE RESPONSIBLE FOR THE USE OF THIS PRODUCT IN A MANNER TO INFRINGE ON ANY PATENT OR ANY OTHER INTELLECTUAL PROPERTY RIGHTS HELD BY OTHERS.

All sales of Sika products are subject to its current terms and conditions of sale available at www.sikausa.com or 201-933-8800.

Revision Date 06/15/2022

000000604011

Revision Date 06/15/2022

US / Z8

