



SINAK

SUSTAINABLE BUILDING SOLUTIONS

LithiumCure 2000™ COMPARISON

DAY OF CONCRETE PLACEMENT TO SEALER / DENSIFIER

WATER CURE

- SIGNIFICANT RISK OF CURLING IF NOT SEALED AFTER BLANKET REMOVAL
- NO ACCESS TO SLAB FOR 7 DAYS
- HARDENER/DENSIFIER CANNOT BE INSTALLED FOR 14-28 DAYS AFTER CONCRETE PLACEMENT
- EQUAL TO A 7 DAY WATER CURE COMPRESSIVE STRENGTH
- CAUSES DIFFERENTIAL CURING (ZEBRA STRIPING)
- POLY AND BURLAP REQUIRE DISPOSAL AFTER USE

Wet Surface & Install Blankets

1 DAY
\$.26 per sqft.

Re-Wet & Check Daily

3-14 DAYS
(Prevailing Wage/Labor Cost per Hour)

Remove & Clean/Rinse

1 DAY
(Prevailing Wage/Labor Cost per Hour)

Ready to Seal

14-28 DAYS
(Prevailing Wage/Labor Cost per Hour)

TOTAL \$0.26 per sqft
+ Labor (5-44 Days)

LithiumCure 2000™

- ELIMINATES SLAB CURL
- IMMEDIATE SLAB ACCESS
- SEALER CAN BE INSTALLED 5 DAYS AFTER CONCRETE PLACEMENT
- EQUAL TO A 28-DAY WATER CURE COMPRESSIVE STRENGTH
- 100% SLAB HYDRATION (ELIMINATES ZEBRA STRIPING)
- ENVIRONMENTALLY FRIENDLY, ZERO WASTE

Apply LithiumCure 2000™

1 DAY
\$.10 per sq ft MSRP

5 DAYS

Ready to Seal

READY FOR HARDENER/DENSIFIER /POLISH SYSTEM
(IF REQUIRED)

TOTAL \$.10 /sqft.

MANUFACTURED IN THE U.S.A.



800.523.3147 www.SINAK.com 4901 MORENA BLVD. #601, SAN DIEGO, CA 92117

