

## PRODUCT BULLETIN

# StoVentro™ Sub-construction




### DESCRIPTION

StoVentro™ Sub-construction is an adjustable, thermally efficient structural system of brackets, rails, fasteners, and accessories for StoVentec® Systems and other rainscreen wall cladding assemblies. Safe and long-lasting, the sub-construction absorbs both the wind loads and dead loads present on the facade. Alongside structural suitability, the design of the sub-construction incorporates corrosion resistance and a reduction in thermal bridging, while also being quick and easy to install.

### STOVENTRO BRACKET – Galvanized Steel


StoVentro Steel Brackets are offered primarily in Zn-Al-Mg galvanized steel. Stainless Steel versions are also available. \* Steel brackets are offered with and without a spring finger, for insertion of StoVentro T or L-Profiles. Large Brackets (FP) transfer dead loads and wind loads to the primary structure. Small Brackets (GP) transfer only wind loads to the primary structure. A thermal break accessory is available with the brackets to minimize thermal bridging effects. Minimum bracket depth for those with spring fingers is 80mm. \* *Zn-Al-Mg-Galvanized steel brackets (up to 120mm depth w/o spring fingers) are stocked in inventory. Deeper sizes, those with spring fingers, as well as all stainless steel brackets are made to order and/or imported, requiring a lead time.*

	StoVentro Bracket Large Brackets (FP)	StoVentro Bracket Small Brackets (GP)	
Thickness	2.0mm (1/8in)	2.0mm (1/16in)	
Height	130mm (5-1/8 in)	75mm (2-15/16in)	
Depth	40mm – 360mm depth in 20mm increments (1-9/16in - 14-3/16in in 13/16in)		
Adjustability	30mm (1-3/16in)	30mm (1-3/16in)	

### STOVENTRO BRACKET – ALUM

StoVentro Bracket – ALUM is an aluminum wall bracket. Large Brackets (FP) transfer dead loads and wind loads to the primary structure. Small Brackets (GP) transfer only wind loads to the primary structure. A thermal break accessory is available with the brackets to minimize thermal bridging effects.

Thermal Blocking Element - 6mm (1/4in) thick thermal break accessory that isolates the wall bracket from thermal bridging effects of the primary structure, available in two sizes to match the footprint of the large or small bracket.

	StoVentro Bracket-ALUM Large Brackets (FP)	StoVentro Bracket-ALUM Small Brackets (GP)	
Thickness	40mm-180mm Brackets 3.2mm (1/8in)	40mm-180mm Brackets 3.2mm (1/8in)	
	200mm-320mm Brackets 4.2mm (3/16in)	200mm-320mm Brackets 4.2mm (3/16in)	
Height	135mm (5-5/16 in)	95.5mm (3-3/4in)	
Depth	40mm – 320mm depth in 20mm increments (1-9/16in – 12-5/8in in 13/16in)		
Adjustability	30mm (1-3/16in)	30mm (1-3/16in)	


## PRODUCT BULLETIN

# StoVentro™ Sub-construction

### STOVENTRO BRACKET – PHSS

StoVentro Bracket – PHSS is a specially designed bracket for Passive House wall construction that is free from thermal bridges and maximizes the thickness of insulation that can be used in the wall assembly. *\*PHSS brackets are made to order and imported only, requiring a lead time.*


Thermal Blocking Element – 10mm (3/8in) thick thermal break accessory that isolates the wall bracket from thermal bridging effects of the primary structure, in two sizes to match the footprint of the large or small bracket. Thermal Sliding Element – 1mm (1/32in) thick thermal break accessory that isolates the StoVentro ‘T’ or ‘L’-Profiles from thermal bridging effects of the wall bracket.

	StoVentro-PHSS Large Brackets (FP)	StoVentro-PHSS Small Brackets (GP)	
Thickness	1.5mm (1/16in)	1.5mm (1/16in)	
Height	135mm (5-5/16in)	65mm (2-1/2in)	
Depth	200-360mm in 10mm increments (7-7/8in – 14-3/16in in 3/8in)		
Adjustability	30mm (1-3/16in)	30mm (1-3/16in)	

### STOVENTRO THERMAL BLOCKING ELEMENT

Thermal Blocking Element - 6mm (1/4in) thick thermal break accessory that isolates the wall bracket from thermal bridging effects of the primary structure, available in two sizes to match the footprint of the large or small bracket for the ALUM and Steel StoVentro Brackets.


Thermal Blocking Element - 10mm (3/8in) thick thermal break accessory that isolates the wall bracket from thermal bridging effects of the primary structure, available in two sizes to match the footprint of the large or small bracket in the PHSS StoVentro Brackets.

	6mm Thermal Blocking Element	10mm Thermal Blocking Element	
Thickness	6mm (1/4in)	10mm (3/8in)	
Height	Matches corresponding ALUM & Steel brackets	Matches corresponding PHSS brackets	
Hole Pattern	Matches corresponding ALUM & Steel brackets	Matches corresponding PHSS brackets	

### STOVENTRO T-PROFILES and L-PROFILES

StoVentro T and L-Profiles are aluminum rails/profiles. The profiles are the supporting sub-construction for the rainscreen attachment profile or cladding. StoVentro T-Profiles come in two sizes for more flexibility of attaching rainscreen claddings. StoVentro L-Profiles are also used to stiffen outside corners at cantilevered sections rainscreen cladding.

Thermal Sliding Element – 1mm (1/32in) thick thermal break accessory that isolates the StoVentro ‘T’ or ‘L’-Profiles from thermal bridging effects of the wall bracket.


	StoVentro T-Profiles	StoVentro L-Profile	
Thickness	2.7mm (1/8in)	2.7mm (1/8in)	
Bearing Surface	90mm or 120mm (3-9/16in) or (4-3/4in)	40mm x 50mm (1-9/16in x 2in)	
Insertion Leg	52.7mm (2in)	40mm or 50mm (1-9/16in or 2in)	
Length	Standard, 3m (9ft-10in) Custom available, 6m (19ft-7in)		

## PRODUCT BULLETIN



# StoVentro™ Sub-construction

### STOVENTRO EXTENSION BRACKETS

StoVentro Extension Brackets are made of aluminum or stainless-steel to fit with the respective aluminum or steel brackets. The extension brackets allow for in the field flexibility. Brackets allow for up to 60mm of extension from bracket.



	StoVentro Steel Extension Brackets	StoVentro ALUM Extension Brackets	
Thickness	2.0mm (1/16in)	3.2mm (1/8in)	
Height	FP: 130.5mm (5-1/8in) GP: 75.5mm (3in)	FP: 135mm (5-5/16in) GP: 95.5mm (3-3/4in)	
Depth	100mm (3-15/16in)	100mm (3-15/16in)	
Hole Pattern	Matches corresponding bracket		

### STOVENTRO SUB-CONSTRUCTION SCREWS

	<p>The StoVentro Sub-construction Screw is a self-drilling, hexagonal head stainless steel screw with a hardened drill point and overtightening protection for attachment of StoVentro T-Profiles and StoVentro L-Profiles to StoVentro Brackets.</p> <p>Size: 5.5mm x 22mm (3/16in x 7/8in), 500 per box</p>
	<p>The StoVentro Bracket to Steel Stud Fastener with washer, is a self-drilling hexagonal head stainless steel screw (Bi-Metal) with a hardened drill point for attachment of StoVentro Brackets to metal stud walls.</p> <p>Size: 1/4-14 x 2" (1/4in x 2in), 250 per bag</p>


### PRODUCT LIST

For list all the SKUs, products, and photos, see StoVentro™ Product List.

Sto Corp. Part number	Category	Sub-category	Description	UOM	Qty per package	Image
09618-001	Bracket	Bkt, Alum	Bkt, Alum, FP, 40mm, 3.2mm	PC	20	
09618-002	Bracket	Bkt, Alum	Bkt, Alum, FP, 60mm, 3.2mm	PC	20	
09618-003	Bracket	Bkt, Alum	Bkt, Alum, FP, 80mm, 3.2mm	PC	20	
09618-004	Bracket	Bkt, Alum	Bkt, Alum, FP, 100mm, 3.2mm	PC	20	
09618-005	Bracket	Bkt, Alum	Bkt, Alum, FP, 120mm, 3.2mm	PC	20	
09618-006	Bracket	Bkt, Alum	Bkt, Alum, FP, 140mm, 3.2mm	PC	20	
09618-007	Bracket	Bkt, Alum	Bkt, Alum, FP, 160mm, 3.2mm	PC	20	
09618-008	Bracket	Bkt, Alum	Bkt, Alum, FP, 180mm, 3.2mm	PC	20	
09618-009	Bracket	Bkt, Alum	Bkt, Alum, FP, 200mm, 4.2mm	PC	20	
09618-010	Bracket	Bkt, Alum	Bkt, Alum, FP, 220mm, 4.2mm	PC	20	
09618-011	Bracket	Bkt, Alum	Bkt, Alum, FP, 240mm, 4.2mm	PC	20	
09618-012	Bracket	Bkt, Alum	Bkt, Alum, FP, 260mm, 4.2mm	PC	20	
09618-013	Bracket	Bkt, Alum	Bkt, Alum, FP, 280mm, 4.2mm	PC	20	
09618-014	Bracket	Bkt, Alum	Bkt, Alum, FP, 300mm, 4.2mm	PC	20	
09618-015	Bracket	Bkt, Alum	Bkt, Alum, FP, 320mm, 4.2mm	PC	20	
09619-001	Bracket	Bkt, Alum	Bkt, Alum, GP, 40mm, 3.2mm	PC	20	
09619-002	Bracket	Bkt, Alum	Bkt, Alum, GP, 60mm, 3.2mm	PC	20	
09619-003	Bracket	Bkt, Alum	Bkt, Alum, GP, 80mm, 3.2mm	PC	20	
09619-004	Bracket	Bkt, Alum	Bkt, Alum, GP, 100mm, 3.2mm	PC	20	
09619-005	Bracket	Bkt, Alum	Bkt, Alum, GP, 120mm, 3.2mm	PC	20	
09619-006	Bracket	Bkt, Alum	Bkt, Alum, GP, 140mm, 3.2mm	PC	20	

## PRODUCT BULLETIN

## StoVentro™ Sub-construction

09619-007	Bracket	Bkt, Alum	Bkt, Alum, GP, 160mm, 3.2mm	PC	20	
09619-008	Bracket	Bkt, Alum	Bkt, Alum, GP, 180mm, 3.2mm	PC	20	
09619-009	Bracket	Bkt, Alum	Bkt, Alum, GP, 200mm, 4.2mm	PC	20	
09619-010	Bracket	Bkt, Alum	Bkt, Alum, GP, 200mm, 4.2mm	PC	20	
09619-011	Bracket	Bkt, Alum	Bkt, Alum, GP, 240mm, 4.2mm	PC	20	
09619-012	Bracket	Bkt, Alum	Bkt, Alum, GP, 260mm, 4.2mm	PC	20	
09619-013	Bracket	Bkt, Alum	Bkt, Alum, GP, 280mm, 4.2mm	PC	20	
09619-014	Bracket	Bkt, Alum	Bkt, Alum, GP, 300mm, 4.2mm	PC	20	
09619-015	Bracket	Bkt, Alum	Bkt, Alum, GP, 320mm, 4.2mm	PC	20	
81879-009	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 40mm, 2mm	PC	60	
81879-002	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 60mm, 2mm	PC	60	
81879-003	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 80mm, 2mm	PC	60	
81879-004	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 100mm, 2mm	PC	60	
81879-005	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 120mm, 2mm	PC	60	
81879-006	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 140mm, 2mm	PC	60	
81879-007	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 160mm, 2mm	PC	60	
81879-008	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 180mm, 2mm	PC	60	
81879-001	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 200mm, 2mm	PC	60	
09687-002	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 220mm, 2mm	PC	20	
09687-003	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 240mm, 2mm	PC	20	
09687-004	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 260mm, 2mm	PC	20	
09687-005	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 280mm, 2mm	PC	20	
09687-006	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 300mm, 2mm	PC	20	
09687-007	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 320mm, 2mm	PC	20	
09687-008	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 340mm, 2mm	PC	20	
09687-009	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, FP, 360mm, 2mm	PC	20	
81880-009	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 40mm, 2mm	PC	60	
81880-007	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 60mm, 2mm	PC	60	
81880-008	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 80mm, 2mm	PC	60	
81880-001	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 100mm, 2mm	PC	60	
81880-002	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 120mm, 2mm	PC	60	
81880-003	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 140mm, 2mm	PC	60	
81880-004	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 160mm, 2mm	PC	60	
81880-005	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 180mm, 2mm	PC	60	
81880-006	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 200mm, 2mm	PC	60	
09688-007	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 220mm, 2mm	PC	20	
09688-008	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 240mm, 2mm	PC	20	
09688-009	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 260mm, 2mm	PC	20	
09688-010	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 280mm, 2mm	PC	20	
09688-011	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 300mm, 2mm	PC	20	
09688-012	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 320mm, 2mm	PC	20	
09688-013	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 340mm, 2mm	PC	20	
09688-014	Bracket	Bkt, Zn-Al-Mg	Bkt, ZM, GP, 360mm, 2mm	PC	20	
09689-001	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 80mm, with spring	PC		
09689-002	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 100mm, with spring	PC		
09689-003	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 120mm, with spring	PC		
09689-004	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 140mm, with spring	PC		
09689-005	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 160mm, with spring	PC		
09689-006	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 180mm, with spring	PC		
09689-007	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 200mm, with spring	PC		
09689-008	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 220mm, with spring	PC		
09689-009	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 240mm, with spring	PC		
09689-010	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 260mm, with spring	PC		
09689-011	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 280mm, with spring	PC		
09689-012	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 300mm, with spring	PC		





## PRODUCT BULLETIN

## StoVentro™ Sub-construction

09689-013	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 320mm, with spring	PC		
09689-014	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 340mm, with spring	PC		
09689-015	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, FP, 360mm, with spring	PC		
09690-001	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 80mm, with spring	PC		
09690-002	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 100mm, with spring	PC		
09690-003	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 120mm, with spring	PC		
09690-004	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 140mm, with spring	PC		
09690-005	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 160mm, with spring	PC		
09690-006	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 180mm, with spring	PC		
09690-007	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 200mm, with spring	PC		
09690-008	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 220mm, with spring	PC		
09690-009	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 240mm, with spring	PC		
09690-010	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 260mm, with spring	PC		
09690-011	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 280mm, with spring	PC		
09690-012	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 300mm, with spring	PC		
09690-013	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 320mm, with spring	PC		
09690-014	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 340mm, with spring	PC		
09690-015	Bracket	Bkt, Zn-Al-Mg w/ spring	Bkt, ZM, GP, 360mm, with spring	PC		

## PRODUCT LIST

For list all the SKUs, products, and photos, see StoVentro™ Product List.



Sto Corp. Part number	Category	Sub-category	Description	UOM	Qty per package	Image
09610-017	Bracket	Bkt Stainless	Bkt, SS, FP, 60mm	PC	20	
09610-018	Bracket	Bkt Stainless	Bkt, SS, FP, 80mm	PC	20	
09610-019	Bracket	Bkt Stainless	Bkt, SS, FP, 100mm	PC	20	
09610-020	Bracket	Bkt Stainless	Bkt, SS, FP, 120mm	PC	20	
09610-021	Bracket	Bkt Stainless	Bkt, SS, FP, 140mm	PC	20	
09610-022	Bracket	Bkt Stainless	Bkt, SS, FP, 160mm	PC	20	
09610-023	Bracket	Bkt Stainless	Bkt, SS, FP, 180mm	PC	20	
09610-024	Bracket	Bkt Stainless	Bkt, SS, FP, 200mm	PC	20	
09610-025	Bracket	Bkt Stainless	Bkt, SS, FP, 220mm	PC	20	
09610-026	Bracket	Bkt Stainless	Bkt, SS, FP, 240mm	PC	20	
09610-027	Bracket	Bkt Stainless	Bkt, SS, FP, 260mm	PC	20	
09610-028	Bracket	Bkt Stainless	Bkt, SS, FP, 280mm	PC	20	
09610-029	Bracket	Bkt Stainless	Bkt, SS, FP, 300mm	PC	20	
09610-030	Bracket	Bkt Stainless	Bkt, SS, FP, 320mm	PC	20	
09610-031	Bracket	Bkt Stainless	Bkt, SS, FP, 340mm	PC	20	
09610-032	Bracket	Bkt Stainless	Bkt, SS, FP, 360mm	PC	20	
09612-017	Bracket	Bkt Stainless	Bkt, SS, GP, 60mm	PC	20	
09612-018	Bracket	Bkt Stainless	Bkt, SS, GP, 80mm	PC	20	
09612-019	Bracket	Bkt Stainless	Bkt, SS, GP, 100mm	PC	20	
09612-020	Bracket	Bkt Stainless	Bkt, SS, GP, 120mm	PC	20	
09612-021	Bracket	Bkt Stainless	Bkt, SS, GP, 140mm	PC	20	
09612-022	Bracket	Bkt Stainless	Bkt, SS, GP, 160mm	PC	20	
09612-023	Bracket	Bkt Stainless	Bkt, SS, GP, 180mm	PC	20	
09612-024	Bracket	Bkt Stainless	Bkt, SS, GP, 200mm	PC	20	
09612-025	Bracket	Bkt Stainless	Bkt, SS, GP, 220mm	PC	20	
09612-026	Bracket	Bkt Stainless	Bkt, SS, GP, 240mm	PC	20	
09612-027	Bracket	Bkt Stainless	Bkt, SS, GP, 260mm	PC	20	
09612-028	Bracket	Bkt Stainless	Bkt, SS, GP, 280mm	PC	20	
09612-029	Bracket	Bkt Stainless	Bkt, SS, GP, 300mm	PC	20	
09612-030	Bracket	Bkt Stainless	Bkt, SS, GP, 320mm	PC	20	
09612-031	Bracket	Bkt Stainless	Bkt, SS, GP, 340mm	PC	20	
09612-032	Bracket	Bkt Stainless	Bkt, SS, GP, 360mm	PC	20	


## PRODUCT BULLETIN

# StoVentro™ Sub-construction

### PRODUCT LIST


For list all the SKUs, products, and photos, see StoVentro™ Product List.

Sto Corp. Part number	Category	Sub-category	Description	UOM	Qty per package	Image
09614-016	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 80mm, with spring	PC	20	
09614-017	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 100mm, with spring	PC	20	
09614-018	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 120mm, with spring	PC	20	
09614-019	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 140mm, with spring	PC	20	
09614-020	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 160mm, with spring	PC	20	
09614-021	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 180mm, with spring	PC	20	
09614-022	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 200mm, with spring	PC	20	
09614-023	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 220mm, with spring	PC	20	
09614-024	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 240mm, with spring	PC	20	
09614-025	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 260mm, with spring	PC	20	
09614-026	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 280mm, with spring	PC	20	
09614-027	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 300mm, with spring	PC	20	
09614-028	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 320mm, with spring	PC	20	
09614-029	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 340mm, with spring	PC	20	
09614-030	Bracket	Bkt, SS w/ spring	Bkt, SS, FP, 360mm, with spring	PC	20	
09617-017	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 80mm, with spring	PC	20	
09617-018	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 100mm, with spring	PC	20	
09617-019	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 120mm, with spring	PC	20	
09617-020	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 140mm, with spring	PC	20	
09617-021	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 160mm, with spring	PC	20	
09617-022	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 180mm, with spring	PC	20	
09617-023	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 200mm, with spring	PC	20	
09617-024	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 220mm, with spring	PC	20	
09617-025	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 240mm, with spring	PC	20	
09617-026	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 260mm, with spring	PC	20	
09617-027	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 280mm, with spring	PC	20	
09617-028	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 300mm, with spring	PC	20	
09617-029	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 320mm, with spring	PC	20	
09617-030	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 340mm, with spring	PC	20	
09617-031	Bracket	Bkt, SS w/ spring	Bkt, SS, GP, 360mm, with spring	PC	20	

Sto Corp. Part number	Category	Sub-category	Description	UOM	Qty per package	Image
09391-001	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 200mm	PC	20	
09391-002	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 210mm	PC	20	
09391-003	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 220mm	PC	20	
09391-004	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 230mm	PC	20	
09391-005	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 240mm	PC	20	
09391-006	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 250mm	PC	20	
09391-007	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 260mm	PC	20	
09391-008	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 270mm	PC	20	
09391-009	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 280mm	PC	20	
09391-010	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 290mm	PC	20	
09391-011	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 300mm	PC	20	
09391-012	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 310mm	PC	20	
09391-013	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 320mm	PC	20	
09391-014	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 330mm	PC	20	
09391-015	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 340mm	PC	20	

## PRODUCT BULLETIN

# StoVentro™ Sub-construction

09391-016	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 350mm	PC	20	
09391-017	Bracket	Bkt, PH	Bkt, Passive House, SS, FP, 360mm	PC	20	
09386-001	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 200mm	PC	20	
09386-002	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 210mm	PC	20	
09386-003	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 220mm	PC	20	
09386-004	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 230mm	PC	20	
09386-005	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 240mm	PC	20	
09386-006	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 250mm	PC	20	
09386-007	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 260mm	PC	20	
09386-008	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 270mm	PC	20	
09386-009	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 280mm	PC	20	
09386-010	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 290mm	PC	20	
09386-011	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 300mm	PC	20	
09386-012	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 310mm	PC	20	
09386-013	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 320mm	PC	20	
09386-015	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 340mm	PC	20	
09386-016	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 350mm	PC	20	
09386-017	Bracket	Bkt, PH	Bkt, Passive House, SS, GP, 360mm	PC	20	

Sto Corp. Part number	Category	Sub-category	Description	UOM	Qty per package	Image
08198-001	Profile	Profile	T-rail, 90 X 52 X 2.7mm, 3m	PC	1	
08198-002	Profile	Profile	L-rail, 50 X 40 X 2.7mm, 3m	PC	1	
08208-001	Profile	Profile	Agraffe Rail, 8, 10, or 12 ft	PC	1	
08208-002	Profile	Profile	Carrier Rail, 8, 10, or 12 ft	PC	1	
81815-001	Profile	Profile	Hat Channel, 1/2", 8, 10, or 12 ft	PC	1	
81815-002	Profile	Profile	Hat Channel, 1", 8, 10, or 12 ft	PC	1	
81747-002	Profile	Profile	T-rail, 120 x 52 x 2.7mm, 3m	PC	1	

## PRODUCT BULLETIN

# StoVentro™ Sub-construction

### PRODUCT LIST

For list all the SKUs, products, and photos, see StoVentro™ Product List.

07025-009	Fastener	Fastener	Fastener, bkt to profile, Ventro HWH 5.5X22 MM, SS	PC	500	
81651-001	Fastener	Fastener	Fastener, bkt to steel stud, HWH 1/4-14 x 2" w/ wshr, SS	PC	250	
07610-006	Accessory	Thermal isolator	Thermal Blocking Elem, FP, for Alum Bkt	PC	Inquire	
07610-007	Accessory	Thermal isolator	Thermal Blocking Elem, GP, for Alum Bkt	PC	Inquire	
07610-008	Accessory	Thermal isolator	Sto-Thermal Blocking Elem FP for Steel Bkt	PC	Inquire	
07610-009	Accessory	Thermal isolator	Sto-Thermal Blocking Elem GP for Steel Bkt	PC	Inquire	
09392-002	Accessory	Thermal isolator	Thermal Sliding Element PH Small	PC	Inquire	
09392-003	Accessory	Thermal isolator	Thermal Sliding Element PH Large	PC	Inquire	
09691-001	Accessory	Bracket extension	Extension, bkt, Zn-Al-Mg, FP 100mm	PC	Inquire	
09691-002	Accessory	Bracket extension	Extension, bkt, Zn-Al-Mg, GP 100mm	PC	Inquire	
81649-001	Accessory	Bracket extension	Extension, bkt, SS, GP	PC	Inquire	
81649-002	Accessory	Bracket extension	Extension, bkt, SS, FP	PC	Inquire	
81650-001	Accessory	Bracket extension	Extension, bkt, Alum, GP	PC	Inquire	
81650-002	Accessory	Bracket extension	Extension, bkt, Alum, FP	PC	Inquire	



## PRODUCT BULLETIN

---

# StoVentro™ Sub-construction

**Sto Corp.**

3800 Camp Creek Parkway  
Building 1400, Suite 120  
Atlanta, GA 30331  
Tel: 404-346-3666  
Toll Free: 1-800-221-2397  
Fax: 404 346-3119

[www.stocorp.com](http://www.stocorp.com)

Revision Number: 3.0  
Date: 5/2024

**ATTENTION**

This product is intended for use by qualified professional contractors, not consumers, as a component of a larger construction assembly as specified by a qualified design professional, general contractor or builder. It should be installed in accordance with those specifications and Sto's instructions. Sto Corp. disclaims all, and assumes no, liability for on-site inspections, for its products applied improperly, or by unqualified persons or entities, or as part of an improperly designed or constructed building, for the nonperformance of adjacent building components or assemblies, or for other construction activities beyond Sto's control. Improper use of this product or use as part of an improperly designed or constructed larger assembly or building may result in serious damage to this product, and to the structure of the building or its components. **STO CORP. DISCLAIMS ALL WARRANTIES EXPRESSED OR IMPLIED EXCEPT FOR EXPLICIT LIMITED WRITTEN WARRANTIES ISSUED TO AND ACCEPTED BY BUILDING OWNERS IN ACCORDANCE WITH STO'S WARRANTY PROGRAMS WHICH ARE SUBJECT TO CHANGE FROM TIME TO TIME.** For the fullest, most current information on proper application, clean-up, mixing and other specifications and warranties, cautions and disclaimers, please refer to the Sto Corp. website, [www.stocorp.com](http://www.stocorp.com).