SAFETY DATA SHEET

1. Identification

Product identifier BEADEX™ Drywall Joint Tape

Other means of identification

SDS number 61000054001

Synonyms Drywall Tape, Cellulose Tape

Recommended use Interior use.

Use in accordance with manufacturer's recommendations. **Recommended restrictions**

Manufacturer / Importer / Supplier / Distributor information

United States Gypsum Company Company name

550 West Adams Street **Address**

Chicago, Illinois 60661-3637

Telephone 1-800-874-4968 Website www.usg.com 1-800-507-8899 **Emergency phone number**

2. Hazard(s) identification

Physical hazards Not classified. **Health hazards** Not classified. Not classified. **OSHA** defined hazards

Label elements

None. **Hazard symbol** Signal word None. **Hazard statement** None.

Precautionary statement

Prevention Observe good industrial hygiene practices. Response Get medical attention/advice if you feel unwell.

Storage Store as indicated in Section 7.

Dispose of in accordance with local, state, and federal regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Cellulose	9004-34-6	90 - 100
Calcium carbonate	471-34-1	1-5

Composition comments All concentrations are in percent by weight unless ingredient is a gas.

4. First-aid measures

Inhalation Due to the physical nature of this product, inhalation is unlikely. There are no known health effects

due to inhalation.

Skin contact Direct, prolonged or repeated contact with the skin may cause irritation. Contact along a length of

the edge of the paper may result in a paper cut of the skin. Cuts or abrasions should be treated

promptly with thorough cleansing of the affected area.

Direct contact can cause irritation of eyes. Immediately flush eye(s) with plenty of water. If burning, Eye contact

redness, itching, pain or other symptoms persist or develop, consult physician.

Ingestion Due to the physical nature of this product, ingestion is unlikely. There are no known health effects

due to ingestion.

Most important

symptoms/effects, acute and

delayed

Mechanical irritation of skin, eyes and respiratory system.

BEADEX™ Drywall Joint Tape

916594 Version #: 01 Revision date: -Issue date: 05-February-2014 Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically.

General information Ensure that medical personnel are aware of the material(s) involved.

5. Fire-fighting measures

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

Specific hazards arising from

the chemical

Not a fire hazard.

Not applicable.

Special protective equipment and precautions for firefighters

Selection of respiratory protection for firefighting: follow the general fire precautions indicated in the workplace. Self-contained breathing apparatus and full protective clothing must be worn in

case of fire.

Fire-fighting

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

Specific methods

Cool material exposed to heat with water spray and remove it if no risk is involved.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

See Section 8 of the SDS for Personal Protective Equipment.

Methods and materials for containment and cleaning up

No specific clean-up procedure noted. For waste disposal, see Section 13 of the SDS.

7. Handling and storage

Precautions for safe handling

Avoid contact with skin and eyes. Wear appropriate personal protective equipment. Wash hands

after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store away from incompatible materials. Protect product from physical damage.

8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Ventilation is not normally required.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear approved safety goggles.

Skin protection

It is a good industrial hygiene practice to minimize skin contact. For prolonged or repeated skin Hand protection

contact use suitable protective gloves.

Other Normal work clothing (long sleeved shirts and long pants) is recommended.

Respiratory protection Not necessary under normal conditions.

Thermal hazards

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Observe any medical surveillance requirements.

9. Physical and chemical properties

Appearance

Physical state Solid. Form Paper tape. Color White

Low to no odor. Odor Odor threshold Not applicable. Not applicable. Melting point/freezing point 451 °F (232.78 °C) Initial boiling point and boiling Not applicable.

range

Flash point Not applicable. **Evaporation rate** Not applicable.

BEADEX™ Drywall Joint Tape

Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits Not applicable.

Flammability limit - upper

Flammability limit - lower

(%)

Not applicable.

Explosive limit - lower (%) Not applicable. Explosive limit - upper (%) Not applicable. Vapor pressure Not applicable.

Vapor density Not applicable. Relative density 1.2 (H2O=1)

Solubility(ies)

Insoluble in water. Solubility (water) Partition coefficient Not applicable.

(n-octanol/water)

Auto-ignition temperature Not applicable. **Decomposition temperature** Not applicable. **Viscosity** Not applicable.

Other information

Bulk density 75 lb/ft3 VOC (Weight %) 0 %

10. Stability and reactivity

Reactivity Not available.

Material is stable under normal conditions. **Chemical stability** Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion Under normal conditions of intended use, this material does not pose a risk to health.

Inhalation Not likely, due to the form of the product.

Skin contact Direct, prolonged or repeated contact with the skin may cause irritation.

Direct contact may cause mechanical irritation of the eyes. Eye contact

Symptoms related to the physical, chemical and toxicological characteristics

May cause mechanical irritation of skin and eyes.

Information on toxicological effects

Acute toxicity None known.

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation. Serious eye damage/eye

irritation

Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

No data available. Respiratory sensitization Skin sensitization Not a skin sensitizer.

Germ cell mutagenicity Not expected to be mutagenic. Carcinogenicity Not expected to cause cancer.

Reproductive toxicity Not expected to be a reproductive hazard. Specific target organ toxicity -No data available, but none expected.

single exposure

Specific target organ toxicity -No data available, but none expected.

repeated exposure

BEADEX™ Drywall Joint Tape SDS US

916594 Version #: 01 Revision date: -Issue date: 05-February-2014

Due to the physical form of the product it is not an aspiration hazard. **Aspiration hazard**

No other specific acute or chronic health impact noted. **Further information**

12. Ecological information

The product components are not classified as environmentally hazardous. However, this does not **Ecotoxicity**

exclude the possibility that large or frequent releases can have a harmful or damaging effect on

the environment.

Persistence and degradability No data available.

Bioaccumulation is not expected. Bioaccumulative potential The product is not mobile in soil. Mobility in soil

Other adverse effects None expected.

13. Disposal considerations

Dispose in accordance with applicable federal, state, and local regulations. Recycle responsibly. **Disposal instructions**

Local disposal regulations Dispose of in accordance with local regulations.

Not regulated. Hazardous waste code

Waste from residues / unused

products

Dispose of in accordance with local regulations.

Contaminated packaging Dispose of in accordance with local regulations.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable. This product is a solid. Therefore, bulk transport is governed by IMSBC code.

15. Regulatory information

US federal regulations This product is not hazardous according to OSHA 29CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Immediate Hazard - No **Hazard categories**

Delayed Hazard - No Fire Hazard - No. Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Nο

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

(SDWA)

Not regulated.

This product does not contain a chemical known to the State of California to cause cancer, birth **US state regulations**

defects or other reproductive harm.

BEADEX™ Drywall Joint Tape SDS US

US. Massachusetts RTK - Substance List

Cellulose (CAS 9004-34-6)

US. New Jersey Worker and Community Right-to-Know Act

Cellulose (CAS 9004-34-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Cellulose (CAS 9004-34-6)

US. Rhode Island RTK

Not regulated.

US. California Proposition 65

US - California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance

Not listed.

International Inventories

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing

16. Other information, including date of preparation or last revision

Issue date 05-February-2014

Revision date - Version # 01

Further information This product as sold and under normal conditions of intended use, does not present an inhalation,

ingestion or skin hazard. However, individual user processes, (such as sanding, abrasive blasting, etc.) may result in the formation of dust and/or particulate that may present a variety of health

hazards.


NFPA Ratings: 0

Health:

Flammability: 0 Physical hazard: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

NFPA Ratings



List of abbreviations NFPA: National Fire Protection Association.

References HSDB® - Hazardous Substances Data Bank

Disclaimer This information is provided without warranty. The information is believed to be correct. This

information should be used to make an independent determination of the methods to safeguard

workers and the environment.

BEADEX™ Drywall Joint Tape SDS US