

SAFETY DATA SHEET

V							Page 1 of 3	
			ODUCT AND	COMPANY	IDENTIFICATION			
Product:	2255-WHI	TE		Part Numb	er: 3122550			
Manufacturer:	W. R. MEA	ADOWS, INC.		Address:	300 Industrial Drive			
					Hampshire, Illinois	60140		
Telephone:	(847) 214-21	.00		In case of e	emergency, dial (800)	424-9300 (CHEMT	REC)	
Revision Date:	5/7/2024							
Product Use:	Concrete Cu	ring Compound						
	9	SECTION 2: HAZ	ARDS IDENTI	FICATION/	EXPOSURE LIMITS			
HMIS HAZARD STATEMENTS								
		Flammable Liqui	d/Vapor. (Cat	egory 3)			•	
Health	1 Harmful if inhaled. (Category 4)							
Flammability	2 May be harmful if swallowed and enters airway. (Category 2)							
Reactivity	0	Prolonged/repea	ated contact m	ay cause				
Personal Protection	organ damage. (Category 2)							
		PRECAUTIONAR	Y STATEMENT	S		· · //		
		Avoid direct con	tact.				R.	
		Avoid of inhalati	on of mists/va	pors.			3	
Keep containers closed when not in use/Avoid ignition sources.								
					or use or in well-vent	tilated locations.	•	
		Wear appropriat	e personal pro	tective equip	oment.			
		SECTIO	N 3: HAZARD	OUS COMP	PONENTS			
		CAS	% by	SARA	Vapor Pressure	LEL		
Chemical Name:		Number	Weight	<u>313</u>	<u>(mm Hg@20°C)</u>	<u>(@25°C)</u>		
1. Light Aromatic Naphtha		64742-95-6	10-15	No	2.1	1		
2. Titanium Dioxide		13463-67-7	1-5	No	N/A	N/A		
3. 1,2,4-Trimethyl benzene		95-63-6	1-5	Yes	N/A	0.9		
					٨	I/A = Not Applicable	2	
Under the reporting require								
(SARA) and 40 CFR Part 372	, chemicals lis					neading "SARA 313.		
					ID PROCEDURES			
EYE CONTACT: Immediate								
SKIN CONTACT: Remove co			•		ash with soap if availa	able. Seek medical		
attention if irritation persist		-	• ·					
INHALATION: Remove victi			•					
INGESTION: Do not induce	-		ously occurs, k	eep the victi	m's head below the h	ips to prevent lung		
aspiration. Seek immediate								
OST IMPORTANT SYMPTOMS/FFFFCTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects								

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.

SECTION 5: FIRE AND EXPLOSIVES HAZARDS

FLASHPOINT: 110 °F Method 1010

EXTINGUISHING MEDIA: Water fog, foam, dry chemical, or carbon dioxide.

CHEMICAL/COMBUSTION HAZARDS: Carbon dioxide, carbon monoxide, and incomplete combustion products. PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Avoid smoke inhalation. Personal protective equipment should include helmet, face shield, bunker coat, gloves, rubber boots, and a positive pressure NIOSH-approved self-contained breathing apparatus.

SAFETY DATA SHEET

	Page 2 6: ACCIDENTA					3122550	
	6. ΔCCIDENTΔ					5122550	
to upoutbout							
			-	ources. Wear appr			
personal protective equipment. Shut off source of spill if safe to do so. Dike and contain. Recover free product and soak up							
residue with an absorbent, such as clay or other suitable material. Place in non-leaking containers for proper disposal. Flush							
se of flush solutions	as above.						
SECTIO	on 7: Handli	ING AND ST	ORAGE				
d direct contact.							
ed when not in use.	Prevent produc	t from freez	ing. Keep aw	ay from ignition so	ources.		
SECTION 8: EXPO	OSURE CONTR	OLS/PERSC	DNAL PROTE	CTION			
OSI	HA			ACO)IH		
PEL/CEILING	PEL/STEL	SKIN	TWA	TLV/CEILING	TLV/STEL	SKIN	
N/E	N/E	N/E	N/E	N/E	N/E	N/E	
•				N/A	•	, N/A	
				•		N/E	
•	•			•	•		
					-, -,		
PERSONAL PROTECTIVE EQUIPMENT: Safety glasses, chemical-resistant gloves.							
, .			L PROPERTI	ES			
					E		
•	•						
	•						
	·						
	,						
	-						
		-					
		N. WIII NOT O	ccur.				
CONDITIONS AND MATERIALS TO AVOID: Strong oxidizing agents.							
HAZARDOUS DECOMPOSITION PRODUCTS: None recognized.							
		uuct vapors,	mists may al	so cause irritation			
		human cond of	h a u ua u =				
INHALATION: Exposure may produce irritation of the throat, respiratory tract, and other mucous membranes. Exposure to							
excessive vapor concentrations may cause signs of transient central nervous system depression (headache, drowsiness, loss of							
coordination, and fatigue). Repeated and/or prolonged occupational exposures may result in permanent damage and can be							
potentially fatal.							
•			-				
	•			-			
ction, and symptom	s of central nerv	ous system o	depression. S	ymptoms of gastr	ointestinal		
nal pain, nausea, vor	niting, and diarr	hea.					
AGGRAVATED MEDICAL CONDITIONS: Skin, eye, and respiratory disorders may be aggravated by product exposure.							
OTHER HEALTH EFFECTS: May cause liver abnormalities and may be harmful to the human fetus.							
	se of flush solutions SECTION 8: EXP OSI PEL/CEILING N/E N/A M N/E POSURE is anticipated adequate ventilation Safety glasses, che SECTION 9: VAPOR DENSIT pH LEVEL: N/E PRODUCT APPE ODOR THRESHO FLAMMABILITY RELATIVE DENS AUTOIGNITION N/D SECT DOCS: None recogn SECTION 9 VOID: Strong oxidizir DUCTS: None recogn SECTION 9 SECTION 9 VAPOR DENSIT PH LEVEL: N/E PRODUCT APPE ODOR THRESHO FLAMMABILITY RELATIVE DENS AUTOIGNITION N/D SECT ODOR STONG oxidizir DUCTS: None recogn SECTION 9 SECTION	se of flush solutions as above. SECTION 7: HANDLI d direct contact. SECTION 8: EXPOSURE CONTR OSHA PEL/CEILING PEL/STEL N/E N/E N/E N/A N/A m N/E N/E N/E sposure is anticipated unless the prod adequate ventilation. Use explosion Safety glasses, chemical-resistant g SECTION 9: PHYSICAL ANI VAPOR DENSITY: > 1 (Air=1) pH LEVEL: N/E PRODUCT APPEARANCE: Whit ODOR THRESHOLD: N/D FLAMMABILITY: N/D RELATIVE DENSITY: N/D AUTOIGNITION TEMPERATURE N/D = Not Determine SECTION 10: STAB HAZARDOUS POLYMERIZATION VOID: Strong oxidizing agents. DUCTS: None recognized. SECTION 11: TOXICOLO result in mild to moderate irritation. Pro- result in mild to moderate irritation. Pro- result in mild to moderate irritation. Pro- scause signs of transient central nervor and/or prolonged occupational expl xposure pathway under normal use of e irritation include pain, tearing Symptoms of respiratory irritation rotion, and symptoms of central nervor and pain, nausea, vomiting, and diarr S: Skin, eye, and respiratory disorde	se of flush solutions as above. SECTION 7: HANDLING AND ST d direct contact. Sed when not in use. Prevent product from freez SECTION 8: EXPOSURE CONTROLS/PERSO OSHA PEL/CEILING PEL/STEL SKIN N/E N/E N/E N/E N/A N/A N/A M N/E N/E N/E N/E Prosure is anticipated unless the product is dried/ adequate ventilation. Use explosion proof equipre : Safety glasses, chemical-resistant gloves. SECTION 9: PHYSICAL AND CHEMICA VAPOR DENSITY: > 1 (Air=1) pH LEVEL: N/E PRODUCT APPEARANCE: White Liquid ODOR THRESHOLD: N/D FLAMMABILITY: N/D RELATIVE DENSITY: N/D AUTOIGNITION TEMPERATURE: N/D N/D = Not Determined SECTION 10: STABILITY/REAC HAZARDOUS POLYMERIZATION: Will not of /OID: Strong oxidizing agents. DUCTS: None recognized. SECTION 11: TOXICOLOGICAL INF ruse mild to moderate irritation. Product vapors, esult in mild to moderate irritation. and/or prolonged occupational exposures may rusposure pathway under normal use conditions. of eye irritation include pain, tearing, redness, ar . Symptoms of respiratory irritation include runn iction, and symptoms of central nervous system of nal pain, nausea, vomiting, and diarrhea. S: Skin, eye, and respiratory disorders may be ag	se of flush solutions as above. SECTION 7: HANDLING AND STORAGE d direct contact. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTE OSHA PEL/CEILING PEL/STEL SKIN TWA N/E N/E N/E N/E N/E N/E N/A N/A N/A N/A N/A M N/E N/E N/E N/E 25 ppm posure is anticipated unless the product is dried/abraded. N/ adequate ventilation. Use explosion proof equipment as requi : Safety glasses, chemical-resistant gloves. SECTION 9: PHYSICAL AND CHEMICAL PROPERTII VAPOR DENSITY: > 1 (Air=1) % VOLATILE pH LEVEL: N/E % VOLATILE PRODUCT APPEARANCE: White Liquid VOC CONTE ODOR THRESHOLD: N/D MELTING/FI FLAMMABILITY: N/D UEL/LEL: N/ RELATIVE DENSITY: N/D SOLUBILITY: AUTOIGNITION TEMPERATURE: N/D DECOMPOS N/D = Not Determined N/E = 1 SECTION 10: STABILITY/REACTIVITY HAZARDOUS POLYMERIZATION: Will not occur. YODD: Strong oxidizing agents. DUCTS: None recognized. SECTION 11: TOXICOLOGICAL INFORMATION ruse mild to moderate irritation. Product vapors/mists may al esult in mild to moderate irritation. ause signs of transient central nervous system depression (he and/or prolonged occupational exposures may result in perm xposure pathway under normal use conditions. of eye irritation include pain, tearing, redness, and swelling. S' Symptoms of respiratory irritation include runny nose, cougt iction, and symptoms of central nervous system depression. S nal pain, nausea, vomiting, and diarrhea. S: Skin, eye, and respiratory disorders may be aggravated by p	se of flush solutions as above. SECTION 7: HANDLING AND STORAGE d direct contact. sed when not in use. Prevent product from freezing. Keep away from ignition so SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION OSHA OSHA OSHA OSHA N/E	se of flush solutions as above. SECTION 7: HANDLING AND STORAGE d direct contact. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION OSHA ACGIH PEL/CEILING PEL/STEL SKIN TWA TLV/CEILING TLV/STEL N/E	

	SAFI	ETY DATA SHEET				
Date of Preparation:		Page 3 of 3	3122550			
	SECTION 12:	ECOLOGICAL INFORM	ATION			
ECOTOXICITY: N/E	DEGRA	BIOACCUMULATIVE POTENTIAL: N/E				
SOIL MOBILITY: N/E	OTHER ADVERS	N/E = Not Established				
	SECTION 13: W	ASTE DISPOSAL INFOR	MATION			
WASTE DISPOSAL INFORM	MATION: Ignitable waste suitable for	fuel blending.				
	SECTION 14: TR	RANSPORTATION INFO	RMATION			
HAZARDOUS/NON-HAZA	RDOUS MATERIAL: Non-hazardous by	y ground transportation.				
UN NUMBER: None.	JN NUMBER: None. HAZARD CLASS: None. PACKING GROUP: None.					
UN PROPER SHIPPING NA	ME: Not regulated.					
ENVIRONMENTAL HAZAR	DS: Not applicable.					
BULK TRANSPORTATION	INFORMATION: NA 1993, Combustib	le Liquid, N.O.S. (Aromatio	: Naphtha, 1,2,4-Trimethylbenzene), PG III			
SPECIAL PRECAUTIONS:	Protect product from freezing.					
	SECTION 15:	REGULATORY INFORM	IATION			
OTHER REGULATORY COM	NSIDERATIONS: None.					
	SECTION	16: OTHER INFORMAT	ION			
PREPARATION DATE:	5/7/2024					
PREPARED BY:	Dave Carey					

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.