# CS-309-30 3550300 by W. R. MEADOWS

HPD UNIQUE IDENTIFIER: 991079424 CLASSIFICATION: 03 39 23 Membrane Concrete Curing PRODUCT DESCRIPTION: Non-Yellowing, Acrylic Curing and Sealing Compound

# Section 1: Summary

# **Basic Method / Product Threshold**

## CONTENT INVENTORY

| Inventory Reporting |
|---------------------|
| Format              |
|                     |

Nested Materials MethodBasic Method

**Threshold Disclosed Per** 

C Material

O Product

Threshold Level C 100 ppm C 1,000 ppm C Per GHS SDS

O Other

Residuals/Impurities Evaluation
C Completed
Partially Completed
Not Completed

Explanation(s) provided : • Yes O No

# For all contents above the threshold, the manufacturer has: Characterized Image: Screened Provided weight and role. Screened Image: Screening results using HPDC-approved methods. Identified Image: Screened Provided name and CAS RN or other identifier.

## CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

CS-309-30 3550300 [ AROMATIC 100 (AROMATIC NAPHTHA, TYPE 1) LT-1 | END | CAN | MUL | GEN | MAM | SKI | EYE 1,2,4-TRIMETHYLBENZENE BM-2 | MUL | SKI | EYE | AQU ETHANOL, 2-BUTOXY-, ACETATE LT-UNK | CAN | MAM XYLENE BM-1 | END | MUL | REP | SKI | EYE | MAM | AQU ]

## **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

Material (g/l): 653Regulatory (g/l): 653Does the product contain exempt VOCs: NoAre colorants available that do not increase the VOC content of thebase paint when tinted: N/A

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, BM-1 Nanomaterial ... No INVENTORY AND SCREENING NOTES:

Threshold is per GHS SDS.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings. VOC emissions: N/A VOC content: EPA Method 24 - Volatile Matter Content (EPA 24)

## CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified? C Yes C No PREPARER: Self-Prepared VERIFIER: VERIFICATION #: SCREENING DATE: 2023-08-14 PUBLISHED DATE: 2023-08-14 EXPIRY DATE: 2026-08-14 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

| PRODUCT THRESHOLD: P  | er GHS SDS                                    | RESIDUALS AND IMPURITIES EVALUATION COMPLETED: No |
|-----------------------|---|---|
| RESIDUALS AND IMPURIT | ES NOTES: Residuals and                       | d Impurities not completed.                       |
| OTHER PRODUCT NOTES:  | Composition ranges are p                      | provided to protect proprietary information.      |
|                       |   |   |
|                       |   |   |
| AROMATIC 100 (AROMA   | TIC NAPHTHA, TYPE 1)                          | ID: 64742-95                                      |
|                       | TIC NAPHTHA, TYPE 1)<br>Pharos Chemical and M |   |

| HAZARD TYPE | LIST NAME AND SOURCE                           | WARNINGS  |
|-------------|--|---|
| END         | TEDX - Potential Endocrine Disruptors          | Potential Endocrine Disruptor   |
| CAN         | EU - Annex VI CMRs                             | Carcinogen Category 1B - Presumed Carcinogen based<br>on animal evidence  |
| MUL         | ChemSec - SIN List                             | CMR - Carcinogen, Mutagen &/or Reproductive Toxicant  |
| MUL         | German FEA - Substances Hazardous to Waters    | Class 3 - Severe Hazard to Waters   |
| MUL         | German FEA - Substances Hazardous to<br>Waters | Class 2 - Hazard to Waters  |
| GEN         | EU - Annex VI CMRs                             | Mutagen - Category 1B   |
| CAN         | GHS - Australia                                | H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]   |
| GEN         | GHS - Australia                                | H340 - May cause genetic defects [Germ cell mutagenicity - Category 1A or 1B]   |
| CAN         | EU - GHS (H-Statements) Annex 6 Table 3-1      | H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]   |
| МАМ         | EU - GHS (H-Statements) Annex 6 Table 3-1      | H304 - May be fatal if swallowed and enters airways<br>[Aspiration hazard - Category 1]   |
| GEN         | EU - GHS (H-Statements) Annex 6 Table 3-1      | H340 - May cause genetic defects [Germ cell<br>mutagenicity - Category 1A or 1B]  |
| SKI         | GHS - Australia                                | H315 - Causes skin irritation [Skin corrosion/irritation -<br>Category 2]   |
| EYE         | GHS - Australia                                | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]  |
| МАМ         | GHS - Australia                                | H372 - Causes damage to organs through prolonged or<br>repeated exposure [Specific target organ toxicity -<br>repeated exposure - Category 1] |
| CAN         | EU - REACH Annex XVII CMRs                     | Carcinogens: Category 1B  |
| GEN         | EU - REACH Annex XVII CMRs                     | Germ cell mutagens: Category 1B   |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                                       | NOTIFICATION   |
|---------------------|--|--|
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                      | GSPI - Six Classes of Problematic Chemicals  |
|                     |  | Antimicrobials   |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)                      | GSPI - Six Classes of Problematic Chemicals  |
|                     |  | Some Solvents  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation<br>Institute (C2CPII) | C2C Certified v4 Product Standard Restricted<br>Substances List (RSL) - Effective July 1, 2022 |
|                     |  | Children's Products  |
| RESTRICTED LIST     | Cradle to Cradle Products Innovation<br>Institute (C2CPII) | C2C Certified v4 Product Standard Restricted<br>Substances List (RSL) - Effective July 1, 2022 |
|                     |  | Formulated Consumer Products   |
|                     |  |  |

SUBSTANCE NOTES:

| 1,2,4-TRIMETHYLBENZE        | NE                                     |             | ID: <b>95-6</b>  |
|-----------------------------|--|-------------|--|
| AZARD DATA SOURCE:          | Pharos Chemical and Materials Library  | HAZARD SO   | CREENING DATE: 2023-08-14 9:06:50  |
| 6: <b>15.0000 - 20.0000</b> | GreenScreen: BM-2                      | RC: None    | NANO: Unknown SUBSTANCE ROLE: Solvent  |
| HAZARD TYPE                 | LIST NAME AND SOURCE                   |             | WARNINGS   |
| MUL                         | German FEA - Substances Haza<br>Waters | rdous to    | Class 2 - Hazard to Waters   |
| SKI                         | EU - GHS (H-Statements) Annex          | 6 Table 3-1 | H315 - Causes skin irritation [Skin corrosion/irritation Category 2]   |
| EYE                         | EU - GHS (H-Statements) Annex          | 6 Table 3-1 | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]                                     |
| AQU                         | EU - GHS (H-Statements) Annex          | 6 Table 3-1 | H411 - Toxic to aquatic life with long lasting effects<br>[Hazardous to the aquatic environment (chronic) -<br>Category 2] |
| EYE                         | GHS - New Zealand                      |             | Eye irritation category 2  |
| SKI                         | GHS - Australia                        |             | H315 - Causes skin irritation [Skin corrosion/irritation Category 2]   |
| EYE                         | GHS - Australia                        |             | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]                                     |
| AQU                         | GHS - New Zealand                      |             | Hazardous to the aquatic environment - chronic category 2  |
| AQU                         | GHS - Australia                        |             | H411 - Toxic to aquatic life with long lasting effects<br>[Hazardous to the aquatic environment (chronic) -<br>Category 2] |
| AQU                         | GHS - Japan                            |             | H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]                                   |
| AQU                         | GHS - Japan                            |             | H411 - Toxic to aquatic life with long lasting effects<br>[Hazardous to the aquatic environment (chronic) -<br>Category 2] |

| ADDITIONAL LISTINGS   | LIST NAME AND SOURCE                  |           | NOTIFICATION   |                      |
|-----------------------|---------------------------------------|-----------|--|----------------------|
| RESTRICTED LIST       | Green Science Policy Institute (      | GSPI)     | GSPI - Six Classes of Proble   | ematic Chemicals     |
|                       |                                       |           | Some Solvents  |                      |
| SUBSTANCE NOTES:      |                                       |           |  |                      |
|                       |                                       |           |  |                      |
| ETHANOL, 2-BUTOXY-, A | CETATE                                |           |  | ID: 112-07-2         |
| HAZARD DATA SOURCE:   | Pharos Chemical and Materials Library | HAZARD SC | REENING DATE: 2023-08-14   | 4 9:06:50            |
| %: 1.0000 - 5.0000    | GreenScreen: LT-UNK                   | RC: None  | NANO: Unknown SUB  | STANCE ROLE: Solvent |
| HAZARD TYPE           | LIST NAME AND SOURCE                  |           | WARNINGS   |                      |
| CAN                   | МАК                                   |           | Carcinogen Group 4 - Non-g<br>low risk under MAK/BAT leve                  | _                    |
| МАМ                   | GHS - Japan                           |           | H370 - Causes damage to or<br>organs/systemic toxicity foll<br>Category 1] |                      |
| ADDITIONAL LISTINGS   | LIST NAME AND SOURCE                  |           | NOTIFICATION   |                      |
| RESTRICTED LIST       | Green Science Policy Institute (      | GSPI)     | GSPI - Six Classes of Proble   | ematic Chemicals     |
|                       |                                       |           | Some Solvents  |                      |
| SUBSTANCE NOTES:      |                                       |           |  |                      |

| XYLENE                   |                                    |            |                   | ID: 1330-20-7           |
|--------------------------|------------------------------------|------------|-------------------|-------------------------|
| HAZARD DATA SOURCE: Phar | ros Chemical and Materials Library | HAZARD SCR | EENING DATE: 2023 | -08-14 9:06:51          |
| %: 1.0000 - 5.0000       | GreenScreen: BM-1                  | RC: None   | NANO: Unknown     | SUBSTANCE ROLE: Solvent |

| HAZARD TYPE         | LIST NAME AND SOURCE                           | WARNINGS  |
|---------------------|--|---|
| END                 | TEDX - Potential Endocrine Disruptors          | Potential Endocrine Disruptor   |
| MUL                 | German FEA - Substances Hazardous to<br>Waters | Class 2 - Hazard to Waters  |
| REP                 | GHS - Japan                                    | H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]   |
| SKI                 | EU - GHS (H-Statements) Annex 6 Table 3-1      | H315 - Causes skin irritation [Skin corrosion/irritation -<br>Category 2]   |
| SKI                 | GHS - New Zealand                              | Skin irritation category 2  |
| EYE                 | GHS - New Zealand                              | Eye irritation category 2   |
| SKI                 | GHS - Australia                                | H315 - Causes skin irritation [Skin corrosion/irritation -<br>Category 2]   |
| МАМ                 | GHS - Japan                                    | H372 - Causes damage to organs through prolonged or<br>repeated exposure [Specific target organs/systemic<br>toxicity following repeated exposure - Category 1] |
| MAM                 | GHS - Japan                                    | H370 - Causes damage to organs [Specific target<br>organs/systemic toxicity following single exposure -<br>Category 1]  |
| SKI                 | GHS - Japan                                    | H315 - Causes skin irritation [Skin corrosion / irritation -<br>Category 2]   |
| REP                 | GHS - New Zealand                              | Reproductive toxicity category 2  |
| EYE                 | GHS - Korea                                    | H319 - Causes serious eye irritation [Serious eye damage/irritation - Category 2]   |
| SKI                 | GHS - Korea                                    | H315 - Causes skin irritation [Skin corrosion/irritation -<br>Category 2]   |
| МАМ                 | GHS - Korea                                    | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - Repeated exposure - Category 1]                         |
| AQU                 | GHS - Japan                                    | H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]  |
| AQU                 | GHS - Japan                                    | H411 - Toxic to aquatic life with long lasting effects<br>[Hazardous to the aquatic environment (chronic) -<br>Category 2]                                      |
| SKI                 | GHS - Malaysia                                 | H315 - Causes skin irritation [Skin corrosion/irritation -<br>Category 2]   |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE                           | NOTIFICATION  |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)          | GSPI - Six Classes of Problematic Chemicals   |
|                     |  | Antimicrobials  |
| RESTRICTED LIST     | Green Science Policy Institute (GSPI)          | GSPI - Six Classes of Problematic Chemicals   |
|                     |  | Some Solvents   |
| SUBSTANCE NOTES:    |  |   |

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS  | N/A                                    |                         |
|--|--|-------------------------|
| CERTIFYING PARTY: Self-declared<br>APPLICABLE FACILITIES: All.<br>CERTIFICATE URL: | ISSUE DATE: 2023-08-14<br>EXPIRY DATE: | CERTIFIER OR LAB: None  |
| CERTIFICATION AND COMPLIANCE NOTES:  |  |                         |
| VOC CONTENT  | EPA Method 24 - Volatile Matter Con    | tent (EPA 24)           |
| CERTIFYING PARTY: Self-declared<br>APPLICABLE FACILITIES: All.                     | ISSUE DATE: 2023-08-11<br>EXPIRY DATE: | CERTIFIER OR LAB: Self. |
| CERTIFICATE URL:   |  |                         |

# **H** Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

# Section 5: General Notes

Residuals/Impurities have not provided to the manufacturer.

### MANUFACTURER INFORMATION

MANUFACTURER: W. R. MEADOWS ADDRESS: 300 Industrial Drive Hampshire Illinois 60140, United States WEBSITE: https://www.wrmeadows.com/

CONTACT NAME: Kimberly Ann Lombardozzi TITLE: Sustainability Manager PHONE: 847-214-2100 EMAIL: klombardozzi@wrmeadows.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

#### **Hazard Types**

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)
BM-3 Benchmark 3 (use but still opportunity for improvement)
BM-2 Benchmark 2 (use but search for safer substitutes)
BM-1 Benchmark 1 (avoid - chemical of high concern)
BM-U Benchmark Unspecified (due to insufficient data)

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

#### **Recycled Types**

PreC Pre-consumer recycled content PostC Post-consumer recycled content UNK Inclusion of recycled content is unknown None Does not include recycled content

#### **Other Terms:**

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

#### **Inventory Methods:**

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.