

SAFETY DATA SHEET

Page 1 of 3

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product: LIQUI-HARD_® ULTRA Part Number: 3327000

Manufacturer: W. R. MEADOWS, INC. Address: 300 Industrial Drive

Hampshire, Illinois 60140

Telephone: (847) 214-2100 In case of emergency, dial (800) 424-9300 (CHEMTREC)

Revision Date: 8/23/2023

Product Use: Concrete Hardener/Densifier

SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS

riaminum swanowed. (category 4)

May be harmful if swallowed and enters airway. (Category 2)

PRECAUTIONARY STATEMENTS

Avoid direct contact.

Avoid breathing mists/sprays.

		SECTION 3:	HAZARDOU	IS COMPONENTS	
	CAS	% by	SARA	Vapor Pressure	LEL
<u>Chemical Name</u> :	<u>Number</u>	<u>Weight</u>	<u>313</u>	(mm Hg@20°C)	(@25°C)
1. Lithium Silicate	12627-14-4	10-15	No	N/A	N/A

N/A: Not Applicable

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."

SECTION 4: EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Immediately flush eyes with water for fifteen (15) minutes. Seek prompt medical attention.

SKIN CONTACT: Wash affected areas with mild soap and water. Remove contaminated shoes/clothing. Seek prompt

medical attention.

INHALATION: Not expected to be an exposure route as supplied. If respiratory symptoms develop, seek medical attention.

INGESTION: Dilute with liquid unless the victim is unconscious or very drowsy. Do not induce vomiting. If vomiting

spontaneously occurs, prevent lung aspiration. Seek immediate medical attention.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.

SECTION 5: FIRE AND EXPLOSIVES HAZARDS

FLASHPOINT: Product will not flash due to water content. **EXTINGUISHING MEDIA:** Water fog, foam, dry chemical. **CHEMICAL/COMBUSTION HAZARDS:** None recognized.

PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Use appropriate personal protective equipment.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Avoid direct contact. Dike and contain spilled material. Remove source of spill if safe to

do so. Apply absorbent and place clean-up material in sealed/marked containers for proper disposal.

SECTION 7: HANDLING AND STORAGE

SAFE HANDLING PROCEDURES: Avoid direct contact. **SAFE STORAGE:** Prevent product from freezing.

SAFETY DATA SHEET

Date of Preparation: 8/23/23 Page 2 of 3 3310000 SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

OSHA ACGIH

Chemical Name: PEL/CEILING TLV/CEILING TLV/STEL PEL PEL/STEL **TWA** SKIN **SKIN** 1. Lithium Silicate N/E N/E N/E N/E N/E N/E No N/E

N/E: Not Established

BIOACCUMULATIVE POTENTIAL: N/E

ENGINEERING CONTROLS: None required under normal use conditions. PERSONAL PROTECTIVE EQUIPMENT: Safety glasses, chemical-resistant gloves.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: 212 °F VAPOR DENSITY: N/A % VOLATILE BY VOLUME: N/E

EVAPORATION RATE: <1 (Ether=1) % VOLATILE BY WEIGHT: 89 (Approximate) **pH LEVEL:** 11.00

WEIGHT PER GALLON: 8.9 PRODUCT APPEARANCE: Clear Liquid VOC CONTENT: 0 g/L

ODOR: None **MELTING/FREEZING POINT: N/D ODOR THRESHOLD: N/D**

FLASH POINT: See Section 5 FLAMMABILITY: N/D UEL/LEL: N/D VAPOR PRESSURE: N/D **RELATIVE DENSITY: N/D SOLUBILITY: N/D**

PARTITION COEFFICENT: N/D **AUTOIGNITION TEMPERATURE: N/D DECOMPOSITION TEMPERATURE: N/D** VISCOSITY: N/D N/A: Not Applicable N/D: Not Determined N/E: Not Established

SECTION 10: STABILITY/REACTIVITY

STABILITY: Stable. HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS AND MATERIALS TO AVOID: Strong acids. HAZARDOUS DECOMPOSITION PRODUCTS: None recognized.

SECTION 11: TOXICOLOGICAL INFORMATION

EYE CONTACT: Direct contact may cause moderate to severe irritation. This product may cause corneal injury resulting in permanent vision impairment/blindness.

SKIN CONTACT: Direct contact may cause moderate skin irritation. Prolonged contact may result in skin damage. **INHALATION:** Not anticipated to be an exposure route. Inhalation of mists may cause moderate to severe respiratory

tract irritation.

INGESTION: Not anticipated to be an exposure route. May cause severe irritation of the gastrointestional tract if ingested. SIGNS AND SYMPTOMS: This product will cause moderate to severe irritation if direct contact occurs. Symptoms will vary from mild irritation to severe burning, based on product concentration and duration of exposure.

AGGRAVATED MEDICAL CONDITIONS: Pre-existing skin, eye, and respiratory disorders may be aggravated by exposure

to this product.

OTHER HEALTH EFFECTS: This product contains Lithium, which may adversely affect a developing fetus.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY: Expected to have **DEGRADABILITY: N/E** adverse impact on aquatic life based on product pH.

OTHER ADVERSE EFFECTS: None recognized. **SOIL MOBILITY: N/E** N/E: Not Established

SECTION 13: WASTE DISPOSAL INFORMATION

WASTE DISPOSAL INFORMATION: Consult local, state, and federal regulations for disposal information.

SECTION 14: TRANSPORTATION INFORMATION

HAZARDOUS/NON-HAZARDOUS MATERIAL: Not regulated by DOT.

UN NUMBER: None. **HAZARD CLASS: N/A PACKING GROUP: N/A**

UN PROPER SHIPPING NAME: N/A

ENVIRONMENTAL HAZARDS: None recognized. **BULK TRANSPORTATION INFORMATION: None.**

SPECIAL PRECAUTIONS: Prevent product from freezing. N/A: Not Applicable **SAFETY DATA SHEET**

Date of Preparation:	8/23/23	Page 3 of 3	3310000		
SECTION 15: REGULATORY INFORMATION					
OTHER REGULATORY CONSIDERATIONS: None recognized.					
SECTION 16: OTHER INFORMATION					
PREPARATION DATE:	8/23/2023				
PREPARED BY:	Dave Carey				

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.