

SAFETY DATA SHEET

$\mathbf{\nabla}$						Page 1 c	of 3		
		SECTION 1: P	RODUCT AND C	OMPANY II	DENTIFICATION				
Product:	MEADOV	V-CRETE _® GPS		Part Numb	er: 8169000				
Manufacturer:	W. R. ME	ADOWS, INC.		Address:	300 Industrial Drive				
		-			Hampshire, Illinois 601	40			
Telephone:	(847) 214-2	100		In case of e	mergency, dial (800) 42	4-9300 (CHEMTREC)			
Revision Date:	6/6/2024								
Product Use:	Polymer-Me	odified Repair Mo	tar						
		SECTION 2: HA	ZARDS IDENTIF	ICATION/E	XPOSURE LIMITS				
HMIS		HAZARD STATE	MENTS						
Health	2	DANGER!							
Flammability	0	May cause cand	er. (Category 1)			^			
Reactivity	0 Causes severe skin burns and eye damage. (Category 1B)								
Personal Protection	i i	May cause an allergic skin reaction. (Category 1B)							
		Harmful if inhaled. (Category 4)							
		May cause resp	iratory irritation.	(Category 3					
			n damage throug						
			prolonged expos		gory 1)				
	PRECAUTIONARY STATEMENTS								
		Avoid direct co	ntact.			\checkmark			
		Avoid dust inha	lation.			•			
		Use appropriate	Personal Protect	tive Equipme	ent.				
			N 3: HAZARDO						
				SARA	Vapor Pressure	LEL			
Chemical Nam	ie:	CAS Number	<u>% by Weight</u>	313	(mm Hg@20°C)	<u>(@25°C)</u>			
1. Microcrystalline Silicon	n Dioxide	14808-60-7	50-55	No	N/A	N/A			
2. Portland Cement		65997-15-1	25-30	No	N/A	N/A			
					N,	/A: Not Applicable			
Under the reporting requ	irements of Se	ction 313 of Title I	II of the Superfun	d Amendme	ents and Reauthorizatior	n Act of 1966			
(SARA) and 40 CFR Part 3									
· ·	·		MERGENCY AN						
EYE CONTACT: Immediat	tely flush eyes v	with water for fifte	en (15) minutes.	Seek immed	liate medical attention.				
SKIN CONTACT: Remove	contaminated	shoes/clothing. F	lush affected area	as with wate	r. If irritation develops/	/persists, seek			
medical attention.		_							
INHALATION: Remove vi	ictim from expo	osure source. Trea	it symptomaticall	y. If sympto	oms persist, seek medica	al attention.			
INGESTION: Do not induce vomiting. If vomiting spontaneously occurs, keep the head below the hips to prevent lung aspiration.									
Seek immediate medical	attention.								
MOST IMPORTANT SYMP	PTOMS/EFFECT	TS, ACUTE AND CH	RONIC: See Sect	ion Eleven fo	or Symptoms/Effects.				
		SECTION	5: FIRE AND EX	XPLOSIVES	HAZARDS				
FLASHPOINT: None.									
EXTINGUISHING MEDIA:	Not applicable	eproduct will not	burn.						
CHEMICAL/COMBUSTION HAZARDS: None recognized. Material will not support combustion.									
PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Avoid inhalation of dust if bags are broken. Use appropriate									
respiratory protection.				-					
		SECTION	6: ACCIDENTAI	RELEASE N	MEASURES				
SPILL OR LEAK PROCEDU	RES: Evacuate	unauthorized per	sonnel. Clean up	using metho	ods that will minimize du	ust creation or			
wet methods. Avoid inha	alation of dust.	Place in marked/	non-leaking conta	iners for dis	posal. Flush affected ar	eas to remove			
trace residue.									

		9	SAFETY DA	_	ET			
Date of Preparation:	6/6/24		Page 2					816900
			ON 7: HANDLI					
SAFE HANDLING PROCEDU				well as the	creation of dust.			
SAFE STORAGE: Store in co								
	SI	ECTION 8: EXP	OSURE CONTR	OLS/PERS	ONAL PROTECT			
		OSI	łA			ACGIH		
Chemical Name:	PEL	PEL/CEILING	PEL/STEL	<u>SKIN</u>	<u>TWA</u>	TLV/CEILING	<u>TLV/STEL</u>	<u>SKIN</u>
1. Microcrystalline								
Silicone Dioxide	*See Below	N/E	N/E	N/E	0.025 mg/m^3	N/E	N/E	N/E
2. Portland Cement	5 mg/m ³	N/E	N/E	N/E	1 mg/m ³	N/E	N/E	N/E
		02 + 2) mg/m ^{3,} T				ng/m³ <i>N/E: No</i>	t Established	
ENGINEERING CONTROLS:					osure limits.			
PERSONAL PROTECTIVE EQ	UIPMENT: Sa		-					
			PHYSICAL AND	D CHEMICA				
BOILING POINT: N/A		VAPOR DENSITY	•			Y VOLUME: N/A		
EVAPORATION RATE: N/A		pH LEVEL: 10-1				Y WEIGHT: N/A		
WEIGHT PER GALLON: N/A	A		ARANCE: Gray S	Solid	VOC CONTENT	0.		
ODOR: No Odor		ODOR THRESHO			MELTING/FREEZING POINT: N/D			
FLASH POINT: See Section	5	FLAMMABILITY	•		UEL/LEL: N/D			
VAPOR PRESSURE: N/D		RELATIVE DENS	•		SOLUBILITY: N/D			
PARTITION COEFFICENT: N	I/D	AUTOIGNITION	TEMPERATURE	,	DECOMPOSITION TEMPERATURE: N/D			
VISCOSITY: N/D			N/A: Not Appli	-	N/D: Not Dete	ermined		
			ION 10: STAB					
STABILITY: Stable.			DLYMERIZATION					
CONDITIONS AND MATERIA				um salts, al	uminum metal.			
HAZARDOUS DECOMPOSIT	TION PRODUC	-						
			11: TOXICOLO					
EYE CONTACT: Direct conta	-							
SKIN CONTACT: May cause			-	nay result in	chemical burns.	Prolonged/repea	ted	
contact may cause sensitiza								
INHALATION: Exposure ma	-			, respirator	y tract, and othe	r mucous membra	nes.	
Inhalation of silica dust may	-							
INGESTION: May cause mil			-			-		
SIGNS AND SYMPTOMS: S		•				•		
nclude redness, burning, sv	-				•			
discomfort, and reduced lu	-						niting.	
AGGRAVATED MEDICAL CO	DNDITIONS: P	re-existing skin, e	eye, and respirate	ory disorde	rs may be aggrav	vated by exposure		
to this product.								
OTHER HEALTH EFFECTS: S	ilicon dioxide			-	-	s (IARC Group 1A)		
			N 12: ECOLOG					
ECOTOXICITY: N/E DEGRADABILITY: N/E			BIOACCUMULATIVE POTENTIAL: N/E			N/E		
SOIL MOBILITY: N/E			OVERSE EFFECTS	,		N/E: Not Esta	blished	
			13: WASTE DIS					
ASTE DISPOSAL INFORM	ATION: Hydra	ted material will	solidify to a non	-hazardous	solid. Landfill d	ispose.		

	SAFETY D	ATA SHEET				
Date of Preparation: 6/6	/24 Page					
	SECTION 14: TRANSPO	RTATION INFORMATION				
HAZARDOUS/NON-HAZARDOU	S MATERIAL: Non-hazardous material.					
UN NUMBER: None.	HAZARD CLASS: None.	PACKING GROUP: None.				
UN PROPER SHIPPING NAME:	None.					
ENVIRONMENTAL HAZARDS: N	lone.					
BULK TRANSPORTATION INFOR	RMATION: Not applicable; product is not	shipped in bulk configuration.				
SPECIAL PRECAUTIONS: Nor	ne.					
	SECTION 15: REGUL	ATORY INFORMATION				
OTHER REGULATORY CONSIDE	RATIONS: None.					
	SECTION 16: OTI	IER INFORMATION				
PREPARATION DATE: 6/6	/2024					
PREPARED BY: Dav	ve Carey					

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.