## W. R. MEADOWS, INC.

P.O. Box 338 • Hampshire, IL 60140-0338 www.wrmeadows.com • wrmil@wrmeadows.com



TELEPHONE: 847-214-2100 800-825-5976 FAX: 847-683-4544

October 27, 2023

W. R. MEADOWS certifies the following information for PENTREAT 244-40 OTC Water Repellant Penetrating Sealer:

## LEED v4.0/4.1 MRc3: BPDO - Sourcing of Raw Materials

Manufacturing Location(s): Hampshire, IL 60140

Raw Material Extraction Point: Not Available

Recycled Content: 0%

Limbuly ann Londowsie

## LEED v4.0/4.1 EQc2: Low Emitting Materials

VOC Emissions: This is an exterior product and therefore this testing does not apply.

VOC Content: 331 g/L (SCAQMD Rule 1113)

If field sampling and/or field or laboratory testing be required, W. R. MEADOWS cannot be held responsible for any cost incurred if this product is used prior to receipt of that approval.

Should you have any questions or require additional information, please feel free to contact Technical Services or your local W. R. MEADOWS Representative.

Sincerely,

Kimberly Ann Lombardozzi, LEED AP ID+C, WELL AP, fitwel Ambassador

Sustainability Manager

W. R. MEADOWS, INC.