

# SAFETY DATA SHEET

Page 1 of 3

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Part Number: 3471000 Product: **PENTREAT 244-40** Manufacturer: W. R. MEADOWS, INC. Address: 300 Industrial Drive

Hampshire, Illinois 60140

Telephone: (847) 214-2100 In case of emergency, dial (800) 424-9300 (CHEMTREC)

**Revision Date:** 12/7/2023

**Product Use: Penetrating Concrete Sealer** 

SECTION 2.	HAZARDS IDENTIFICATIO	NI/EXDOSLIBE LIMITS
SECTION 2.	HAZARDS IDENTIFICATIO	IN EXPUSURE LIMITS

HMIS		HAZARD STATEMENTS
Health	1	WARNING!
Flammability	2	Flammable liquid/vapor. (Category 3)
Reactivity	0	Causes skin irritation. (Category 2)
Personal Protection		Harmful if inhaled. (Category 4)
		Causes serious eye irritation. (Category 2A)
		May be fatal if ingested and enters airway. (Category 1)
		PRECAUTIONARY STATEMENTS
		Wear appropriate personal protective equipment.

Avoid breathing vapors and direct contact.

Control vapors in confined spaces utilizing mechanical ventilation equipment.

Use only in well ventilated areas. Store in well ventilated location.

			3											

		% by	SARA	Vapor Pressure	LEL
Chemical Name:	<b>CAS Number</b>	<u>Weight</u>	<u>313</u>	(mm Hg@20°C)	(@25°C)
1. Organic Silane	35435-21-3	35-40	No	23 hPa	0.40%
2. Naphtha, Petroleum	64741-65-7	55-60	No	0.8 psia@100°F	1.00%

N/A = Not Applicable

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."

## **SECTION 4: EMERGENCY AND FIRST AID PROCEDURES**

EYE CONTACT: Immediately flush eyes with water for fifteen (15) minutes. If symptoms persist, seek medical attention.

SKIN CONTACT: Remove contaminated shoes/clothing. Wipe excess from skin and flush with water for fifteen (15) minutes.

If symptoms persist, seek medical attention. Do not reuse clothing until thoroughly decontaminated.

**INHALATION:** If symptoms develop, move victim from exposure source and into fresh air. Treat symptomatically.

INGESTION: Not anticipated to be an exposure route. If ingested and vomiting occurs, keep the victim's head below the hips

to prevent lung aspiration. Do not induce vomiting. Seek immediate medical attention.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.

# **SECTION 5: FIRE AND EXPLOSIVES HAZARDS**

FLASHPOINT: >104 °F

**EXTINGUISHING MEDIA:** Alcohol-resistant foam, dry chemical or carbon dioxide.

CHEMICAL/COMBUSTION HAZARDS: Hazardous combustion products include carbon dioxide, carbon monoxide, silicon dioxide and incomplete combustion products.

PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: As a result of hydrolysis, flammable vapors may accumulate in container head space. Consider possible formation of explosive mixtures with air, for example, in uncleaned containers by moisture. Explosion limits for hydrolysis product: 3.5-15% v/v (ethanol).

# SAFETY DATA SHEET

Date of Preparation: 12/7/23 Page 2 of 3 3471000

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

**SPILL OR LEAK PROCEDURES:** Dike and contain. Utilize appropriate personal protective equipment. Recover free product and absorb residues with an appropriate absorbent. Place in non-leaking marked containers for disposal. Eliminate all ignition sources.

### **SECTION 7: HANDLING AND STORAGE**

SAFE HANDLING PROCEDURES: Avoid direct contact.

SAFE STORAGE: Keep containers closed when not in use. Protect product from moisture contamination.

		OSHA		ACGIH										
<b>Chemical Name</b> :	<u>PEL</u>	PEL/CEILING	PEL/STEL	<u>SKIN</u>	<u>TWA</u>	TLV/CEILING	TLV/STEL	<u>SKIN</u>						
1. Organic Silane	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E						
2. Naphtha, Petroleum	N/E	N/E	N/E	N/E	300 ppm*	N/E	N/E	N/E						
		N/E = N	ot Established	d ³	*: As Gasoline									

**ENGINEERING CONTROLS:** Local ventilation my be required at point of use. **PERSONAL PROTECTIVE EQUIPMENT:** Safety glasses, chemical-resistant gloves.

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES** 

BOILING POINT: 347 °F VAPOR DENSITY: >1 (Air=1) % VOLATILE BY VOLUME: N/E

EVAPORATION RATE: <1 (Ether=1) pH LEVEL: N/A % VOLATILE BY WEIGHT: >95% (Approximate)

WEIGHT PER GALLON: 6.72 PRODUCT APPEARANCE: Colorless Liquid VOC CONTENT: 600 g/L

ODOR: Mild Organic ODOR THRESHOLD: N/D MELTING/FREEZING POINT: N/D

 FLASH POINT:
 See Section 5
 FLAMMABILITY:
 N/D
 UEL/LEL:
 N/D

 VAPOR PRESSURE:
 N/D
 RELATIVE DENSITY:
 N/D
 SOLUBILITY:
 N/D

PARTITION COEFFICENT: N/D AUTOIGNITION TEMPERATURE: N/D DECOMPOSITION TEMPERATURE: N/D

VISCOSITY: N/D N/D: Not Determined

**SECTION 10: STABILITY/REACTIVITY** 

STABILITY: Stable. HAZARDOUS POLYMERIZATION: Will not occur.

**CONDITIONS AND MATERIALS TO AVOID:** Moisture, acids, and bases.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Ethanol.

#### SECTION 11: TOXICOLOGICAL INFORMATION

**EYE CONTACT:** Direct contact may cause mild to moderate irritation.

**SKIN CONTACT:** Direct contact may cause mild irritation. Prolonged contact may also cause irritation.

**INHALATION:** Exposure to aerosols/vapors may irritate the respiratory tract. Exposure to excessive vapor concentrations may cause signs of transient central nervous system depression (headache, drowsiness, loss of coordination, and fatigue).

**INGESTION:** Not expected to be an exposure route. Ingestion may cause irritation of the digestive tract. Aspiration hazard if swallowed and enters airways. May be fatal if aspirated into the lungs.

**SIGNS AND SYMPTOMS:** Symptoms of eye irritation include pain, tearing, redness, and swelling. Symptoms of skin irritation include rash, redness and swelling. Respiratory irritation symptoms include runny nose, sore throat, coughing, chest discomfort, shortness of breath, and reduced lung function. Symptoms of gastrointestinal irritation include sore throat, nausea, abdominal pain, vomiting, and diarrhea.

AGGRAVATED MEDICAL CONDITIONS: Pre-existing skin, eye, and respiratory disorders may be aggravated by product exposure.

OTHER HEALTH EFFECTS: None recognized.

**SECTION 12: ECOLOGICAL INFORMATION** 

ECOTOXICITY: N/E

DEGRADABILITY: N/E

BIOACCUMULATIVE POTENTIAL: N/E

SOIL MOBILITY: N/E

OTHER ADVERSE EFFECTS: N/E

N/E: Not Established

SECTION 13: WASTE DISPOSAL INFORMATION

WASTE DISPOSAL INFORMATION: Hazardous waste (D001). Disposal by fuel blending or incineration is recommended.

**SAFETY DATA SHEET** 

Date of Preparation: 12/7/23 Page 3 of 3 3471000

**SECTION 14: TRANSPORTATION INFORMATION** 

HAZARDOUS/NON-HAZARDOUS MATERIAL: Combustible Liquid. Not regulated by domestic ground transportation.

UN NUMBER: None. HAZARD CLASS: None. PACKING GROUP: None.

**UN PROPER SHIPPING NAME: N/E** 

**ENVIRONMENTAL HAZARDS:** None recognized.

**BULK TRANSPORTATION INFORMATION:** Not applicable. Product is not shipped in bulk configuration. **SPECIAL PRECAUTIONS:** None. *N/E: Not Established* 

**SECTION 15: REGULATORY INFORMATION** 

OTHER REGULATORY CONSIDERATIONS: None.

**SECTION 16: OTHER INFORMATION** 

PREPARATION DATE: 12/7/2023
PREPARED BY: Dave Carey

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.