

# PENTREAT™ 244-40

A reactive, penetrating, 40% active silane sealer that inhibits water and salt penetration in concrete and masonry structures.



**PENTREAT 244-40** is a high-performance, breathable, reactive, penetrating, superior water repellent sealer.



follow us:  
@wrmeadows  
facebook.com/wrmeadows  
w-r-meadows-inc  
wrmeadowsinc  
wrmeadowsinc  
#wrmeadows

P.O. Box 338  
HAMPSHIRE, IL60140-0338  
Phone: 847/214-2100  
Fax: 847/683-4544  
[www.wrmeadows.com](http://www.wrmeadows.com)

**PENTREAT 244-40** is a reactive, penetrating, 40% active silane sealer that inhibits water and salt penetration in properly designed and placed concrete and masonry structures. **PENTREAT 244-40** is a hydrophobic, impregnating sealer that helps reduce salt-induced corrosion of rebar, scaling, spalling, freeze-thaw damage, and other causes of debilitating concrete.

**PENTREAT 244-40** is designed for use on horizontal and vertical, new and existing concrete and masonry surfaces. Suitable applications include residential, commercial, industrial, and municipal projects. **PENTREAT 244-40** can be used on all types of concrete, including parking structures, driveways, plazas, stadiums, patios, walkways, median barriers, bridge decks and piers, ramps, traffic barring concrete, marine structures, vehicular repair and wash down facilities, and loading docks.

#### FEATURES/BENEFITS:

- High-performance, breathable, reactive, penetrating, superior water repellent sealer.
- Keeps treated surfaces cleaner.
- Minimizes penetration from de-icing chemicals, salt, water, etc., which may damage concrete/masonry surface.
- Can help reduce spalling of new concrete surfaces.
- Will extend the life of concrete and masonry structures.
- Penetrates deeply for maximum protection.
- Chemically bonds to the substrate.
- Leaves no residue/Requires no cleaning after application.
- OTC version available for areas with strict VOC regulations.

For more information, visit [www.wrmeadows.com](http://www.wrmeadows.com) or call (800) 342-5976.

