

SAFFTY DATA SHFFT

Page 1 of 3

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product: POLY-JET_® LOX Part Number: 4550000

Manufacturer: W. R. MEADOWS, INC. Address: 300 Industrial Drive

Hampshire, Illinois 60140

Telephone: (847) 214-2100 In case of emergency, dial (800) 424-9300 (CHEMTREC)

Revision Date: 5/7/2024

Product Use: One Part Polysulfide Gun-Grade Joint Sealant

SECTION 2: HAZARDS IDENTIFICATION/EXPOSURE LIMITS

HMIS HAZARD STATEMENTS WARNING! |Health| | 2 | |Flammability| | 1 | Causes skin irritation. (Category 2) |Reactivity| 0 | PRECAUTIONARY STATEMENTS | Personal Protection | 1 1 Avoid direct contact.





	SECTION 3. TIAZANDOOS CONFONENTS							
		% by	SARA	Vapor Pressure	LEL			
Chemical Name:	CAS Number	Weight	<u>313</u>	(mm Hg@20°C)	(@25°C)			
1. Polysulfide Polymer	68611-50-7	30-40	No	N/E	N/E			
2. Barium Peroxide	1304-29-6	1-10	Yes	N/E	N/E			
3. Titanium Dioxide	13463-67-7	1-10	No	N/E	N/E			

N/A = Not Applicable

This product contains Talc (CAS# 14807-96-6). Prolonged exposure to excessive airborne concentrations of Talc can result in lung scarring. Talc contains crystalline silica as a naturally occuring component. Exposure to silica is not expected to occur as the product is supplied as a solution. If product is dry/abraded, appropriate protective measures should be taken to control exposure to airborne silica.

Under the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1966 (SARA) and 40 CFR Part 372, chemicals listed on the 313 List (40 CFR Part 373.65) are identified under the heading "SARA 313."

SECTION 4: EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT: Move victim from exposure source. Flush eyes with water for fifteen minutes. If symptoms persist, seek medical attention.

SKIN CONTACT: Remove contaminated shoes/clothing. Wash affected areas with mild soap and water. If symptoms persist, seek attention.

INHALATION: Move victim from exposure source and treat symptoms. If symptoms persist, seek medical attention.

INGESTION: Seek immediate medical attention. Do not induce vomiting. If vomiting spontaneously occurs, keep the victim's head below the hips to prevent lung aspiration.

MOST IMPORTANT SYMPTOMS/EFFECTS, ACUTE AND CHRONIC: See Section Eleven for Symptoms/Effects.

SECTION 5: FIRE AND EXPLOSIVES HAZARDS

FLASHPOINT: > 210 °F

EXTINGUISHING MEDIA: Water fog, foam, dry chemical, and carbon dioxide.

CHEMICAL/COMBUSTION HAZARDS: Carbon monoxide, carbon dioxide, and incomplete combustion products may be emitted.

PRECAUTIONS/PERSONAL PROTECTIVE EQUIPMENT: Use of full fire protection ensemble with SCBA is recommended.

SECTION 6: ACCIDENTAL RELEASE MEASURES

SPILL OR LEAK PROCEDURES: Evacuate area of unprotected personnel. Dike/contain spilled material. Take up with an appropriate absorbent and place in sealed/marked containers for proper disposal.

SECTION 7: HANDLING AND STORAGE

SAFE HANDLING PROCEDURES: Avoid direct contact.

SAFE STORAGE: Keep containers closed when not in use. Store in cool/dry location.

SAFETY DATA SHEET

		SAF	ETY DAT	A SHEE	ΞT			
Date of Preparation: 5/			Page 2 of					455000
SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION								
		OSHA				ACG		
<u>Chemical Name</u> :	<u>PEL</u>	PEL/CEILING	PEL/STEL	<u>SKIN</u>	<u>TWA</u>	TLV/CEILING	TLV/STEL	<u>SKIN</u>
L. Polysulfide Polymer	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E
2. Barium Peroxide*	N/E	N/E	N/E	N/E	N/E	N/E	N/E	N/E
3. Titanium Dioxide*	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
N/E: Not Established * Exposure limits not provided as materials are in suspension.								
ENGINEERING CONTROLS: None normally required under normal use conditions.								
PERSONAL PROTECTIVE EQUIP								
	S	ECTION 9: PHY			. PROPERT			
BOILING POINT: 250 °F		VAPOR DENSITY	f : >1 (Air=1)			% VOLATILE BY VO	LUME: N/A	
EVAPORATION RATE: <1 (Ethe	er=1)	pH LEVEL: N/A				% VOLATILE BY WI	E IGHT : N/A	
WEIGHT PER GALLON: 11.88 (Average)	PRODUCT APPE	ARANCE: He	avy Liquid		VOC CONTENT: 0	g/L	
ODOR: Mild Organic		ODOR THRESHO	DLD: N/D			MELTING/FREEZIN	G POINT: N/D	
FLASH POINT: See Section 5		FLAMMABILITY	: N/D			UEL/LEL: N/D		
VAPOR PRESSURE: N/D		RELATIVE DENS	ITY: N/D			SOLUBILITY: N/D		
PARTITION COEFFICENT: N/D		AUTOIGNITION	TEMPERATU	RE: N/D		DECOMPOSITION	TEMPERATURE	: N/D
VISCOSITY: N/D		٨	I/A: Not App	licable	N/D:	Not Determined		
		SECTION	10: STABILI	TY/REACT	ΓΙVΙΤΥ			
STABILITY: Stable.		HAZARDOUS PO	DLYMERIZATI	ON: Will n	ot occur.			
CONDITIONS AND MATERIALS	TO AVOID: 0	xidizing materials						
HAZARDOUS DECOMPOSITIOI	N PRODUCTS:	Carbon monoxide	e, carbon diox	kide, and in	complete co	ombustion products	5.	
		SECTION 11: 1	OXICOLOG	ICAL INFO	ORMATION			
EYE CONTACT: Direct contact may cause mild to moderate irritation.								
SKIN CONTACT: Direct contact	t may result in	mild to moderate	irritation.					
INHALATION: Not expected to be an exposure route under normal use conditions.								
INGESTION: Not expected to b	oe an exposure	route under norr	mal use condi	tions.				
SIGNS AND SYMPTOMS: Symp	otoms of eye ir	ritation include p	ain, tearing, r	edness, an	d swelling.	Symptoms of skin in	ritation	
include reddening, swelling, ra	sh, and rednes	s. Symptoms of r	espiratory irr	itation incl	ude runny n	ose, chest discomfo	ort,	
shortness of breath, and reduc					-			
vomiting, and diarrhea.		, ,				,	,	
AGGRAVATED MEDICAL COND	DITIONS: Pre-e	xisting skin, eve.	and respirato	rv disorder	s may be ag	gravated by exposu	ire to	
this product.		,	aa copa.co	.,	J , DC 4.6	.g. a ta te a 2 y expess		
OTHER HEALTH EFFECTS: Bari	um compound	s are toxic to the	kidnevs and o	ligestive tra	act.			
o mentali en esta da	am compound	SECTION 12:						
ECOTOXICITY: N/E			RADABILITY:			BIOACCUMULATIV	/E POTENTIAL:	N/F
SOIL MOBILITY: N/E		OTHER ADVER		,		N/E: Not Est		14/ =
JOIL WORLD IN THE		SECTION 13: V			ARMATION	.,	tabiisiica	
WASTE DISPOSAL INFORMATI	ON: Non-haza						disnosed	
TASTE DISTOSAL INTONIVIATI		SECTION 14: TI			<u> </u>		атэрозей.	
HAZARDOUS/NON-HAZARDO			MANUFULLE	THE PART OF THE PA	CINIMITIO			
UN NUMBER: None.	OS MATERIAL.	HAZARD CLASS:	None	DVCKII	NG GROUP:	None		
UN PROPER SHIPPING NAME:	Not rogulated		inolle.	FACKII	NG GROUP.	NOTIC.		
ON PROPER SHIPPING NAME: ENVIRONMENTAL HAZARDS:	_							
ENVIRONIVIENTAL MAZARUS:	not determine	u.						

BULK TRANSPORTATION INFORMATION: Not applicable; product is not shipped in bulk.

None recognized.

SPECIAL PRECAUTIONS:

SAFETY DATA SHEET

Date of Preparation:	5/7/24	Page 3 of 3	4550000			
SECTION 15: REGULATORY INFORMATION						
OTHER REGULATORY CONSIDERATIONS: None.						
SECTION 16: OTHER INFORMATION						
PREPARATION DATE:	5/7/2024					
PREPARED BY:	Dave Carey					

The information contained herein is based on the data available to us and is believed to be correct. However, we make no warranty, expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. We assume no responsibility for injury from the use of this product described herein.